



PROFESSIONAL SIGNS & LABELS AT YOUR FINGERTIPS

Create all your safety and facility signage quickly, easily and cost-effectively with Brady's complete line of DIY printers, high performance media and design software

| | |
|--|-----------|
| Printer Application Guide | 112 - 113 |
| Printer Specifications / Comparison Guide..... | 114 - 115 |
| Material Application Checklist | 116 |
| Markware™ Software | 117 |
| BMP™71 Printer & Media | 118 - 121 |
| HandiMark™ Media | 122 |
| MiniMark™ Printer & Media..... | 123 - 124 |
| Arc Flash Labelling..... | 125 |
| BBP®31 & BBP®31 Sign & Label Printers..... | 126 - 133 |
| GlobalMark™ Printer & Media | 134 - 136 |
| BBP™85 Industrial Printer | 137 - 139 |
| BLS850 Laminating System | 139 |
| Safety Sign Blanks..... | 140 |
| VersaPrinter & Labelizer® Plus Media | 140 |

DO IT YOURSELF SIGNMAKING





WHICH SIGN PRINTER BEST SUITS YOUR APPLICATION

Use the following comparison guide to quickly see which printer best fits your application needs. Then turn to the following page to find out more about each printer, compatible materials and print ribbons.

★★★★ Ideal ★★ Good ★ Acceptable



| APPLICATIONS | BMP®71 Label Printer page 118 | MiniMark™ Label Printer page 123 | BBP®33 Label Printer page 127 |
|--|---|--|--|
| Safety panels/Evacuation maps Pictograms, wallcharts, multiple condition signs | ★ Up to 50mm high Single Colour | ★ Up to 100mm high Single Colour | ★★ Up to 100mm high Single Colour |
| Washdown process Manufacturing plants, food & beverage plants | ★★★★ Up to 50mm high Single Colour - Black | — | ★★★★ Up to 100mm high Single Colour - Black |
| Safety procedures & machine instructions Schematics, valve & switch ID, emergency procedures, lockout / tagout | ★★ Up to 17 lines on 50mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Single Colour |
| Pipe marking | ★★ Individual pipe markers Single Colour Sizes from 25 to 50mm | ★★ Individual pipe markers Single Colour Sizes 29, 57 & 100mm | ★★★★ Individual pipe markers Single Colour Sizes 13, 29, 57 & 100 |
| Hazardous substances identification GHS Labelling | — | — | ★★★★ Die Cut Single Colour |
| Photoluminescent signage Emergency escape routes Assembly and emergency point signs | ★★ Up to 50mm high Single Colour | — | ★★★★ Up to 100mm high Single Colour |
| Maintenance Cleaning instructions, repair instructions | ★★★★ Up to 17 lines on 50mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Single Colour |
| Switchboard identification Panel and switch identification | ★★★★ Up to 50mm high Single Colour | ★★ Up to 100mm high Single Colour | ★★★★ Up to 100mm high Single Colour |
| Asset management Office furniture, tools and machines, Company cars | ★★★★ Die-cut, temper evident materials | ★★★★ Die-cut, temper evident materials | ★★★★ Die-cut, temper evident materials |
| Logistics Warehouse, stock, barcodes , floormarking | ★★★★ Up to 11 barcode symbologies, ToughStripe® material | ★★★★ Up to 11 barcode symbologies and economy material | ★★★★ Built-in barcode symbologies |
| Transport Chemical substance, directional signs, Informative signs | ★ Up to 50mm high, Single Colour | ★ Up to 100mm high Single Colour | ★ Up to 100mm high Single Colour |
| Office use Files, door plates | ★★★★ Up to 50mm high Single Colour | ★★ Up to 100mm high Single Colour | ★★ Up to 100mm high Single Colour |
| Cutting letters & signs | — | — | — |
| Tag Out labels Safety tags | — | — | ★★ Special material, non-adhesive tags Single Colour |
| Events (badges, logos.) Exhibitions, seminars Advertising / communication agencies | ★ Up to 50mm high Single Colour | ★★ Up to 100mm high Single Colour | ★★ Up to 100mm high Single Colour |
| Service / recreation Industrial contractors Holiday centres, leisure centres Theme parks | ★ Up to 50mm high Single Colour | ★ Up to 100mm high Single Colour | ★ Up to 100mm high Single Colour |



| BBP [®] 31 Sign & Label Printer page 126 | GlobalMark [®] 2 Multicolour page 134 | GlobalMark [®] 2 Colour & Cut page 134 | BBP [®] 85 Sign & Label Maker page 137 |
|--|---|---|--|
| ★★ Up to 100mm high Single Colour | ★★★★ Up to 100mm high, Multicolour (300mm with tiling) | ★★★★ Up to 100mm high Multicolour (300mm with tiling) | ★★★★ Up to 250mm high Multicolour |
| ★★★★ Up to 100mm high Single Colour - Black | ★★★★ Up to 100mm high Single Colour - Black | ★★★★ Up to 100mm high Single Colour - Black | - |
| ★★★★ Up to 25 lines on 100mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Multicolour | ★★★★ Up to 25 lines on 100mm high Multicolour | ★★★★ Up to 42 lines on 250mm high Multicolour |
| ★★★★ Individual pipe markers Single Colour Sizes 13, 29, 57 & 100 | ★★★★ Individual or multiple-up pipe markers, Multicolour & cut to shape Sizes 13, 29, 57 & 100mm | ★★★★ Individual or multiple-up pipe markers, Multicolour & cut to shape Sizes 13, 29, 57 & 100mm | ★★★★ Individual or multiple-up pipe markers, Multicolour or monochrome, Sizes 13 to 250mm |
| ★★★★ Die Cut Single Colour | ★★★★ Die Cut Multicolour | ★★★★ Die Cut Multicolour | ★★★★ Die Cut Multicolour |
| ★★★★ Up to 100mm high Single Colour | ★★★★ Up to 100mm high Multicolour | ★★★★ Up to 100mm high Multicolour | ★★★★ Up to 250mm high Multicolour |
| ★★★★ Up to 25 lines on 100mm high Single Colour | ★★★★ Up to 25 lines on 100mm high Multicolour | ★★★★ Up to 25 lines on 100mm high Multicolour | ★★★★ Up to 42 lines on 250mm high Multicolour |
| ★★★★ Up to 100mm high Single Colour | ★★ Up to 25 lines on 100mm high Multicolour | ★★ Up to 25 lines on 100mm high Multicolour | ★ Up to 42 lines on 250mm high Multicolour |
| ★★★★ Die-cut, tamper evident materials | ★★ | ★★ | - |
| ★★★★ Built-in barcode symbolologies | ★★★★ Up to 11 barcode symbolologies and ToughStripe [®] material | ★★★★ Up to 11 barcode symbolologies and ToughStripe [®] material | ★★ Built in barcode symbolologies |
| ★ Up to 100mm high Single Colour | ★★ Up to 100mm high, Multicolour (300mm with tiling) | ★★★★ Up to 100mm high, Multicolour (300mm with tiling) | ★★★★ Up to 250mm high Multicolour |
| ★★ Up to 100mm high Single Colour | ★★ Up to 100mm high Multicolour | ★★ Up to 100mm high Multicolour | ★ Up to 250mm high Multicolour |
| - | - | ★★★★ With Cutter Plotter | - |
| ★★ Special material, non-adhesive tags Single Colour | ★★★★ Special materials Semi rigid, non adhesive Multicolour (prints photos) | ★★★★ Special materials Semi rigid, non adhesive Multicolour (prints photos) | - |
| ★★ Up to 100mm high Single Colour | ★★★★ Print photos in full colour | ★★★★ Print photos in full colour Cut out function | ★★ Up to 250mm high Multicolour |
| ★ Up to 100mm high Single Colour | ★★ Up to 100mm high, Multicolour (300mm with tiling) | ★★★★ Up to 100mm high, Multicolour (300mm with tiling) | ★★★★ Up to 250mm high, Multicolour (600mm with tiling) |



SIGN PRINTER COMPARISON GUIDE

Use the following guide to compare our DIY Signmaking Printers and find which printer has the features & functionalities to suits your needs. Then turn to the printer pages to find out more about each printer, compatible materials and print ribbons.



| Printer Specifications | BMP®71 Label Printer See page 118 | MiniMark™ Label Printer See page 123 | BBP®33 Label Printer See page 127 |
|--|--|--|---|
| Description | Portable, entry level printer for small size and quantity facility & safety ID labelling. Best choice if portability is a must and a range of labelling is required across multiple applications. | Small, compact, economical entry level printer with high speed print and 203dpi resolution. | The first PC-connect only facility & safety printer with no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost. |
| Applications & Other Comments | Data communications labelling, facility, safety & maintenance identification, general & industrial labelling, laboratory identification, panel identification, security identification, wire & cable marking. | Facility & safety ID, signs, pipe markers, lean/5S and equipment labels. | Facility & safety ID, electrical, laboratory and electronics ID, signs, pipe markers, lean/5S, arc flash labels, GHS labels, equipment labels, panel & pushbutton labels, reflective, tagging, magnetic and cold-temp labelling, wire labels & sleeves. |
| Label Material Types | Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, and a huge range of other materials. | Extremely aggressive 8-10 year outdoor vinyl with high tack & chemical resistance, plus 3 other materials. | Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 32 other materials |
| Type Of Labels Available | Continuous, and extensive range of die cut labels | Continuous, some die cut labels | Continuous, pre-printed die cut, general die cut, wire labels & sleeves |
| Print Technology | Thermal Transfer | Thermal Transfer | Thermal Transfer |
| Print Resolution | 300dpi | 203dpi | 300dpi |
| Print Speed (max) | 38mm / sec | 76.2mm / sec | 100mm / sec |
| Max Print Width | 45mm | 100mm | 100mm |
| Media Widths | 12.7 - 50mm | 12.7 - 100mm | 12.7 - 107.95mm |
| Minimum Label Dimension | 6.35mm | 12.7mm | 6.35mm |
| Colour Capabilities | Single print colour on label | Single print colour on label | Single print colour on label (some preprinted multicolour supplies also available) |
| Auto Cut-Off | No | Yes | Yes |
| X-Y Plotter Cutting (cutting out shapes & text) | No | No | No |
| PC Connect or Stand Alone Operation | PC connect and stand alone | PC connect only | PC connect only |
| Input | Keypad | PC connected | PC connected |
| Backlit Screen Display | Yes | n/a | n/a |
| Built-In Fonts | 2 | n/a - available with Markware | n/a - available with Markware |
| Built-In Symbols | Over 500 | n/a - available with Markware | n/a - available with Markware |
| Barcode Function | Yes | Yes with Markware | Yes with Markware |
| Serialisation Function | Yes | Yes with Markware | Yes with Markware |
| Ribbon & Material Installation | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover | Labels: Supplied in cartridge, drops into place, 20 sec changeover Ribbon: Loose roll, "thread-thru" required | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover |
| Calibration Required? | No (no waste) | Yes | No (no waste) |
| Label Creation & Set-up | Automatic (printer or PC software reads data on chip and automatically sets up label size, colour, fonts, etc.) | Set up steps required from drop-down list in PC Software | Automatic (PC software reads data on chip and automatically sets up label size, colour, fonts, etc.) |
| Connectivity Options | Standard: USB | Standard: Serial, Parallel, USB, Ethernet | Standard: USB, Ethernet Optional: WiFi, WiFi Direct |
| Wireless Connectivity | No | No | Yes |
| Software Compatibility | LabelMark™ Software, MarkWare™ Software, Windows® based driver for 3rd party software use* | MarkWare™ Software, Windows® based driver for 3rd party software use* | MarkWare™ Software, Labelmark™ Software, Codesoft™ Software, Windows® based driver for 3rd party software use* |
| Weight | 2.49kg | 2.2kg | 5.3kg |
| Dimensions (HxWxD mm) | 333 x 241 x 177 | 201 x 260 x 179 | 242 x 305 x 231 |
| Power Supply | 240V (110V) | 240V (110V) | 240V (110V) |
| Warranty | 12 months | 5 years | 5 years |

* Test 3rd party software integration for intended application prior to purchase. Windows® is a registered trademark of Microsoft Corporation.



| Printer Specifications | BBP®31 Sign & Label Printer See page 126 | GlobalMark®2 Label Maker See page 134 | BBP®85 Sign & Label Maker See page 137 |
|--|--|---|--|
| Description | Ultimate facility & safety printer for walk-up-and-print ease of use and ease of label changeovers. Best choice for multi-user, "Lean event" labelling situations, and centrally located print areas. | Rugged Safety & Facility ID printer with advanced capabilities of printing multiple print colours onto a label and cutting out basic shapes & text. Ideal for Lean, 5S, and Plant Reliability labelling programs as well as pipe marking and general facility ID. | Larger format facility ID printer with ultimate walk-up-and-print ease of no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost. |
| Applications & Other Comments | Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labelling. | Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labelling. | Large-sized labels up to 10" for signs, warnings, lean/5S, arc flash, GHS chemical labels, equipment & panel labels, roll form pipe markets, reflective and glow-in-the-dark labels. |
| Label Material Types | Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, magnetic, engraved plate substitute and 8 other materials. | Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark and 9 other materials. | Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester. |
| Type Of Labels Available | Continuous, pre-printed die cut, some general die cut labels | Continuous material and pre-printed die cut labels | Continuous material and pre-printed die cut labels |
| Print Technology | Thermal Transfer | Thermal Transfer | Thermal Transfer |
| Print Resolution | 300dpi | 300dpi | 300dpi |
| Print Speed (max) | 76.2mm / sec | 25mm / sec | 50mm / sec |
| Max Print Width | 100mm | 100mm | 250mm |
| Media Widths | 12.7 - 107.95mm | 12.7 - 107.95mm | 100 - 250mm |
| Minimum Label Dimension | 12.7mm | 12.7mm | 100mm |
| Colour Capabilities | Single print colour on label (some preprinted multicolour supplies also available) | Multiple print colours (some pre-printed multicolour supplies also available) | Multiple print colours (some pre-printed multicolour supplies also available) |
| Auto Cut-Off | Yes | Yes | Yes |
| X-Y Plotter Cutting (cutting out shapes & text) | No | Yes (Colour & Cut model only) | No |
| PC Connect or Stand Alone Operation | PC connect and stand alone | PC connect and stand alone | PC connect and stand alone |
| Input | Touch screen & keyboard | Touch screen, keyboard & mouse | Touch screen & keyboard |
| Backlit Screen Display | Yes | Yes | Yes |
| Built-In Fonts | 4 | 4 | 4 |
| Built-In Symbols | Over 500 | Over 500 | Over 500 |
| Barcode Function | Yes | Yes | Yes |
| Serialisation Function | Yes | Yes with Markware | Yes |
| Ribbon & Material Installation | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover | Labels: Supplied in cartridge with smart chip, 15 sec changeover Ribbon: Supplied on geared snap-in rolls with smart chip, 5 sec changeover |
| Calibration Required? | No (no waste) | No (no waste) | No |
| Label Creation & Set-up | Automatic (printer or PC software reads data on chip and automatically sets up label size, colour, fonts, etc.) | Automatic (printer or PC software reads data on chip and automatically sets up label size, colour, fonts, etc.) | Automatic (printer or PC software reads data on chip and automatically sets up label size, colour, fonts, etc.) |
| Connectivity Options | Standard: USB, Ethernet Optional: WiFi, WiFi Direct | Standard: USB | Standard: USB, Ethernet Optional: WiFi, WiFi Direct |
| Wireless Connectivity | Yes | No | Yes |
| Software Compatibility | MarkWare™ Software, Windows® based driver for 3rd party software use* | MarkWare™ Software, Windows® based driver for 3rd party software use* | MarkWare™ Software, Windows® based driver for 3rd party software use* |
| Weight | 6.5kg | 9.6kg / 10.1kg (colour & cut model) | 22kg |
| Dimensions (HxWxD mm) | 229 x 305 x 279 | 430 x 260 x 350 | 490 x 310 x 500 |
| Power Supply | 240V (110V) | 240V (110V) | 240V (110V) |
| Warranty | 5 years | 5 years | 5 years |

* Test 3rd party software integration for intended application prior to purchase. Windows® is a registered trademark of Microsoft Corporation.



WHICH MATERIAL BEST SUITES YOUR APPLICATION

| | Compatible printer key: 71 = BMP™71 MM = Minimark™ 31/33 = BBP®31 & BBP®33 GM = GlobalMark™ 85 = BBP®85 | B-7604/ B-7606 Paper Diecut | B-595 Industrial quality vinyl | B-569/ B-7569 High perform. polyester | B-581 Repos. vinyl | B-582/ B-526 Photolum. | B-530 Tampor resistant/ Evident | B-549 Cold temp. polyester | B-529/ B-7591 Economy Polyprop. & Vinyl | B-584 Reflective vinyl | B-854/ B-855 Tough- Wash™ | B-509 Magnetic | B-551 Non adhesive tag stock | B-565/ B-7563 Metallised polyester | B-843 Tough- Stripe® |
|--|--|--|--|---|---------------------------------|--------------------------------------|---|--|---|-------------------------------------|--|--------------------------|--|---|-----------------------------------|
| Compatible Printers | MM | 71, MM, 31/33, GM, 85 | 31/33, GM, 85 | 71, 31/33, GM | 71, GM, 85 | 71, MM, 31/33 | 71, GM | 71, MM | 71, GM, 85 | 71, 31/33, GM | 31/33, GM | 31/33, GM | MM, 31/33, GM | 71, GM | |
| Safety Panels/ Evacuation Maps • Multiple condition signs • Wallcharts | | ★ | ★ | | | ★ | | | | ★ | | | | | |
| Washdown Process | | ★ | ★ | | | ★ | | | | | ★ | | | | |
| Safety Procedures & Machine Instructions • Valve & switch ID • Emergency procedures • Lockout / Tagout | | ★ | ★ | | | ★ | | ★ | ★ | ★ | | | | ★ | |
| Pipe Marking • Standard • Roll form • Arrows | | ★ | ★ | | | | | | | | | | | | |
| Hazardous Substances Identification • GHS | | ★ | ★ | | | | | | ★ | | | | | | |
| Photoluminescent Signage • Emergency escape routes • Assembly and Emergency point signs | | | | | | ★ | | | | | | | | | |
| Maintenance • Cleaning instructions • Repair instructions | | ★ | | ★ | | | | | | | | | ★ | ★ | |
| Switchboard Identification | | ★ | | | | | | | | | | | | ★ | |
| Asset Management • Office furniture • Tools and machines • Company cars | | ★ | | | | | ★ | | ★ | | | | | | |
| Logistics • Warehouse • Stock • Floor Marking | ★ | ★ | | ★ | | | | | ★ | ★ | | ★ | | | ★ |
| Transport • Chemical substances • Directional signs • Informative signs | | ★ | ★ | | | | | | | ★ | | | | | |
| Office Use • Files • Door plates | ★ | ★ | | | | | | | ★ | | | | | | |
| Cutting Letters & Signs | | ★ | ★ | | | | | | | | | | | ★ | |
| Tag Out Labels • Safety Tags | | ★ | | | | | | | | | | | ★ | | |
| International Medical Seminar Dr. P. Arbutnot Oncology • Exhibitions / Seminars • Advertising/ communication agencies | | ★ | | ★ | | | | | ★ | | | | | ★ | |
| • Industrial contractors • Holiday centres, leisure centres • Theme parks | | ★ | | ★ | | | | | ★ | | | | | ★ | ★ |



MARKWARE™ FACILITY IDENTIFICATION DESIGN SOFTWARE

SOFTWARE THAT ANTICIPATES YOUR NEEDS AS YOU DESIGN YOUR LABEL

MarkWare™ Facility Identification Software is the simple solution for do-it-yourself sign-making. Easy to use, your industrial signage can at last show its true potential for noticeable signs – created in-house, in colour, in minutes.

- Use your PC to quickly design professional looking signs and labels
- Print directly to a Brady labelling system or most Windows™ inkjet/laser printers
- Preformatted templates make sign and label creation quick and easy
- Customise label layouts to your own specs
- Import logos and photos or create barcodes using 15 different symbologies
- Link label contents to information stored in spreadsheet and databases

Primary Application:

- Facility, Safety & Maintenance ID
- Visual Workplace ID
- Pipe Marking
- Barcode Labelling
- Hazardous Chemical Labelling
- Lockout Labels
- Arc Flash Labels
- Visual Equipment Controls
- Warehouse Bin and Shelf Labelling
- General Industrial Labels



Visit www.bradyID.com.au/markware for more information.



Hundreds Of Built-In Symbols Designed For International And Australian Standards

Hazard Warning



Personal Protective Equipment



Prohibition



Sign Headers



| Part No. | Description |
|----------|--|
| 20700 | MarkWare™ Standard Software Kit - One user licence |
| 20700L | MarkWare™ Lean Tools Software Kit - One user licence |
| 20700-V | MarkWare™ Standard Software Kit - Volume licence |
| 20700L-V | MarkWare™ Lean Tools Software Kit - Volume licence |

MARKWARE™ LEAN TOOLS FACILITY IDENTIFICATION SOFTWARE

Includes all of the features and functionality of MarkWare™ standard software, plus new tools to support and sustain your lean transformation. Post critical information at the point of use when implementing 5S, Total Productive Maintenance, Standard Work, Kanban, or other lean concepts.

- Circular Gauges
- Magnahelic Gauges
- Drive Train Belt Controls
- Liquid Level Indicators
- Directional Arrows and more...

MARKWARE™ SOFTWARE NOW INCLUDES A GHS LABEL MODULE

- 18 pre-formatted label layouts and approved GHS symbols are built-in
- User selects approved pre-worded hazard statements and GHS symbols which then automatically populates into layout - no need to type everything in
- Prompts for additional variable data which then auto-populates into layout
- Choose a second language and MarkWare auto-populates in the second language
- Contains templates for BBP®31, BBP®33, Globalmark® and BBP®85 Printers.

Already a MarkWare Software user?

Upgrade your current MarkWare by visiting www.BradyID.com.au/softwareupdates





BMP®71 MOBILE LABEL PRINTER



BMP®71 LABEL PRINTER

View Online! View an online demo video and request a free label sample pack of the BMP®71 Printer at www.bradyid.com.au/bmp71

THOUSANDS OF APPLICATIONS. HUNDREDS OF LABELS. ONE LABEL PRINTER.

With the BMP®71 you can create all of your safety and facility, wire and cable, and asset and component identification quickly, simply and professionally with one printer.

The best features and functionalities of Brady's portable label printers are now combined into one easy-to-use, top-of-the-line portable thermal transfer printer.

- 100's Of Symbols
- Prints On 100's Of Label Options
- Reverse Print
- Multiple Font Sizes
- Auto Font Sizes
- Barcodes & Serialisation
- QWERTY Keyboard
- Easy Design & Formatting
- Simple To Load, Smart Cell Labels & Ribbons
- Time/Date Stamps
- Underline/Italics/Bold/Subscript
- Frame Option
- Vertical Text
- Full Colour Display
- Includes PC Design Software

BMP®71 PRINTER & ACCESSORIES

| Part No. | Description |
|----------|--|
| 872044 | BMP®71 Printer* with MarkWare™ Software |
| 115158 | BMP®71 Printer* with LabelMark™ Software |
| 114881 | Hardcase |
| 114882 | Softcase |
| 871843 | AC Adaptor |
| 871844 | Quick Charger |
| 114885 | Battery |
| 114886 | Cleaning Kit |
| 114887 | HandiMark™ / TLS 2200™ Media Adaptor |
| 103788 | USB Cable |

*Label printer ships with Hardcase, Charger/AC Adaptor, 1 x Roll of M71-31-423 White Die Cut Labels, 1 x R6000 Ribbon Cartridge, Roll Adaptor, USB Cable, Quickstart Guide, a CD including the Printer Driver, User Guide and Tutorial.

BMP®71 Label Printer Specifications

| | |
|----------------------------------|---|
| Max Labels per day | 1000 labels/day |
| Print Resolution | 300dpi |
| Print Speed | 38 mm/sec |
| Tape Widths (mm) | Various sizes from 6.4 to 50.8 mm |
| Max Label Width (mm) | 50.8 |
| Max Print Width (mm) | 44.45 |
| Memory | 200 MB |
| Materials Supported | Continuous, die cut labels, bulk, over 400 stock parts and custom |
| PC Connect | Yes |
| Software Compatibility | LabelMark™ / MarkWare™ Software |
| File Transfer from PC to printer | Yes |
| Stand Alone Printing | Yes |
| Connectivity Options | USB |
| Colour Capability | Single colour printing |
| Keyboard | QWERTY |
| Backlit Screen | Yes |
| Serialization | Yes |
| Barcode | 39 and 128 |
| Symbols | Over 500 |
| Power Supply | Rechargeable battery, AC power |

* For a comparison of specifications versus other printers, see page 114-115.

Did you know?

The BMP®71 printer can also print on TLS2200® and HandiMark® consumables using the included Roll Adaptor



The BMP®71 Is Your Complete Wire & Cable Printing Solution...

This versatile printer also offers an extensive range of Do-It-Yourself Labelling materials suitable for Electrical, Voice/Data Communication, General ID and Laboratory applications.

Visit pages 170-189 to view the Do-It-Yourself Labelling solutions available with the BMP®71 Printer.



The One Way To Faster, Easier Label Printing



Electrical Labelling

Voice/Data Communications

General Identification

PermaSleeve® WireSleeve

Self-Laminating Labels

Safety Labels... and more!



BMP®71 RIBBONS & LABEL MATERIALS

BMP®71 RIBBONS

| Part No. | Reference | Colour | Length |
|----------|--------------|---------|--------|
| 114547 | M71-R6000 | Black | 45.72m |
| 114550 | M71-R4400-WT | White | 45.72m |
| 114552 | M71-R6900-BL | Blue | 45.72m |
| 114551 | M71-R6900-RD | Red | 45.72m |
| 114553 | M71-R6900-GR | Green | 45.72m |
| 114554 | M71-R6900-MA | Magenta | 45.72m |
| 114555 | M71-R6900-YL | Yellow | 45.72m |



Brady Materials Are Purposely Made For Facility & Safety Applications:

- 5S Labels
- Equipment & Panel Labels
- Pipe Markers
- Arc Flash & Chemical Labels
- Safety & Warning Labels
- And More!

B-595 Indoor / Outdoor Vinyl

Pliable vinyl conforms to smooth or rough surfaces, excellent resistance to oils, detergents, dirt, grime, and many solvents.

| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|-------------------|----------|------------|--------------|--------------|-----------------|-------------|
| 142375 | Fig. 33 | M71C-500-595-WT | B-595 | White | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142351 | Fig. 33 | M71C-1000-595-WT | B-595 | White | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142363 | Fig. 33 | M71C-2000-595-WT | B-595 | White | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142376 | Fig. 33 | M71C-500-595-YL | B-595 | Yellow | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142352 | Fig. 33 | M71C-1000-595-YL | B-595 | Yellow | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142364 | Fig. 33 | M71C-2000-595-YL | B-595 | Yellow | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142370 | Fig. 33 | M71C-500-595-GN | B-595 | Green | 12.70 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142346 | Fig. 33 | M71C-1000-595-GN | B-595 | Green | 25.40 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142358 | Fig. 33 | M71C-2000-595-GN | B-595 | Green | 50.80 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142374 | Fig. 33 | M71C-500-595-RD | B-595 | Red | 12.70 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142350 | Fig. 33 | M71C-1000-595-RD | B-595 | Red | 25.40 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142362 | Fig. 33 | M71C-2000-595-RD | B-595 | Red | 50.80 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142366 | Fig. 33 | M71C-500-595-BL | B-595 | Blue | 12.70 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142342 | Fig. 33 | M71C-1000-595-BL | B-595 | Blue | 25.40 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142354 | Fig. 33 | M71C-2000-595-BL | B-595 | Blue | 50.80 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142372 | Fig. 33 | M71C-500-595-OR | B-595 | Orange | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142348 | Fig. 33 | M71C-1000-595-OR | B-595 | Orange | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142360 | Fig. 33 | M71C-2000-595-BOR | B-595 | Orange | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142365 | Fig. 33 | M71C-500-595-BK | B-595 | Black | 12.70 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142341 | Fig. 33 | M71C-1000-595-BK | B-595 | Black | 25.40 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142353 | Fig. 33 | M71C-2000-595-BK | B-595 | Black | 50.80 | 15.24 | 1 Roll (cont.) | M71-4400-WT |
| 142371 | Fig. 33 | M71C-500-595-GY | B-595 | Grey | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142347 | Fig. 33 | M71C-1000-595-GY | B-595 | Grey | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142359 | Fig. 33 | M71C-2000-595-GY | B-595 | Grey | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142367 | Fig. 33 | M71C-500-595-BR | B-595 | Brown | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142343 | Fig. 33 | M71C-1000-595-BR | B-595 | Brown | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142355 | Fig. 33 | M71C-2000-595-BR | B-595 | Brown | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142368 | Fig. 33 | M71C-500-595-CL | B-595 | Clear | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142344 | Fig. 33 | M71C-1000-595-CL | B-595 | Clear | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142356 | Fig. 33 | M71C-2000-595-CL | B-595 | Clear | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142373 | Fig. 33 | M71C-500-595-PL | B-595 | Purple | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142349 | Fig. 33 | M71C-1000-595-PL | B-595 | Purple | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142361 | Fig. 33 | M71C-2000-595-PL | B-595 | Purple | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142391 | Fig. 33 | M71C-500-595-TN | B-595 | Tan | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142390 | Fig. 33 | M71C-1000-595-TN | B-595 | Tan | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142389 | Fig. 33 | M71C-2000-595-TN | B-595 | Tan | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142379 | Fig. 33 | M71C-500-595-LB | B-595 | Light Blue | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142378 | Fig. 33 | M71C-1000-595-LB | B-595 | Light Blue | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142377 | Fig. 33 | M71C-2000-595-LB | B-595 | Light Blue | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142382 | Fig. 33 | M71C-500-595-PK | B-595 | Pink | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142381 | Fig. 33 | M71C-1000-595-PK | B-595 | Pink | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142380 | Fig. 33 | M71C-2000-595-PK | B-595 | Pink | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142385 | Fig. 33 | M71C-500-595-OC | B-595 | Ochre | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142384 | Fig. 33 | M71C-1000-595-OC | B-595 | Ochre | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142383 | Fig. 33 | M71C-2000-595-OC | B-595 | Ochre | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142388 | Fig. 33 | M71C-500-595-SB | B-595 | Sky Blue | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142387 | Fig. 33 | M71C-1000-595-SB | B-595 | Sky Blue | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 142386 | Fig. 33 | M71C-2000-595-SB | B-595 | Sky Blue | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |




Figure 33

Request A Sample Pack!

Contact us via www.bradyid.com.au/contactbrady to request a free sample pack of Brady's most popular printer materials, including the B-595 material listed on this page.

Refer to the material guide on page 385-391 for full material specifications and descriptions.



BMP®71 LABEL MATERIALS

B-584 Reflective Tape

Helps illuminate the labels when light is shined on the surface.

| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|-------------------|----------|--------|--------------|--------------|-----------------|-------------|
| 115140 | Fig. 33 | BM71C-1000-584-WT | B-584 | White | 25.40 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 115141 | Fig. 33 | BM71C-2000-584-WT | B-584 | White | 50.80 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 104303 | Fig. 33 | BM71C-1000-584-YL | B-584 | Yellow | 25.40 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 104304 | Fig. 33 | BM71C-2000-584-YL | B-584 | Yellow | 50.80 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 104301 | Fig. 33 | BM71C-1000-584-OR | B-584 | Orange | 25.40 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 104302 | Fig. 33 | BM71C-2000-584-OR | B-584 | Orange | 50.80 | 22.86 | 1 Roll (cont.) | M71-R6000 |




Figure 33

B-582 BradyGlo™ Phosphorescent Polyester

Light absorbing and will glow for 10 hours.

| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|----------------|----------|----------------|--------------|--------------|-----------------|-------------|
| 104290 | Fig. 33 | BM71C-1000-582 | B-582 | Phosphorescent | 25.40 | 22.86 | 1 Roll (cont.) | M71-R6000 |
| 115130 | Fig. 33 | BM71C-2000-582 | B-582 | Phosphorescent | 50.80 | 22.86 | 1 Roll (cont.) | M71-R6000 |



B-581 Temporary/Removable Vinyl

Indoor/outdoor film is a high gloss, durable, flexible, pressure sensitive adhesive product. Easily removed and re-applied.

| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|------------------|----------|--------|--------------|--------------|-----------------|-------------|
| 114847 | Fig. 33 | M71C-500-581-WT | B-581 | White | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114848 | Fig. 33 | M71C-500-581-YL | B-581 | Yellow | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114724 | Fig. 33 | M71C-1000-581-WT | B-581 | White | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114725 | Fig. 33 | M71C-1000-581-YL | B-581 | Yellow | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114771 | Fig. 33 | M71C-2000-581-WT | B-581 | White | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114772 | Fig. 33 | M71C-2000-581-YL | B-581 | Yellow | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |




Figure 33

B-530 Tamper Resistant Vinyl

Tamper resistant tape destructs into tiny fragments when being removed, making any attempts to remove the label very difficult and time consuming.

| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|---------------|----------|--------|--------------|--------------|-----------------|-------------|
| 114835 | Fig. 33 | M71C-500-530 | B-530 | White | 12.70 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114711 | Fig. 33 | M71C-1000-530 | B-530 | White | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114761 | Fig. 33 | M71C-2000-530 | B-530 | White | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |




DID YOU KNOW WE GAIN 75% OF WHAT WE KNOW THROUGH VISUALS?

Visual Communication in the workplace puts critical information at the point of use. Visuals make sure every employee knows exactly what to do, all the time. That means better safety, and better productivity!

What Visual Communication Should You Post? If it's critical information, it should be embedded in your physical workplace. That means right where employees work – on their equipment, on the shelves, on the floors... anywhere they can see it at a glance for "just-in-time communication."

Brady offers a range of tools for managing risks with visual solutions, such as our DIY Signmaking printers, floor marking solutions, stock and custom signs, labels, lockout devices and much more.



Learn More at: www.bradyID.com.au/wscs



BMP®71 LABEL MATERIALS

B-529 Economy Polypropylene

Acrylic pressure sensitive adhesive for use indoors on smooth, flat surfaces.




Figure 33



| Part No. | Diagram | Reference | Material | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|---------------|----------|--------|--------------|--------------|-----------------|-------------|
| 114710 | Fig. 33 | M71C-1000-529 | B-529 | White | 25.40 | 15.24 | 1 Roll (cont.) | M71-R6000 |
| 114760 | Fig. 33 | M71C-2000-529 | B-529 | White | 50.80 | 15.24 | 1 Roll (cont.) | M71-R6000 |

B-854 and B-855 ToughWash™ Material

This material is engineered to withstand the rigorous wash down process in a Food and Beverage facility.




Figure 70

NEW



| Part No. | Diagram | Reference | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|---|---------|-------------------|--------|--------------|--------------|-----------------|-------------|
| B-854 ToughWash™ Metal Detectable Material | | | | | | | |
| 133129 | Fig. 33 | BM71C-1000-854-WT | White | 25.40 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133127 | Fig. 33 | BM71C-2000-854-WT | White | 50.80 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133128 | Fig. 33 | BM71C-1000-854-YL | Yellow | 25.40 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133126 | Fig. 33 | BM71C-2000-854-YL | Yellow | 50.80 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| B-855 ToughWash™ Material | | | | | | | |
| 133154 | Fig. 33 | BM71C-1000-855-WT | White | 25.40 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133152 | Fig. 33 | BM71C-2000-855-WT | White | 50.80 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133153 | Fig. 33 | BM71C-1000-855-YL | Yellow | 25.40 | 22.80 | 1 Roll (cont.) | M71-R6000 |
| 133151 | Fig. 33 | BM71C-2000-855-YL | Yellow | 50.80 | 22.80 | 1 Roll (cont.) | M71-R6000 |

B-483 ToughStripe® Print-On-Demand Floor Material

Create floor labels using with the same durability and performance as ToughStripe® Floor Marking Tape (see page 331)




Figure 33

NEW



| Part No. | Diagram | Reference | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|----------|---------|--------------------|--------|--------------|--------------|-----------------|--------------|
| 142140 | Fig. 33 | M71-1000-483-WT-KT | White | 25.40 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142141 | Fig. 33 | M71-2000-483-WT-KT | White | 50.80 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142144 | Fig. 33 | M71-1000-483-YL-KT | Yellow | 25.40 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142145 | Fig. 33 | M71-2000-483-YL-KT | Yellow | 50.80 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142142 | Fig. 33 | M71-1000-483-BK-KT | Black | 25.40 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142143 | Fig. 33 | M71-2000-483-BK-KT | Black | 50.80 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142148 | Fig. 33 | M71-1000-483-BL-KT | Blue | 25.40 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142149 | Fig. 33 | M71-2000-483-BL-KT | Blue | 50.80 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142150 | Fig. 33 | M71-1000-483-GN-KT | Green | 25.40 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142151 | Fig. 33 | M71-2000-483-GN-KT | Green | 50.80 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142152 | Fig. 33 | M71-1000-483-OR-KT | Orange | 25.40 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142153 | Fig. 33 | M71-2000-483-OR-KT | Orange | 50.80 | 15.20 | 1 Roll (cont.) | M71-R6000 |
| 142146 | Fig. 33 | M71-1000-483-RD-KT | Red | 25.40 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |
| 142147 | Fig. 33 | M71-2000-483-RD-KT | Red | 50.80 | 15.20 | 1 Roll (cont.) | M71-R4400-WT |



TOUGHWASH™ Harsh Washdown Labels

Labels that resist the temperatures, pressure, and chemicals of washdown cycles.

ToughWash™ washdown resistant labels can handle the pressures of high heat, harsh chemicals, high pressure sprays and multiple washdown cycles found in food and beverage processors.



Learn More at:
www.bradyID.com.au/food



How To Apply ToughStripe® Floor Marking Tape

- 1. Clean Surface:** Sweep and clean area, allow floor to dry completely.



- 2. Position Tape:** Keeping the liner in place, position tape along entire desired path.

- 3. Remove Liner:** Peel the liner away from the tape while smoothing down the tape.

- 4. Apply included over laminate.**

*For maximum performance, apply ToughStripe floor tape to flat, non-coated, concrete.



HANDIMARK™ RIBBONS & LABEL MATERIALS



New Model Available!

The HandiMark™ printer has been replaced by the BMP®71 Label Printer (see page 118).

Brady continues to manufacture and stock a range of labels and accessories for the HandiMark™ Printer.



B-595 Indoor / Outdoor Vinyl

Pliable vinyl conforms to smooth or rough surfaces, excellent resistance to oils, detergents, dirt, grime, and many solvents.



| Dimensions | Material | Part No. | White | Yellow | Green | Red | Blue | Orange | Black | Grey | Brown | Clear | Purple | Tan | Light Blue |
|---------------------|----------------------------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|
| 12.70mm x 15.24m | B-595 | 142269 | 142272 | 142275 | 142278 | 142281 | 142284 | 142287 | 142290 | 142293 | 142302 | 142299 | - | - | - |
| 25.40mm x 15.24m | B-595 | 142270 | 142273 | 142276 | 142279 | 142282 | 142285 | 142288 | 142291 | 142294 | 142303 | 142300 | 142308 | 142306 | - |
| 50.80mm x 15.24m | B-595 | 142271 | 142274 | 142277 | 142280 | 142283 | 142286 | 142289 | 142292 | 142295 | 142304 | 142301 | 142307 | 142305 | - |
| Recommended Ribbon: | Choose from ribbons listed below | | | | | | | | | | | | | | |

B-581 Temporary/Removable Tape

A high gloss, durable, flexible, pressure sensitive adhesive product. Easily remove & re-apply.



B-530 Tamper Resistant Tape

Tamper resistant tape destructs into tiny fragments when being removed.



B-529 Economy Polypropylene Tape

Acrylic pressure sensitive adhesive for use indoors on smooth, flat surfaces.



| Dimensions | Material | Part No. | White | Yellow |
|------------------|----------------------------------|----------|-------|--------|
| 12.70mm x 15.24m | B-581 | 42100 | 42103 | - |
| 25.40mm x 15.24m | B-581 | 42101 | 42104 | - |
| 50.80mm x 15.24m | B-581 | 42102 | 42105 | - |
| Ribbon | Choose from ribbons listed below | | | |

| Dimensions | Material | Part No. | White |
|------------------|----------------------------------|----------|-------|
| 12.70mm x 15.24m | B-530 | 42137 | - |
| 25.40mm x 15.24m | B-530 | 42138 | - |
| 50.80mm x 15.24m | B-530 | 42139 | - |
| Ribbon | Choose from ribbons listed below | | |

| Dimensions | Material | Part No. | White |
|------------------|----------------------------------|----------|-------|
| 12.70mm x 15.24m | B-529 | 42068 | - |
| 25.40mm x 15.24m | B-529 | 42069 | - |
| 50.80mm x 15.24m | B-529 | 42071 | - |
| Ribbon | Choose from ribbons listed below | | |

B-584 Reflective Tape

Helps illuminate the labels when light is shined on the surface.



B-966 Overlaminates

Protect your printed messages with clear overlaminating tape



| Dimensions | Material | Part No. | Silver | Yellow | Orange |
|------------|----------------------------------|----------|--------|--------|--------|
| 25mm x 10m | B-584 | 42062 | 42064 | 42066 | - |
| 50mm x 10m | B-584 | 42063 | 42065 | 42067 | - |
| Ribbon | Choose from ribbons listed below | | | | |

| Dimensions | Material | Part No. | Clear |
|-------------|----------|----------|-------|
| 50mm x 50m | B-966 | 852229 | - |
| 85mm x 50m | B-966 | 852230 | - |
| 130mm x 50m | B-966 | 852231 | - |

HANDIMARK™ RIBBONS



| Part No. | Colour | Dimensions |
|----------|---------|------------|
| 42011 | Black | 50mm x 23m |
| 42012 | White | 50mm x 23m |
| 42013 | Red | 50mm x 23m |
| 42014 | Blue | 50mm x 23m |
| 42015 | Green | 50mm x 23m |
| 42016 | Magenta | 50mm x 23m |
| 42123 | Yellow | 50mm x 23m |



MINIMARK™ INDUSTRIAL LABEL PRINTER



MINIMARK™ INDUSTRIAL LABEL PRINTER

The MiniMark™ offers an affordable sign and label making solution that is compact, fast and incredibly versatile. It has a range of both continuous tapes and die-cut labels providing a solution for safety & facility, wire & cable and general identification.

The MiniMark™ comes complete with MarkWare™ software to allow you to quickly and efficiently create custom designs and templates.

- VERSATILE – Uses continuous tapes for multiple applications
- EASY-LOAD-SUPPLIES – Drop-in ease of loading
- FAST – Prints up to three inches per second
- COMPACT – Doesn't take up a lot of space in work areas
- POWERFUL – Ships with Brady's MarkWare™ Software
- CUTTER - Built-in cutter minimises waste
- PC - Available with Serial and USB connectivity

MINIMARK™ PRINTER

| Part No. | Description |
|----------|--|
| 710141 | MiniMark™ Industrial Label Printer with Free Markware™ Software |
| 856863 | ValuePLUS Package for MiniMark™ Includes: 1 x 100mm (35m) Vinyl Tape, 1 x 57mm (35mm) Vinyl Tape, 1 x Black Ribbon |



MarkWare™ Software - The Ultimate sign and pipe marker database. Ships with every MiniMark™ Printer.

Creating your sign and labels is fast and easy with MarkWare™ software, a powerful tool to compliment your use of the MiniMark™ printer. Use your PC to design professional looking signs and labels and print directly to the MiniMark™ printer.

The MarkWare™ Software contains thousands of pre-made labels ready to print as is or customise with the click of a mouse. Fast. Accurate. Amazing.



Visit www.bradyID.com.au/markware for more information.

MiniMark™ Printer Specifications

| | |
|----------------------------------|---|
| Print Resolution | 203dpi |
| Print Speed | 100mm/sec |
| Tape Widths (mm) | 12.7 - 100 |
| Max Label Width (mm) | 100 |
| Max Print Width (mm) | 100 |
| Memory | 2MB |
| Materials Supported | Continuous, some die cut labels |
| Continuou vs. Die Cut labels | Continuous and die cut labels |
| PC Connect | Yes - cannot be used stand alone |
| Software Compatibility | MarkWare™ Software |
| Font Sizes | Up to 99.06mm with MarkWare™ Software |
| Calibration Required? | Yes |
| Ribbon & label roll installation | Labels: Supplied in cartridge, drops into place, 20 sec changeover Ribbon: Loose roll, "thread-thru"required |
| Connectivity Options | Serial, Parallel, USB, Ethernet |
| Colour Capability | Single colour printing |
| Keyboard | n/a |
| Backlit Screen | n/a |
| Serialization | Yes with MarkWare™ Software |
| Barcode | Yes with MarkWare™ Software |
| Symbols | Hundreds when used with MarkWare™ Software |
| Power Supply | AC power |

* For a comparison of specifications versus other printers, see page 114-115.



Economical, Compact Printer



Signs, Pipe Markers, Equipment ID, General ID, Racks and Shelving, Panel ID, Procedures, Asset Management and more



MINIMARK™ RIBBONS & LABEL MATERIALS

MINIMARK™ RIBBONS

| Reference | Dimensions | Colour | Part No. | Reference | Dimensions | Colour | Part No. | | |
|--------------------------------|-------------|--------|----------|---------------------------------|---------------|-------------|----------|--------|--------|
| | | | | | | | | | |
| | | | | | | | | | |
| 2 Rolls/Pkg | | | | 1 Roll/Pkg | | | | | |
| 2 Rolls/Pkg | | | | 1 Roll/Pkg | | | | | |
| Ribbons For B-595 Vinyl | | | | Ribbons For B-7569 Vinyl | | | | | |
| MNK Black Ribbon | 101mm x 88m | Black | 103025 | - | R-7968 | 110mm x 90m | Black | 710022 | 710192 |
| MNK White Ribbon | 101mm x 88m | White | 103026 | - | R-7968 | 110mm x 90m | White | 710023 | 710193 |
| MNK Red Ribbon | 101mm x 88m | Red | 103027 | - | R-7969 | 110mm x 90m | Red | 710024 | 710194 |
| MNK Blue Ribbon | 101mm x 88m | Blue | 103028 | - | R-7969 | 110mm x 90m | Blue | 710025 | 710195 |
| MNK Green Ribbon | 101mm x 88m | Green | 103029 | - | R-7969 | 110mm x 90m | Green | 710026 | 710196 |
| | | | | | R-7950 – wax* | 110mm x 90m | Black | 710221 | - |

* Wax Ribbon for use with die-cut labels



B-595 Indoor / Outdoor Vinyl Material

Pliable vinyl conforms to smooth or rough surfaces, excellent resistance to oils, detergents, dirt, grime, and many solvents. 8-10 year average outdoor durability in temperatures from -40°C to 82°C.



| Dimensions | Material | Part No. | Colour | | | | | | | | | | | |
|----------------|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | White | Clear | Yellow | Green | Red | Blue | Orange | Black | Brown | Gold | Grey | Purple |
| 13mm x 30.48m | B-595 | 113186 | 113190 | 113195 | 113207 | 113199 | 113211 | 113203 | 113215 | 115762 | 115758 | 115754 | 115752 | |
| 29mm x 30.48m | B-595 | 113185 | 113189 | 113194 | 113206 | 113198 | 113210 | 113202 | 113214 | 115761 | 115757 | 115753 | 115751 | |
| 57mm x 30.48m | B-595 | 113184 | 113188 | 113193 | 113205 | 113197 | 113209 | 113201 | 113213 | 115760 | 115756 | 113219 | 113217 | |
| 101mm x 30.48m | B-595 | 113182 | 113187 | 113191 | 113204 | 113196 | 113208 | 113200 | 113212 | 115759 | 115755 | 113218 | 113216 | |

B-7569 General Purpose Indoor / Outdoor Vinyl Material

Excellent for facility, safety, chemical and lean 5S labelling. Five year average outdoor durability in temperatures from -40°C to 82°C.

| Dimensions | Material | Part No. | Colour | | | | | | |
|-------------|----------|----------|--------|--------|--------|--------|--------|--------|-------|
| | | | White | Yellow | Green | Red | Blue | Orange | Black |
| 29mm x 35m | B-7569 | 710028 | 710029 | 710031 | 710030 | 710032 | 710033 | 710034 | |
| 57mm x 35m | B-7569 | 710040 | 710041 | 710043 | 710042 | 710044 | 710045 | 710046 | |
| 100mm x 35m | B-7569 | 710052 | 710053 | 710055 | 710054 | 710056 | 710057 | 710058 | |

B-7604 Direct Thermal Paper Labels

Comes in 5 Rolls Per Pack.



| Part No. | Material | Dimensions | Labels per Roll |
|---------------|----------|-----------------|-----------------|
| Colour: White | | | |
| 710091 | B-7604 | 15.15 x 19.05mm | 1,575 |
| 710093 | B-7604 | 57.15 x 31.75mm | 1,000 |
| 710096 | B-7604 | 57.15 x 76.2mm | 450 |
| 710098 | B-7604 | 101.6 x 38.1mm | 750 |
| 710100 | B-7604 | 101.6 x 63.5mm | 525 |
| 710101 | B-7604 | 101.6 x 76.2mm | 440 |
| 710103 | B-7604 | 101.6 x 101.6mm | 335 |
| 710105 | B-7604 | 101.6 x 127mm | 270 |

* No Ribbon Required

B-7606 Thermal Thermal Paper Labels

Comes in 5 Rolls Per Pack.



| Part No. | Material | Dimensions | Labels per Roll |
|---------------|----------|-----------------|-----------------|
| Colour: White | | | |
| 710092 | B-7606 | 15.15 x 19.05mm | 1,575 |
| 710094 | B-7606 | 57.15 x 31.75mm | 1,000 |
| 710095 | B-7606 | 57.15 x 50.8mm | 440 |
| 710099 | B-7606 | 101.6 x 38.1mm | 750 |
| 710102 | B-7606 | 101.6 x 76.2mm | 440 |
| 710104 | B-7606 | 101.6 x 101.6mm | 335 |
| 710106 | B-7606 | 101.6 x 127mm | 270 |
| 710107 | B-7606 | 101.6 x 152.4mm | 225 |

Use Black Wax Ribbon with these labels. Part No. 710221

B-438 Tamper Evident Metallised Polyester Labels

Tape destructs into tiny fragments when tampered with.



| Part No. | Material | Dimensions | Labels per Roll |
|----------------|----------|---------------|-----------------|
| Colour: Silver | | | |
| 710108 | B-438 | 50.8 x 25.4mm | 1,240 |
| 710109 | B-438 | 76.2 x 25.4mm | 1,225 |
| 710110 | B-438 | 76.2 x 50.8mm | 650 |
| 710111 | B-438 | 76.2 x 35mm | Continuous |

Use Black Wax Ribbon with die cut labels. Part No. 710221

B-427 Self Laminating Vinyl

Ideal for marking wire cabling, resistant to abrasion, water, oil and solvents.



| Part No. | Material | Dimensions | Labels per Roll |
|---------------------|----------|----------------|-----------------|
| Colour: White/Clear | | | |
| 710112 | B-427 | 12.7 x 31.75mm | 2,800 |
| 710113 | B-427 | 25.4 x 25.5mm | 3,275 |
| 710114 | B-427 | 25.4 x 31.5mm | 2,780 |
| 710116 | B-427 | 38.1 x 63.5mm | 1,000 |

Use Black Wax Ribbon with these labels. Part No. 710221



BRADY - ARC FLASH LABELLING

INCREASE SAFETY AND SAVE COSTS WITH PROPER IDENTIFICATION.



There is a risk when working on live, energized electrical circuitry that can result in serious injury or death from a phenomenon known as Arc Flash.

What is Arc Flash?

Arc Flash is a short circuit through the air that flashes between one live conductor to another conductor or to ground, causing a severe, explosive release of energy.

What Causes Arc Flash?

Arc Flashes can be caused in a variety of ways:

- Coming close to a high-amp source with a conductive object can cause the electricity to flash over.
- Dropping a tool or otherwise creating a spark can ignite an Arc Flash.
- Equipment failure due to use of substandard parts, improper installation, even normal wear & tear.
- Breaks or gaps in insulation.
- Dust, corrosion or other impurities on the surface of the conductor.



What Can be The Outcome?

Arc Flash has the potential to generate extremely high heat, a forceful blast and intense light, caused by the rapid expansion of metallic components transforming to gas and molten particles in a fraction of a second. Experiencing an Arc Flash can cause severe injuries including loss of vision and hearing, third and fourth degree burns, along with the potential for severe electrical shock.

Prevention Methods Can Help.

Clearly visible and legible warning labels should be positioned in the Arc Flash hazard zone to help prevent injury. Other prevention measures include appropriate usage of Arc Flash personal equipment (PPE), remote equipment operation or reconfiguration of electrical equipment.

Arc Flash Labelling Solutions – Brady DIY Printers:

Brady's Do-it-Yourself printing systems and software are designed to help you produced your Arc Flash labelling requirements, giving employees enhanced, equipment specific information to help minimise risk. The printers are designed to be a convenient, flexible and cost-effective way to create, modify and print labels on demand.



BBP®31 Sign & Label Printer

- 2-touch printing – just walk up and print
- Prints labels from 13mm to 100mm wide
- Stand alone or PC-connect
- Large touch-screen display with “touch and drag” moving and sizing
- Wizard-style apps for arc flash, pipe ID, and chemical labels.
- See page 126 for more details



GlobalMark®2 Label Printers

- Full colour print
- Prints labels from 13mm to 100mm wide
- Colour & Cut model includes built-in plotter cutter for cutting out text and shapes
- Stand alone or PC-connect operation
- Built in templates for fro arc flash, pipe ID, and other labels.
- See page 134 for more details



BBP®85 Sign Printers

- Multicolour print
- 2-touch printing – just walk up and print
- Prints labels from 100mm to 250mm wide
- Stand alone or PC-connect operation
- Built in templates for fro arc flash, pipe ID, and other labels.
- See page 137 for more details



BBP®31 SIGN & LABEL PRINTER



BBP®31 SIGN & LABEL PRINTER

View Online!

View online demo videos of the BBP®31 Printer at www.bradyID.com.au/bbp31

BBP®31 PRINTER & ACCESSORIES

| Part No. | Description |
|----------|--|
| 873226 | BBP®31 Printer* with MarkWare™ software |
| 873227 | BBP®31 Printer* standalone (no software) |
| 108365 | BBP®31 Carry case |
| 142117 | BBP®31 Dust cover |
| 142114 | BBP®31 Media wipers (5 pack) |
| 142115 | BBP®31 Replacement Stylus (3 pack) |
| 142116 | BBP®31 Cutter tool |

BBP®31 printer ships with printer, power cord, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder. Note: if using with MarkWare software, version 3.8.1 or higher is required for use with the BBP®31.



5 YEAR WARRANTY

FAST, SIMPLE AND POWERFULLY VERSATILE. THE WAY LABEL MAKING SHOULD BE.

The BBP®31 Sign and Label Printer is an easy-to-use, versatile printer that can print signs and labels for a wide variety of applications.

Produce professional quality, customised signs and labels on demand. No more external supplier minimum order quantities or leadtimes – simply print whatever you like, instantly.

SERIOUS SIMPLE OPERATION

- Large touch-screen display with “touch and drag” feature
- 2-touch printing – just walk up and print
- Smart chip technology supplies for automatic formatting
- Full size fold-down keyboard
- Stand alone or PC-connect operation

CHOCK-FULL OF CAPABILITIES

- Hundreds of material options
- 192 built-in graphics, with quick import options
- Wizard-style applications for pipe ID and arc flash
- Templates for common label styles and a library of 266 pre-made “pick and print” signs and labels
- Use with MarkWare™ Software for even more capabilities

BBP®31 Printer Specifications

| | |
|----------------------------------|--|
| Print Resolution | 300dpi |
| Print Speed | 76.2mm/sec |
| Tape Widths (mm) | 12.7 - 107.95 |
| Max Label Width (mm) | 107.95 |
| Max Print Width (mm) | 101 |
| Memory | Yes |
| Materials Supported | Continuous, some die cut labels |
| PC Connect | Yes |
| Stand Alone | Yes |
| Software Compatibility | MarkWare™ Software |
| Font Sizes | Up to 99.06mm with MarkWare™ Software |
| Calibration Required? | No (no waste) |
| Ribbon & label roll installation | <p>Labels: Supplied in cartridge, drops into place, 15 sec changeover</p> <p>Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover</p> |
| Connectivity Options | Standard: USB, Ethernet Optional: WiFi, WiFi Direct |
| Colour Capability | Single colour printing |
| Keyboard | QWERTY |
| Backlit Screen | Yes |
| Serialization | Yes |
| Barcode | Yes |
| Symbols | Over 500 built-in |
| Power Supply | AC power |

* For a comparison of specifications versus other printers, see page 114-115.

Just Walk Up And Print. So Simple Your Whole Team Can Use It



Industrial Labelling

Warehouse & Product ID

Wires & Cable ID

Raised Panel Labels

Safety & Facility ID ...And More!



BBP®33 LABEL PRINTER

NEW



BBP® 33
LABEL PRINTER

View Online!

View demo videos of the BBP®33 Printer at www.bradyid.com.au/bbp33

BBP®33 Printer & Accessories

| Part No. | Description |
|----------|---|
| 875157 | BBP®33 Label Printer with Auto Cutter and LabelMark™ Software |
| 875158 | BBP®33 Label Printer with Auto Cutter and MarkWare™ Software |
| 875159 | BBP®33 Label Printer with Auto Cutter, LabelMark™ Software and MarkWare™ Software |
| 108365 | Rolling case w/ handle and supplies pockets for benchtop printers |
| 142114 | 5 pack of extra media wipers |
| 142116 | 3 pack of extra cutter cleaning tools |
| 142266 | Brady Network Card - Bluetooth® and WIFI |
| 142267 | Brady Network Card - Ethernet Only |
| 142268 | Brady Network Card - Bluetooth® / WIFI / Ethernet |

*BBP33 Label Printer ships with printer, power cord, USB cable, drivers CD, cleaning kit, cutter cleaning tool and quick start guide.



Unbelievably easy. No wasted labels.

THE WAY LABEL MAKING SHOULD BE.

Introducing the BBP®33 Label Printer - and a whole new way to make labels. No more tedious, time-consuming setups or calibrations. No more difficult-to-load materials. No more wasted labels. No more hassles. This printer is so simple to use, most of our customers don't even believe us the first time we show them. But believe it, because it really is that easy.

NO CALIBRATION. NO WASTED LABELS.

The printer "reads" your cartridges and then automatically sets up the label correctly in your Brady software.

- No wasted labels (hits the first label!)
- No sensor adjustment
- No print speed or burn temp trials and errors
- No need to set up label dimensions in software
- No scrolling through lists to select your label part

IMPRESSIVE MATERIAL LINEUP.

- With 425 parts in 39 materials, this printer meets your primary labeling needs, and so much more.

RECORD FAST MATERIAL CHANGEOVERS.

- Ribbon and label changeovers, in as fast as 20 seconds!

| BBP®33 Printer Specifications | |
|----------------------------------|--|
| Print Resolution | 300dpi |
| Print Speed | 100mm/sec |
| Tape Widths (mm) | 12.7 - 107.95 |
| Max Label Width (mm) | 107.95 |
| Max Print Width (mm) | 100 |
| Materials Supported | Continuous, pre-printed die cut, general die cut, wire labels & sleeves |
| PC Connect | Yes |
| Stand Alone | Yes |
| Software Compatibility | MarkWare™ Software |
| Font Sizes | Up to 99.06mm with MarkWare™ Software |
| Calibration Required? | No (no waste) |
| Ribbon & label roll installation | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover" |
| Connectivity Options | Standard: USB, Ethernet Optional: WiFi, WiFi Direct |
| Colour Capability | Single colour printing |
| Backlit Screen | n/a |
| Serialization | Yes with MarkWare™ Software |
| Barcode | Yes with MarkWare™ Software |
| Symbols | Yes with MarkWare™ Software |
| Power Supply | AC power |

* For a comparison of specifications versus other printers, see page 114-115.

Brady Materials Made To Impress



Industrial Labelling

Arc Flash Labelling

Circuit Board Labelling

Product ID Labelling

Raised Panel Labelling

Wire & Cable Labels and More!


DO-IT-YOURSELF SIGNMAKING



BBP®31 & BBP®33 RIBBONS & LABEL MATERIALS

B-595 Indoor / Outdoor Vinyl Material

Our best industrial vinyl yet. Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured.



| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|---------------|
| 142031 | B30C-500-595-WT | White | 12.70 | 30.48 | B30-R10000 |
| 142030 | B30C-1125-595-WT | White | 28.58 | 30.48 | B30-R10000 |
| 142029 | B30C-2250-595-WT | White | 57.15 | 30.48 | B30-R10000 |
| 142028 | B30C-3000-595-WT | White | 76.20 | 30.48 | B30-R10000 |
| 142027 | B30C-4000-595-WT | White | 101.60 | 30.48 | B30-R10000 |
| 142036 | B30C-500-595-YL | Yellow | 12.70 | 30.48 | B30-R10000 |
| 142035 | B30C-1125-595-YL | Yellow | 28.58 | 30.48 | B30-R10000 |
| 142034 | B30C-2250-595-YL | Yellow | 57.15 | 30.48 | B30-R10000 |
| 142033 | B30C-3000-595-YL | Yellow | 76.20 | 30.48 | B30-R10000 |
| 142032 | B30C-4000-595-YL | Yellow | 101.60 | 30.48 | B30-R10000 |
| 142010 | B30C-500-595-GR | Green | 12.70 | 30.48 | B30-R10000-WT |
| 142009 | B30C-1125-595-GR | Green | 28.58 | 30.48 | B30-R10000-WT |
| 142008 | B30C-2250-595-GR | Green | 57.15 | 30.48 | B30-R10000-WT |
| 142007 | B30C-4000-595-GR | Green | 101.60 | 30.48 | B30-R10000-WT |
| 142026 | B30C-500-595-RD | Red | 12.70 | 30.48 | B30-R10000-WT |
| 142025 | B30C-1125-595-RD | Red | 28.58 | 30.48 | B30-R10000-WT |
| 142024 | B30C-2250-595-RD | Red | 57.15 | 30.48 | B30-R10000-WT |
| 142023 | B30C-4000-595-RD | Red | 101.60 | 30.48 | B30-R10000-WT |
| 141994 | B30C-500-595-BL | Blue | 12.70 | 30.48 | B30-R10000-WT |
| 141993 | B30C-1125-595-BL | Blue | 28.58 | 30.48 | B30-R10000-WT |
| 141992 | B30C-2250-595-BL | Blue | 57.15 | 30.48 | B30-R10000-WT |
| 141991 | B30C-4000-595-BL | Blue | 101.60 | 30.48 | B30-R10000-WT |
| 142018 | B30C-500-595-OR | Orange | 12.70 | 30.48 | B30-R10000 |
| 142017 | B30C-1125-595-OR | Orange | 28.58 | 30.48 | B30-R10000 |
| 142016 | B30C-2250-595-OR | Orange | 57.15 | 30.48 | B30-R10000 |
| 142015 | B30C-4000-595-OR | Orange | 101.60 | 30.48 | B30-R10000 |
| 141990 | B30C-500-595-BK | Black | 12.70 | 30.48 | B30-R10000-WT |
| 141989 | B30C-1125-595-BK | Black | 28.58 | 30.48 | B30-R10000-WT |
| 141988 | B30C-2250-595-BK | Black | 57.15 | 30.48 | B30-R10000-WT |
| 141987 | B30C-4000-595-BK | Black | 101.60 | 30.48 | B30-R10000-WT |
| 142014 | B30C-500-595-GY | Grey | 12.70 | 30.48 | B30-R10000 |
| 142013 | B30C-1125-595-GY | Grey | 28.58 | 30.48 | B30-R10000 |
| 142012 | B30C-2250-595-GY | Grey | 57.15 | 30.48 | B30-R10000 |
| 142011 | B30C-4000-595-GY | Grey | 101.60 | 30.48 | B30-R10000 |
| 141998 | B30C-500-595-BR | Brown | 12.70 | 30.48 | B30-R10000-WT |
| 141997 | B30C-1125-595-BR | Brown | 28.58 | 30.48 | B30-R10000-WT |
| 141996 | B30C-2250-595-BR | Brown | 57.15 | 30.48 | B30-R10000-WT |
| 141995 | B30C-4000-595-BR | Brown | 101.60 | 30.48 | B30-R10000-WT |
| 142002 | B30C-500-595-CL | Clear | 12.70 | 30.48 | B30-R10000 |
| 142001 | B30C-1125-595-CL | Clear | 28.58 | 30.48 | B30-R10000 |
| 142000 | B30C-2250-595-CL | Clear | 57.15 | 30.48 | B30-R10000 |
| 141999 | B30C-4000-595-CL | Clear | 101.60 | 30.48 | B30-R10000 |
| 142022 | B30C-500-595-PL | Purple | 12.70 | 30.48 | B30-R10000-WT |
| 142021 | B30C-1125-595-PL | Purple | 28.58 | 30.48 | B30-R10000-WT |
| 142020 | B30C-2250-595-PL | Purple | 57.15 | 30.48 | B30-R10000-WT |
| 142019 | B30C-4000-595-PL | Purple | 101.60 | 30.48 | B30-R10000-WT |
| 142006 | B30C-500-595-GD | Gold | 12.70 | 30.48 | B30-R10000 |
| 142005 | B30C-1125-595-GD | Gold | 28.58 | 30.48 | B30-R10000 |
| 142004 | B30C-2250-595-GD | Gold | 57.15 | 30.48 | B30-R10000 |
| 142003 | B30C-4000-595-GD | Gold | 101.60 | 30.48 | B30-R10000 |


RIBBONS

| Part No. | Reference | Colour | Length |
|----------|------------|---------|--------|
| 118084 | R10000 BLK | Black | 60.96m |
| 118085 | R10000 BLU | Blue | 60.96m |
| 118086 | R10000 GRN | Green | 60.96m |
| 118087 | R10000 MGN | Magenta | 60.96m |
| 118088 | R10000 ORN | Orange | 60.96m |
| 118089 | R10000 RED | Red | 60.96m |
| 118090 | R10000 WHT | White | 60.96m |
| 118091 | R10000 YEL | Yellow | 60.96m |
| 118093 | R6000 BLK | Black | 60.96m |
| 118094 | R4300 BLK | Black | 60.96m |
| 118097 | R4400 WHT | White | 60.96m |



B-595 Pre-Printed Pre-Cut Blank Sign Headers

Allows printer to create multicolour signs fast - in a single print pass. Headers meet AS 1319 standard for Danger and Warning signs.



| Part No. | Header | Width A (mm) | Length B (mm) | Labels Per Roll | Rec. Ribbon |
|----------|--------|--------------|---------------|-----------------|-------------|
| 872929 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872930 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 142190 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 142191 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 872945 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872947 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 872948 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 872946 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 872931 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872932 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 142188 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 142189 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 872933 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872935 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 872936 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 872934 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 872941 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872943 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 872944 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 872942 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 872937 | | 57.15 | 76.20 | 50 | B30-R10000 |
| 872939 | | 101.60 | 152.40 | 50 | B30-R10000 |
| 872940 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 872938 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 142196 | | 28.58 * | 72.39 | 300 | B30-R10000 |
| 142195 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 142197 | | 57.15 * | 97.79 | 250 | B30-R10000 |
| 142194 | | 101.60 | 152.40 | 175 | B30-R10000 |
| 142199 | | 57.15 | 76.20 | 300 | B30-R10000 |
| 142198 | | 57.15 | 97.79 | 250 | B30-R10000 |

*Label pre-sized to fit blank rigid valve tags (page 129).

Want To Create Your Own Pipe Markers?

Pipe markers aid in the quick identification of a pipe's contents - especially in an emergency situation! Save time and cost by printing your own Pipe Markers, when you need them, with a Brady DIY Signmaking printer and our Indoor/Outdoor Vinyl material.





BBP[®]31 & BBP[®]33 LABEL MATERIALS


B-569 Low-Halide Polyester

For labelling stainless steel pipes and surfaces. Applies best to very smooth surfaces.



B-584 Retro Reflective Tape

For highly reflective material shines back brightly when struck by light. Ideal for labelling outdoor utility poles, jobsite equipment and roof-top equipment.



| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|------------|--------------|--------------|---------------|
| 117989 | B30C-500-569-WT | White | 12.70 | 30.48 | B30-R10000 |
| 117988 | B30C-1125-569-WT | White | 28.58 | 30.48 | B30-R10000 |
| 117987 | B30C-2250-569-WT | White | 57.15 | 30.48 | B30-R10000 |
| 117986 | B30C-3000-569-WT | White | 76.20 | 30.48 | B30-R10000 |
| 117985 | B30C-4000-569-WT | White | 101.60 | 30.48 | B30-R10000 |
| 117993 | B30C-500-569-YL | Yellow | 12.70 | 30.48 | B30-R10000 |
| 117992 | B30C-1125-569-YL | Yellow | 28.58 | 30.48 | B30-R10000 |
| 117991 | B30C-2250-569-YL | Yellow | 57.15 | 30.48 | B30-R10000 |
| 117990 | B30C-4000-569-YL | Yellow | 101.60 | 30.48 | B30-R10000 |
| 117948 | B30C-500-569-GR | Green | 12.70 | 30.48 | B30-R10000-WT |
| 117947 | B30C-1125-569-GR | Green | 28.58 | 30.48 | B30-R10000-WT |
| 117946 | B30C-2250-569-GR | Green | 57.15 | 30.48 | B30-R10000-WT |
| 117945 | B30C-4000-569-GR | Green | 101.60 | 30.48 | B30-R10000-WT |
| 117976 | B30C-500-569-RD | Red | 12.70 | 30.48 | B30-R10000-WT |
| 117975 | B30C-1125-569-RD | Red | 28.58 | 30.48 | B30-R10000-WT |
| 117974 | B30C-2250-569-RD | Red | 57.15 | 30.48 | B30-R10000-WT |
| 117973 | B30C-4000-569-RD | Red | 101.60 | 30.48 | B30-R10000-WT |
| 117936 | B30C-500-569-BL | Blue | 12.70 | 30.48 | B30-R10000-WT |
| 117935 | B30C-1125-569-BL | Blue | 28.58 | 30.48 | B30-R10000-WT |
| 117934 | B30C-2250-569-BL | Blue | 57.15 | 30.48 | B30-R10000-WT |
| 117933 | B30C-4000-569-BL | Blue | 101.60 | 30.48 | B30-R10000-WT |
| 117964 | B30C-500-569-OR | Orange | 12.70 | 30.48 | B30-R10000 |
| 117963 | B30C-1125-569-OR | Orange | 28.58 | 30.48 | B30-R10000 |
| 117962 | B30C-2250-569-OR | Orange | 57.15 | 30.48 | B30-R10000 |
| 117961 | B30C-4000-569-OR | Orange | 101.60 | 30.48 | B30-R10000 |
| 117932 | B30C-500-569-BK | Black | 12.70 | 30.48 | B30-R10000-WT |
| 117931 | B30C-1125-569-BK | Black | 28.58 | 30.48 | B30-R10000-WT |
| 117930 | B30C-2250-569-BK | Black | 57.15 | 30.48 | B30-R10000-WT |
| 117929 | B30C-4000-569-BK | Black | 101.60 | 30.48 | B30-R10000-WT |
| 117952 | B30C-500-569-GY | Grey | 12.70 | 30.48 | B30-R10000 |
| 117951 | B30C-1125-569-GY | Grey | 28.58 | 30.48 | B30-R10000 |
| 117950 | B30C-2250-569-GY | Grey | 57.15 | 30.48 | B30-R10000 |
| 117949 | B30C-4000-569-GY | Grey | 101.60 | 30.48 | B30-R10000 |
| 117940 | B30C-500-569-BR | Brown | 12.70 | 30.48 | B30-R10000-WT |
| 117939 | B30C-1125-569-BR | Brown | 28.58 | 30.48 | B30-R10000-WT |
| 117938 | B30C-2250-569-BR | Brown | 57.15 | 30.48 | B30-R10000-WT |
| 117937 | B30C-4000-569-BR | Brown | 101.60 | 30.48 | B30-R10000-WT |
| 117944 | B30C-500-569-CL | Clear | 12.70 | 30.48 | B30-R10000 |
| 117943 | B30C-1125-569-CL | Clear | 28.58 | 30.48 | B30-R10000 |
| 117942 | B30C-2250-569-CL | Clear | 57.15 | 30.48 | B30-R10000 |
| 117941 | B30C-4000-569-CL | Clear | 101.60 | 30.48 | B30-R10000 |
| 117972 | B30C-500-569-PL | Purple | 12.70 | 30.48 | B30-R10000-WT |
| 117971 | B30C-1125-569-PL | Purple | 28.58 | 30.48 | B30-R10000-WT |
| 117970 | B30C-2250-569-PL | Purple | 57.15 | 30.48 | B30-R10000-WT |
| 117969 | B30C-4000-569-PL | Purple | 101.60 | 30.48 | B30-R10000-WT |
| 117960 | B30C-500-569-OC | Ochre | 12.70 | 30.48 | B30-R10000 |
| 117959 | B30C-1125-569-OC | Ochre | 28.58 | 30.48 | B30-R10000 |
| 117958 | B30C-2250-569-OC | Ochre | 57.15 | 30.48 | B30-R10000 |
| 117957 | B30C-4000-569-OC | Ochre | 101.60 | 30.48 | B30-R10000 |
| 117968 | B30C-500-569-PK | Pink | 12.70 | 30.48 | B30-R10000 |
| 117967 | B30C-1125-569-PK | Pink | 28.58 | 30.48 | B30-R10000 |
| 117966 | B30C-2250-569-PK | Pink | 57.15 | 30.48 | B30-R10000 |
| 117965 | B30C-4000-569-PK | Pink | 101.60 | 30.48 | B30-R10000 |
| 117956 | B30C-500-569-LB | Light Blue | 12.70 | 30.48 | B30-R10000 |
| 117955 | B30C-1125-569-LB | Light Blue | 28.58 | 30.48 | B30-R10000 |
| 117954 | B30C-2250-569-LB | Light Blue | 57.15 | 30.48 | B30-R10000 |
| 117953 | B30C-4000-569-LB | Light Blue | 101.60 | 30.48 | B30-R10000 |
| 117980 | B30C-500-569-SB | Sky Blue | 12.70 | 30.48 | B30-R10000 |
| 117979 | B30C-1125-569-SB | Sky Blue | 28.58 | 30.48 | B30-R10000 |
| 117978 | B30C-2250-569-SB | Sky Blue | 57.15 | 30.48 | B30-R10000 |
| 117977 | B30C-4000-569-SB | Sky Blue | 101.60 | 30.48 | B30-R10000 |
| 117984 | B30C-500-569-TN | Tan | 12.70 | 30.48 | B30-R10000 |
| 117983 | B30C-1125-569-TN | Tan | 28.58 | 30.48 | B30-R10000 |
| 117982 | B30C-2250-569-TN | Tan | 57.15 | 30.48 | B30-R10000 |
| 117981 | B30C-4000-569-TN | Tan | 101.60 | 30.48 | B30-R10000 |

| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|-------------|
| 117994 | B30C-4000-584-OR | Orange | 101.60 | 15.24 | B30-R10000 |
| 117995 | B30C-1125-584-OR | Orange | 57.15 | 15.24 | B30-R10000 |
| 117996 | B30C-500-584-OR | Orange | 28.58 | 15.24 | B30-R10000 |
| 118000 | B30C-4000-584-YL | Yellow | 101.60 | 15.24 | B30-R10000 |
| 118001 | B30C-1125-584-YL | Yellow | 57.15 | 15.24 | B30-R10000 |
| 118002 | B30C-500-584-YL | Yellow | 28.58 | 15.24 | B30-R10000 |
| 117997 | B30C-4000-584-SL | Silver | 101.60 | 15.24 | B30-R10000 |
| 117998 | B30C-1125-584-SL | Silver | 57.15 | 15.24 | B30-R10000 |
| 117999 | B30C-500-584-SL | Silver | 28.58 | 15.24 | B30-R10000 |

B-581 Repositionable Vinyl

Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue. Ideal for temporary, removable, and repositionable labels, like 5S and lean inventory labels



| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|-------------|
| 118006 | B30C-500-581-WT | White | 12.70 | 30.48 | B30-R10000 |
| 118005 | B30C-1125-581-WT | White | 28.58 | 30.48 | B30-R10000 |
| 118004 | B30C-2250-581-WT | White | 57.15 | 30.48 | B30-R10000 |
| 118003 | B30C-4000-581-WT | White | 101.60 | 30.48 | B30-R10000 |
| 118010 | B30C-500-581-YL | Yellow | 12.70 | 30.48 | B30-R10000 |
| 118009 | B30C-1125-581-YL | Yellow | 28.58 | 30.48 | B30-R10000 |
| 118008 | B30C-2250-581-YL | Yellow | 57.15 | 30.48 | B30-R10000 |
| 118007 | B30C-4000-581-YL | Yellow | 101.60 | 30.48 | B30-R10000 |

MAKE YOUR OWN HEAVY-DUTY RIGID TAGS

- Use with pre-cut blank labels (B-595)
- Tag is non-conductive, non-corrosive; resistant to high-temps and impact
- Tags have centre hole for hanging; corner holes accept round wire or flat fastening straps

| Part No. | Colour | Dimensions |
|----------|--------|----------------|
| 41920 | Black | 38.1 x 76.2mm |
| 41921 | Black | 63.5 x 101.6mm |
| 41922 | Yellow | 38.1 x 76.2mm |
| 41923 | Yellow | 63.5 x 101.6mm |
| 41924 | Red | 38.1 x 76.2mm |
| 41925 | Red | 63.5 x 101.6mm |
| 41926 | Blue | 38.1 x 76.2mm |
| 41927 | Blue | 63.5 x 101.6mm |
| 41928 | Green | 38.1 x 76.2mm |
| 41929 | Green | 63.5 x 101.6mm |






BBP[®]31 & BBP[®]33 LABEL MATERIALS

B-509 Printable Magnetic Supply

Easiest and quickest material for removing and repositioning. Ideal for reusable and repositionable lean / 5S identification.



B-549 Cold Temperature Application

Special adhesive permanently adheres to extremely cold surfaces.




| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|-------------|
| 117917 | B30C-2500-509-WT | White | 63.50 | 7.62 | B30-R10000 |
| 117916 | B30C-4250-509-WT | White | 107.95 | 7.62 | B30-R10000 |
| 117919 | B30C-2500-509-YL | Yellow | 63.50 | 7.62 | B30-R10000 |
| 117918 | B30C-4250-509-YL | Yellow | 107.95 | 7.62 | B30-R10000 |

| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|-------------|
| 117862 | B30C-1125-549-WT | White | 28.58 | 30.48 | B30-R10000 |
| 117861 | B30C-2250-549-WT | White | 57.15 | 30.48 | B30-R10000 |
| 117860 | B30C-4000-549-WT | White | 101.60 | 30.48 | B30-R10000 |
| 117865 | B30C-1125-549-YL | Yellow | 28.58 | 30.48 | B30-R10000 |
| 117864 | B30C-2250-549-YL | Yellow | 57.15 | 30.48 | B30-R10000 |
| 117863 | B30C-4000-549-YL | Yellow | 101.60 | 30.48 | B30-R10000 |

B-565 Metallised Polyester Tape

For secure identification. Ideal for product rating plates, product warranty labels and asset identification labels.



B-526 BradyGlo™ Tape

For glow-in-the-dark identification up to 10 hours. Designed for directional and evacuation marking.



| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|------------------|--------|--------------|--------------|-------------|
| 117922 | B30C-1125-565-SL | Silver | 28.58 | 30.48 | B30-R4300 |
| 117921 | B30C-2250-565-SL | Silver | 57.15 | 30.48 | B30-R4300 |
| 117920 | B30C-4000-565-SL | Silver | 101.60 | 30.48 | B30-R4300 |

| Part No. | Reference | Colour | Width A (mm) | Length B (m) | Rec. Ribbon |
|----------|---------------|----------------|--------------|--------------|-------------|
| 117928 | B30C-1125-526 | Luminous Green | 28.58 | 15.24 | B30-R10000 |
| 117926 | B30C-2250-526 | Luminous Green | 57.15 | 15.24 | B30-R10000 |
| 117924 | B30C-4000-526 | Luminous Green | 101.60 | 15.24 | B30-R10000 |

B-438 Tamper-Evident Metallised Polyester

Permanent adhesive. Tape destructs into tiny fragments when tampered with, making removal very tedious and difficult.

| Part No. | Diagram | Reference | Colour | Width A (mm) | Length B (mm) | Labels Per Roll | Rec. Ribbon |
|----------|---------|------------------|--------|--------------|---------------|-----------------|-------------|
| 118076 | Fig. 2a | B30-17-438 | Silver | 50.80 | 25.40 | 1,225 | B30-R4300 |
| 118077 | Fig. 2a | B30-18-438 | Silver | 76.20 | 25.40 | 1,225 | B30-R4300 |
| 118078 | Fig. 2a | B30-222-438 | Silver | 76.20 | 50.80 | 650 | B30-R4300 |
| 118014 | Fig. 33 | B30C-3000-438-SL | Silver | 76.20 | 30.48m | continuous | B30-R4300 |




Figure 33




Figure 2A

WHY ARE VISUAL COMMUNICATION TOOLS SO IMPORTANT?


The short answer:

Visuals make sure every employee knows exactly what to do, all the time. That means better safety, and better productivity!

Visual communication tools ensure staff and visitors are aware of possible dangers and protective equipment requirements. They should easily locate potential hazardous areas and alert people to proceed with caution.

Brady offers a range of tools for managing risks with visual communications such as our DIY signmaking printers found in this chapter, floor marking solutions, safety signs, lockout devices and much more.

How effective are your workplace visual communication tools?





BBP[®]31 & BBP[®]33 LABEL MATERIALS

B-551 Non-Adhesive Pre-Printed Safety Tags / Continuous Tag Stock

Non-adhesive semi rigid card stock. Tags are pre-cut with hole and chamfered corners - snap-in plastic grommets available for extra strength around mounting hole.




Figure 33




Figure 69

| Part No. | Diagram | Reference | Material | Description | Dimensions | Tags per Roll | Rec. Ribbon |
|----------|---------|--------------------|----------|---|------------------|---------------|-------------|
| 142223 | Fig. 69 | B30-255-551-OSHADA | B-551 | Pre-Printed & Pre-Cut DANGER header Tags | 146.05 x 82.55mm | 100 | B30-R10000 |
| 142226 | Fig. 69 | B30-255-551-WHT | B-551 | Pre-Cut Blank White Tags | 146.05 x 82.55mm | 100 | B30-R10000 |
| 118011 | Fig. 33 | B30C-4250-551-WT | B-551 | Blank White Tag Stock | 107.95 x 15.24m | Continuous | B30-R10000 |
| 118012 | Fig. 33 | B30C-3250-551-WT | B-551 | Blank White Tag Stock | 82.55 x 15.24m | Continuous | B30-R10000 |
| 118013 | Fig. 33 | B30C-2500-551-WT | B-551 | Blank White Tag Stock | 63.50 x 15.24m | Continuous | B30-R10000 |
| 20596 | - | - | - | Plastic Snap-In Grommets For Pre-Cut Tags | - | 100/pack | - |

B-593 Raised Profile Labels - Engraved Plate Substitutes - Push Button Style

High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick). High performance, low cost substitute to engraved plates. Up to 10-year outdoor durability rating*. Including keyed and non-keyed options.




Figure 18a




Figure 18b

| Part No. | Diagram | Reference | Colour | Height A (mm) | Width B (mm) | Hole Dia. C (mm) | Vert. Repeat D (mm) | Web Width E (mm) | Labels Per Roll | Rec. Ribbon |
|----------|----------|-------------------|--------|---------------|--------------|------------------|---------------------|------------------|-----------------|--------------|
| 118051 | Fig. 18a | B30EP-167-593-WT | White | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R6000 |
| 118056 | Fig. 18b | B30EP-167U-593-WT | White | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R6000 |
| 118066 | Fig. 18a | B30EP-169-593-WT | White | 45.72 | 45.72 | 30.50 | 50.80 | 63.50 | 190 | B30-R6000 |
| 118061 | Fig. 18a | B30EP-168-593-WT | White | 48.26 | 30.48 | 22.50 | 54.00 | 63.50 | 180 | B30-R6000 |
| 118071 | Fig. 18a | B30EP-170-593-WT | White | 60.96 | 60.96 | 30.50 | 66.70 | 82.60 | 145 | B30-R6000 |
| 118053 | Fig. 18a | B30EP-167-593-YL | Yellow | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R6000 |
| 118058 | Fig. 18b | B30EP-167U-593-YL | Yellow | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R6000 |
| 118068 | Fig. 18a | B30EP-169-593-YL | Yellow | 45.72 | 45.72 | 30.50 | 50.80 | 63.50 | 190 | B30-R6000 |
| 118063 | Fig. 18a | B30EP-168-593-YL | Yellow | 48.26 | 30.48 | 22.50 | 54.00 | 63.50 | 180 | B30-R6000 |
| 118073 | Fig. 18a | B30EP-170-593-YL | Yellow | 60.96 | 60.96 | 30.50 | 66.70 | 82.60 | 145 | B30-R6000 |
| 118055 | Fig. 18a | B30EP-167-593-BK | Black | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118060 | Fig. 18b | B30EP-167U-593-BK | Black | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118070 | Fig. 18a | B30EP-169-593-BK | Black | 45.72 | 45.72 | 30.50 | 50.80 | 63.50 | 190 | B30-R4400-WT |
| 118065 | Fig. 18a | B30EP-168-593-BK | Black | 48.26 | 30.48 | 22.50 | 54.00 | 63.50 | 180 | B30-R4400-WT |
| 118075 | Fig. 18a | B30EP-170-593-BK | Black | 60.96 | 60.96 | 30.50 | 66.70 | 82.60 | 145 | B30-R4400-WT |
| 118054 | Fig. 18a | B30EP-167-593-GR | Green | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118059 | Fig. 18b | B30EP-167U-593-GR | Green | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118069 | Fig. 18a | B30EP-169-593-GR | Green | 45.72 | 45.72 | 30.50 | 50.80 | 63.50 | 190 | B30-R4400-WT |
| 118064 | Fig. 18a | B30EP-168-593-GR | Green | 48.26 | 30.48 | 22.50 | 54.00 | 63.50 | 180 | B30-R4400-WT |
| 118074 | Fig. 18a | B30EP-170-593-GR | Green | 60.96 | 60.96 | 30.50 | 66.70 | 82.60 | 145 | B30-R4400-WT |
| 118052 | Fig. 18a | B30EP-167-593-RD | Red | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118057 | Fig. 18b | B30EP-167U-593-RD | Red | 38.10 | 30.48 | 22.50 | 44.50 | 63.50 | 200 | B30-R4400-WT |
| 118067 | Fig. 18a | B30EP-169-593-RD | Red | 45.72 | 45.72 | 30.50 | 50.80 | 63.50 | 190 | B30-R4400-WT |
| 118062 | Fig. 18a | B30EP-168-593-RD | Red | 48.26 | 30.48 | 22.50 | 54.00 | 63.50 | 180 | B30-R4400-WT |
| 118072 | Fig. 18a | B30EP-170-593-RD | Red | 60.96 | 60.96 | 30.50 | 66.70 | 82.60 | 145 | B30-R4400-WT |



BBP[®]31 & BBP[®]33 LABEL MATERIALS

B-593 Raised Profile Labels - Engraved Plate Substitutes - Rectangular Style

High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick). Ideal for inside-panel backer board labels and front-of-enclosure. Up to 10-year outdoor durability rating*.




Figure 18c



| Part No. | Diagram | Reference | Colour | Height A (mm) | Width B (mm) | Vert. Repeat D (mm) | Web Width E (mm) | Labels Per Roll | Rec. Ribbon |
|----------|----------|------------------|--------|---------------|--------------|---------------------|------------------|-----------------|--------------|
| 118015 | Fig. 18c | B30EP-171-593-WT | White | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R6000 |
| 118021 | Fig. 18c | B30EP-172-593-WT | White | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R6000 |
| 118039 | Fig. 18c | B30EP-175-593-WT | White | 19.05 | 76.20 | 25.40 | 82.60 | 375 | B30-R6000 |
| 118027 | Fig. 18c | B30EP-173-593-WT | White | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R6000 |
| 118033 | Fig. 18c | B30EP-174-593-WT | White | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R6000 |
| 118043 | Fig. 18c | B30EP-176-593-WT | White | 25.40 | 76.20 | 31.80 | 82.60 | 300 | B30-R6000 |
| 118047 | Fig. 18c | B30EP-177-593-WT | White | 63.50 | 76.20 | 69.90 | 82.60 | 125 | B30-R6000 |
| 118017 | Fig. 18c | B30EP-171-593-YL | Yellow | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R6000 |
| 118023 | Fig. 18c | B30EP-172-593-YL | Yellow | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R6000 |
| 118040 | Fig. 18c | B30EP-175-593-YL | Yellow | 19.05 | 76.20 | 25.40 | 82.60 | 375 | B30-R6000 |
| 118029 | Fig. 18c | B30EP-173-593-YL | Yellow | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R6000 |
| 118035 | Fig. 18c | B30EP-174-593-YL | Yellow | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R6000 |
| 118044 | Fig. 18c | B30EP-176-593-YL | Yellow | 25.40 | 76.20 | 31.80 | 82.60 | 300 | B30-R6000 |
| 118048 | Fig. 18c | B30EP-177-593-YL | Yellow | 63.50 | 76.20 | 69.90 | 82.60 | 125 | B30-R6000 |
| 118020 | Fig. 18c | B30EP-171-593-BK | Black | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R4400-WT |
| 118026 | Fig. 18c | B30EP-172-593-BK | Black | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R4400-WT |
| 118042 | Fig. 18c | B30EP-175-593-BK | Black | 19.05 | 76.20 | 25.40 | 82.60 | 375 | B30-R4400-WT |
| 118032 | Fig. 18c | B30EP-173-593-BK | Black | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R4400-WT |
| 118038 | Fig. 18c | B30EP-174-593-BK | Black | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R4400-WT |
| 118046 | Fig. 18c | B30EP-176-593-BK | Black | 25.40 | 76.20 | 31.80 | 82.60 | 300 | B30-R4400-WT |
| 118050 | Fig. 18c | B30EP-177-593-BK | Black | 63.50 | 76.20 | 69.90 | 82.60 | 125 | B30-R4400-WT |
| 118018 | Fig. 18c | B30EP-171-593-GR | Green | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R4400-WT |
| 118024 | Fig. 18c | B30EP-172-593-GR | Green | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R4400-WT |
| 118041 | Fig. 18c | B30EP-175-593-GR | Green | 19.05 | 76.20 | 25.40 | 82.60 | 375 | B30-R4400-WT |
| 118030 | Fig. 18c | B30EP-173-593-GR | Green | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R4400-WT |
| 118036 | Fig. 18c | B30EP-174-593-GR | Green | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R4400-WT |
| 118045 | Fig. 18c | B30EP-176-593-GR | Green | 25.40 | 76.20 | 31.80 | 82.60 | 300 | B30-R4400-WT |
| 118049 | Fig. 18c | B30EP-177-593-GR | Green | 63.50 | 76.20 | 69.90 | 82.60 | 125 | B30-R4400-WT |
| 118016 | Fig. 18c | B30EP-171-593-RD | Red | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R4400-WT |
| 118022 | Fig. 18c | B30EP-172-593-RD | Red | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R4400-WT |
| 118028 | Fig. 18c | B30EP-173-593-RD | Red | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R4400-WT |
| 118034 | Fig. 18c | B30EP-174-593-RD | Red | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R4400-WT |
| 118019 | Fig. 18c | B30EP-171-593-SL | Silver | 12.45 | 26.96 | 19.10 | 34.90 | 500 | B30-R6000 |
| 118025 | Fig. 18c | B30EP-172-593-SL | Silver | 14.99 | 45.00 | 21.60 | 63.50 | 450 | B30-R6000 |
| 118031 | Fig. 18c | B30EP-173-593-SL | Silver | 25.40 | 50.80 | 31.80 | 63.50 | 300 | B30-R6000 |
| 118037 | Fig. 18c | B30EP-174-593-SL | Silver | 25.40 | 101.60 | 31.80 | 108.00 | 300 | B30-R6000 |

Calculate Your Cost Savings

A 25mm x 50mm rectangular raised profile label costs approximately \$0.70, can last up to 10 years outdoors* and prints in seconds!

What are you paying for engraved plates?

* Refer to the TDS for details. www.bradyid.com.au/techdata



Request A Sample Pack!


Contact us via www.bradyid.com.au/contactbrady to request a free sample pack of Brady's most popular materials, including our B-593 material.



BBP[®]31 & BBP[®]33 LABEL MATERIALS

B-854 and B-855 ToughWash™ Material

Engineered to withstand the rigorous wash down process in a Food and Beverage facility.



NEW



| Part No. | Diagram | Reference | Colour/ Header | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|---|---------|-------------------|----------------|--------------|--------------|-----------------|-------------|
| B-854 ToughWash™ Metal Detectable Material | | | | | | | |
| 133120 | Fig. 33 | B30C-4000-854-WT | White | 101.60 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133119 | Fig. 33 | B30C-4000-854-YL | Yellow | 101.60 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 139804 | Fig. 70 | B30-25-854-OSHADA | | 101.60 | 158.75mm | 100 | B30-R6000 |
| B-855 ToughWash™ Material | | | | | | | |
| 133147 | Fig. 33 | B30C-1125-855-WT | White | 28.57 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133143 | Fig. 33 | B30C-2250-855-WT | White | 57.15 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133145 | Fig. 33 | B30C-4000-855-WT | White | 101.60 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133146 | Fig. 33 | B30C-1125-855-YL | Yellow | 28.57 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133142 | Fig. 33 | B30C-2250-855-YL | Yellow | 57.15 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 133144 | Fig. 33 | B30C-4000-855-YL | Yellow | 101.60 | 15.2 | 1 roll (cont.) | B30-R6000 |
| 139803 | Fig. 70 | B30-25-855-OSHADA | | 101.60 | 158.75mm | 100 | B30-R6000 |



TOUGHWASH™ Harsh Washdown Labels

Labels that resist the temperatures, pressure, and chemicals of washdown cycles.

ToughWash™ washdown resistant labels can handle the pressures of high heat, harsh chemicals, high pressure sprays and multiple washdown cycles found in food and beverage processors.

Learn More at:
www.bradyID.com.au/food

B-7569 Pre-Printed GHS Chemical Labels

NEW

Blank labels with pre-printed red diamonds allow printer to produce 2-colour GHS labels in one print pass. Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling.

MarkWare Software v3.9.1 or higher required - 3 sizes of labels, each with 6 diamond layouts that match templates in MarkWare™ Software.

| Part No. | Reference | Legend | Label Height (mm) | Label Width (mm) | Labels Per Roll | Rec. Ribbon |
|----------|--------------------|--------------------|-------------------|------------------|-----------------|-------------|
| 121633 | B30-260-7569-CLP1 | L1 Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121639 | B30-261-7569-CLP1 | L1 Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121645 | B30-262-7569-CLP1 | L1 Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |
| 121634 | B30-260-7569-CLP2 | L2 Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121640 | B30-261-7569-CLP2 | L2 Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121646 | B30-262-7569-CLP2 | L2 Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |
| 121635 | B30-260-7569-CLP3A | L3A Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121641 | B30-261-7569-CLP3A | L3A Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121647 | B30-262-7569-CLP3A | L3A Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |
| 121636 | B30-260-7569-CLP3B | L3B Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121642 | B30-261-7569-CLP3B | L3B Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121648 | B30-262-7569-CLP3B | L3B Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |
| 121637 | B30-260-7569-CLP4A | L4A Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121643 | B30-261-7569-CLP4A | L4A Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121649 | B30-262-7569-CLP4A | L4A Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |
| 121638 | B30-260-7569-CLP4B | L4B Diamond + Text | 55.0 | 85.0 | 340 | B30-R10000 |
| 121644 | B30-261-7569-CLP4B | L4B Diamond + Text | 75.0 | 110.0 | 270 | B30-R10000 |
| 121650 | B30-262-7569-CLP4B | L4B Diamond + Text | 105.0 | 155.0 | 200 | B30-R10000 |



HAZARDOUS CHEMICAL IDENTIFICATION

Under WHS Regulations 2011 a label is required for any substance, mixture or article classified as a hazardous chemical for which the PCBU is responsible. A hazardous chemical is correctly labelled when the selection and use of label elements is in accordance with the Globally Harmonised System of Classification and Labelling of Chemicals (GHS). The current transitional requirements allow businesses to have until January 2017 to comply with the new system.

For more information visit www.bradyID.com.au/ghs



GLOBALMARK®2 INDUSTRIAL PRINTER



GLOBALMARK®2 INDUSTRIAL LABEL MAKER

THE ULTIMATE VISUAL WORKPLACE TOOL

- Colour touch screen interface - helps making signs quick and easy
- Cuts characters and shapes!
- Built-in templates & symbols
- Standalone or PC connect operation
- File management utility - import & print logos and photos directly from the GlobalMark®2

COLOUR & CUT SYSTEM

- Prints one colour, multiple spot colours, blended colours and full process colour
- With optional MarkWare™ software, import and print images such as logos and photos
- Built-in plotter cutter for cutting out characters, text and shapes!

MULTICOLOUR SYSTEM

- Includes the same features as the Colour & Cut system without the built-in plotter cutter.

GLOBALMARK®2 PRINTERS & ACCESSORIES

| Part No. | Description |
|----------|----------------------------------|
| 76801 | GlobalMark®2 Colour & Cut System |
| 76800 | GlobalMark®2 Multicolour System |
| 76808 | Mouse |
| 76809 | Stylus Pen (3 pack) |
| 76810 | 32 MB memory card |
| 76811 | Replacement cutting blade |
| 20596 | Grommets (100 pack) |
| 20591 | Hole punch |
| 36611 | Weeding tool |
| 36612 | Squeegee |
| 76804 | GlobalMark®2 USB cable |
| 64692 | GlobalMark®2 cleaning pen |
| 33969 | Cleaning kit (4 pack) |
| 76802 | Carrying case GlobalMark machine |



GlobalMark®2 Printer Specifications

| | |
|----------------------------------|---|
| Print Resolution | 300dpi |
| Print Speed | 25mm/sec |
| Tape Widths (mm) | 12.7 - 107.95 |
| Max Label Width (mm) | 107.95 |
| Max Print Width (mm) | 100 |
| Materials Supported | Continuous, and some general die cut labels |
| PC Connect | Yes |
| Stand Alone | Yes |
| Software Compatibility | MarkWare™ Software |
| Font Sizes | Up to 99.06mm with MarkWare™ Software |
| Calibration Required? | No (no waste) |
| Ribbon & label roll installation | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover |
| Connectivity Options | Standard: USB |
| Colour Capability | Multiple print colours |
| Keyboard | Yes |
| Backlit Screen | Yes |
| Serialization | Yes with MarkWare™ Software |
| Barcode | Yes with MarkWare™ Software |
| Symbols | Hundreds with MarkWare™ Software |
| Power Supply | AC power |

* For a comparison of specifications versus other printers, see page 114-115.

DO-IT-YOURSELF SIGNSMAKING

5 YEAR
WARRANTY

Look What GlobalMark® Can Do For You...



Valve Tags



Equipment ID



Multiple Print Colours



Industrial Labelling



Cut Out Shapes... and more!



GLOBALMARK®2 RIBBONS & LABEL MATERIALS

GLOBALMARK®2 RIBBONS

| Part No. | Colour | Size (mm) | Length (m) | Part No. | Colour | Size (mm) | Length (m) |
|------------------------------|---------------|-----------|------------|--|--------|-----------|---------------------------|
| SINGLE COLOUR RIBBONS | | | | TWO COLOUR PANEL RIBBONS | | | |
| 76739 | Black | 104.4 | 60.9 | Typical yield: 100 x 203.2mm labels from 203.2mm panelled ribbon | | | |
| 134352 | Black * | 104.4 | 60.9 | 76763 | Black | Red | 104.4 x 203 panels 60.9 |
| 76741 | White | 104.4 | 60.9 | 76775 | Black | Blue | 104.4 x 203 panels 60.9 |
| 76743 | Red | 104.4 | 60.9 | 76767 | Black | Yellow | 104.4 x 203 panels 60.9 |
| 76745 | Blue | 104.4 | 60.9 | 76771 | Black | Orange | 104.4 x 203 panels 60.9 |
| 76747 | Green | 104.4 | 60.9 | 76779 | Black | Green | 104.4 x 203 panels 60.9 |
| 76749 | Magenta | 104.4 | 60.9 | Typical yield: 60 x 406.4mm labels from 406.4mm panelled ribbon | | | |
| 76751 | Yellow | 104.4 | 60.9 | 76762 | Black | Red | 104.4 x 406.4 panels 60.9 |
| 76752 | Orange | 104.4 | 60.9 | 76774 | Black | Blue | 104.4 x 406.4 panels 60.9 |
| 76759 | Proc. Cyan | 104.4 | 60.9 | 76766 | Black | Yellow | 104.4 x 406.4 panels 60.9 |
| 76760 | Proc. Yellow | 104.4 | 60.9 | 76770 | Black | Orange | 104.4 x 406.4 panels 60.9 |
| 76761 | Proc. Magenta | 104.4 | 60.9 | 76778 | Black | Green | 104.4 x 406.4 panels 60.9 |

*Black (for use with B-854 & B-855 ToughWash™ Material only)

| Part No. | Colour | Size (mm) | Length (m) | | | |
|---|--------|-----------|------------|--------|----------------------|------|
| FOUR COLOUR PANEL RIBBONS | | | | | | |
| Typical yield: 50 x 203.2mm labels from 203.2mm panelled ribbon | | | | | | |
| 76787 | Black | Red | Blue | Green | 104.4 x 203 panels | 60.9 |
| 110221 | Red | Green | Yellow | Black | 104.4 x 203 panels | 60.9 |
| 76791 | Black | Red | Blue | Yellow | 104.4 x 203 panels | 60.9 |
| 76795 | Cyan | Magenta | Yellow | Black | 104.4 x 203 panels | 60.9 |
| Typical yield: 30 x 203.2mm labels from 203.2mm panelled ribbon | | | | | | |
| 76786 | Black | Red | Blue | Green | 104.4 x 406.4 panels | 60.9 |
| 76790 | Black | Red | Blue | Yellow | 104.4 x 406.4 panels | 60.9 |
| 76794 | Cyan | Magenta | Yellow | Black* | 104.4 x 406.4 panels | 60.9 |

Info **Create Your Own Pipe Markers in Seconds!**

Save time and cost by printing your own Pipe Markers, when you need them - no waiting times! - with a Brady DIY Signmaking printer and our Indoor/Outdoor Vinyl materials.

B-595 Indoor / Outdoor Vinyl Material

Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured.



| Dimensions | Material | Part No. | White | Yellow | Green | Red | Blue | Orange | Black | Grey | Brown | Clear | Purple |
|-------------|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 13mm x 30m | B-595 | 113113 | 113118 | 113126 | 113122 | 113130 | 113154 | 113134 | 113146 | 113138 | 113108 | 113150 | |
| 29mm x 30m | B-595 | 113112 | 113117 | 113125 | 113121 | 113129 | 113153 | 113133 | 113145 | 113137 | 113107 | 113149 | |
| 57mm x 30m | B-595 | 113111 | 113116 | 113124 | 113120 | 113128 | 113152 | 113132 | 113144 | 113136 | 113106 | 113148 | |
| 76mm x 30m | B-595 | 113110 | 113115 | - | - | - | - | - | - | - | - | - | |
| 100mm x 30m | B-595 | 113109 | 113114 | 113123 | 113119 | 113127 | 113151 | 113131 | 113143 | 113135 | 113105 | 113147 | |

B-569 Low-Halide Polyester

For labelling stainless steel pipes and surfaces. Applies best to very smooth surfaces.



| Dimensions | Material | Part No. | White | Yellow | Green | Red | Blue | Orange | Black | Grey | Brown | Clear | Purple | Ochre | Pink | Light Blue | Sky Blue | Tan |
|-------------|----------|----------|-------|--------|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|------------|----------|-----|
| 13mm x 30m | B-569 | 77618 | 76622 | 76642 | 76626 | 76630 | 76638 | 76650 | 76654 | 76646 | 76613 | 76634 | 97741 | 76601 | 76609 | 97745 | 76605 | |
| 29mm x 30m | B-569 | 76617 | 76621 | 76641 | 76625 | 76629 | 76637 | 76649 | 76653 | 76645 | 76612 | 76633 | 97740 | 76600 | 76608 | 97744 | 76604 | |
| 57mm x 30m | B-569 | 76616 | 76620 | 76640 | 76624 | 76628 | 76636 | 76648 | 76652 | 76644 | 76611 | 76632 | 97739 | 76599 | 76607 | 97743 | 76603 | |
| 76mm x 30m | B-569 | 76615 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 100mm x 30m | B-569 | 76614 | 76619 | 76639 | 76623 | 76627 | 76635 | 76647 | 76651 | 76643 | 76610 | 76631 | 97738 | 76598 | 76606 | 97742 | 76602 | |

B-581 Repositionable Vinyl


Stays in place but also removes cleanly.



| Dimensions | Material | Part No. | White | Yellow |
|-------------|----------|----------|-------|--------|
| 13mm x 30m | B-581 | 76700 | 76704 | |
| 29mm x 30m | B-581 | 76699 | 76703 | |
| 57mm x 30m | B-581 | 76698 | 76702 | |
| 100mm x 30m | B-581 | 76697 | 76701 | |

B-549 Cold Temperature Application

Permanently adheres to extremely cold surfaces .




| Dimensions | Material | Part No. | White | Yellow |
|---------------|----------|----------|-------|--------|
| 35mm x 30m | B-549 | 76693 | 76696 | |
| 63.50mm x 30m | B-549 | 76692 | 76695 | |
| 108mm x 30m | B-549 | 76691 | 76694 | |



GLOBALMARK®2 LABEL MATERIALS

B-854 and B-855 ToughWash™ Material

Engineered to withstand the rigorous wash down process in a Food and Beverage facility.



NEW



TOUGHWASH™ Harsh Washdown Labels

Labels that resist the temperatures, pressure, and chemicals of washdown cycles.

ToughWash™ washdown resistant labels can handle the pressures of high heat, harsh chemicals, high pressure sprays and multiple washdown cycles found in food and beverage processors.

Learn More at:
www.bradyID.com.au/food


| Part No. | Diagram | Colour | Width A (mm) | Length B (m) | Labels Per Roll | Rec. Ribbon |
|---|---------|--------|--------------|--------------|-----------------|-------------|
| B-854 ToughWash™ Metal Detectable Material | | | | | | |
| 133134 | Fig. 33 | White | 101.60 | 15.20 | 1 roll (cont.) | 134352 |
| 133133 | Fig. 33 | Yellow | 101.60 | 15.20 | 1 roll (cont.) | 134352 |
| 139812 | Fig. 70 | | 101.60 | 158.75mm | 100 | 134352 |
| B-855 ToughWash™ Material | | | | | | |
| 133159 | Fig. 33 | White | 101.60 | 15.20 | 1 roll (cont.) | 134352 |
| 133158 | Fig. 33 | Yellow | 101.60 | 15.20 | 1 roll (cont.) | 134352 |
| 139811 | Fig. 70 | | 101.60 | 158.75mm | 100 | 134352 |

B-483 ToughStripe® Print-On-Demand Floor Material

Create floor labels using with the same durability and performance as ToughStripe® Floor Marking Tape (see page 331).

NEW

| Dimensions | Material | Part No. | Material | | | | | |
|-------------|----------|----------|----------|--------|--------|--------|--------|--------|
| | | | White | Yellow | Green | Red | Blue | Orange |
| 29mm x 30m | B-514 | 142155 | 142162 | 142172 | 142166 | 142169 | 142175 | 142159 |
| 57mm x 30m | B-514 | 142154 | 142161 | 142171 | 142165 | 142168 | 142174 | 142158 |
| 76mm x 30m | B-514 | 142156 | 142163 | - | - | - | - | - |
| 100mm x 30m | B-514 | 142157 | 142164 | 142173 | 142167 | 142170 | 142176 | 142160 |



How To Apply ToughStripe® Floor Marking Tape

- Clean Surface:** Sweep and clean area, allow floor to dry completely.
- Position Tape:** Keeping the liner in place, position tape along entire desired path.
- Remove Liner:** Peel the liner away from the tape while smoothing down the tape.
- Apply included over laminate.**

*For maximum performance, apply ToughStripe floor tape to flat, non-coated, concrete.



SPECIALITY TAPES

| Part No. | Material | Dimensions |
|----------|---------------------------------|-------------|
| 76716 | B-551 Non Adhesive Supply White | 60mm x 15m |
| 76715 | B-551 Non Adhesive Supply White | 80mm x 15m |
| 76714 | B-551 Non Adhesive Supply White | 105mm x 15m |

Not recommended for plotter cutting



| Part No. | Material | Dimensions |
|----------|------------------------------|-------------|
| 76707 | B-584 Silver Reflective Tape | 29mm x 15m |
| 76706 | B-584 Silver Reflective Tape | 57mm x 15m |
| 76705 | B-584 Silver Reflective Tape | 100mm x 15m |
| 96062 | B-584 Yellow Reflective Tape | 29mm x 15m |
| 96061 | B-584 Yellow Reflective Tape | 57mm x 15m |
| 96060 | B-584 Yellow Reflective Tape | 100mm x 15m |



| Part No. | Material | Dimensions |
|----------|-----------------------------|-------------|
| 76713 | B-582 Photoluminescent Tape | 29mm x 15m |
| 76712 | B-582 Photoluminescent Tape | 57mm x 15m |
| 76711 | B-582 Photoluminescent Tape | 100mm x 15m |

Meets IMO Standards



| Part No. | Material | Dimensions |
|----------|----------------------------|--------------|
| 76687 | B-509 White Magnetic Tape | 57mm x 7.5m |
| 76686 | B-509 White Magnetic Tape | 107mm x 7.5m |
| 76689 | B-509 Yellow Magnetic Tape | 57mm x 7.5m |
| 76688 | B-509 Yellow Magnetic Tape | 107mm x 7.5m |



| Part No. | Material | Dimensions |
|----------|----------------------------|-------------|
| 76722 | B-565 Metallised Polyester | 29mm x 30m |
| 76721 | B-565 Metallised Polyester | 57mm x 30m |
| 76720 | B-565 Metallised Polyester | 100mm x 30m |



| Part No. | Material | Dimensions |
|----------|----------------------------|-------------|
| 852229 | B-966 Transparent Laminate | 50mm x 50m |
| 852230 | B-966 Transparent Laminate | 85mm x 50m |
| 852231 | B-966 Transparent Laminate | 130mm x 50m |





BBP®85 SIGN AND LABEL PRINTER



BBP®85 LABEL PRINTER

MAKE YOUR LABELS & SIGNS STAND OUT IN THE CROWD!

With the capability to print custom signs up to 250mm high, the BBP®85 gives your signs a whole new dimension.

With the 4-colour printing you can now increase the visual impact of you signs and labels. In addition, BBP®85 makes it possible to adapt to safety standards with pictograms and colours complying with the current safety sign regulations.

Features:

- 7" colour LCD display with Touch Screen capability
- Fast image processing and printing
- Intelligent smart cell technology supplies
- Integrated fold down keyboard
- USB, Ethernet and Wireless connectivity
- Built-in barcodes, symbols and applications
- Internal storage - 56MB
- Prints 250mm wide labels!

View Online!

View demo videos and more information on the BBP®85 Sign and Label Printer at www.bradyID.com.au/bbp85

BBP®85 PRINTER & ACCESSORIES

| Part No. | Description |
|----------|----------------------|
| 874031 | BBP®85 Printer |
| 133174 | Dust Cover |
| 874035 | Stylus Pens (3 pack) |
| 874034 | USB Cable |

5 YEAR WARRANTY

Best-of-the-Best Materials.

Brady's sign and label materials lead the industry in durability and performance. They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 printer, you can choose from over one hundred supply options, including:

- Huge selection of 100mm wide to 250mm wide industrial grade outdoor materials
- Specialty materials including Reflective and Glow-in-the-Dark
- Pre-printed sign header supplies for GHS, arc flash and safety signs, which means only one print pass!

BBP®85 Printer Specifications


| | |
|----------------------------------|---|
| Print Resolution | 300dpi |
| Print Speed | 50mm/sec |
| Tape Widths (mm) | 100 - 250 |
| Max Label Width (mm) | 254 |
| Max Print Width (mm) | 250 |
| Materials Supported | Continuous, and some general die cut labels |
| PC Connect | Yes |
| Stand Alone | Yes |
| Software Compatibility | MarkWare™ Software |
| Font Sizes | Up to 99.06mm with MarkWare™ Software |
| Calibration Required? | No |
| Ribbon & label roll installation | Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover |
| Connectivity Options | Standard: USB, Ethernet Optional: WiFi, WiFi Direct |
| Colour Capability | Multiple print colours (some pre-printed multicolour supplies also available) |
| Keyboard | QWERTY |
| Backlit Screen | Yes |
| Serialization | Yes with MarkWare™ Software |
| Barcode | Yes with MarkWare™ Software |
| Symbols | Hundreds with MarkWare™ Software |
| Power Supply | AC power |

* For a comparison of specifications versus other printers, see page 114-115.

Did you know? PowerMark™ Materials

The BBP®85 Sign & Label Printer accepts many of the same materials that the PowerMark™ Sign & Label Maker uses. Simply look for "BBP85" or "A" on the supply roll's label to verify compatibility with both models. The parts tables on the following pages also indicate which materials are compatible with which printer.

Big, Bold And Better Than Ever.



Large Signs (up to 250mm)

GHS Labels

Custom Signs On Demand

Low Light Applications

Equipment I.D.

Pipe Markers



BBP®85 LABEL MATERIALS

BBP®85 RIBBONS

| Part No. | Colour | Size (mm) | Length (m) | Part No. | Colour | Ribbon Width (mm) | Colour Panel Length (mm) | Overall Length (mm) | Typical Yield From Ribbon | |
|------------------------------|---------|-----------|------------|---------------------------------|--------|-------------------|--------------------------|---------------------|---------------------------|-------------------------|
| SINGLE COLOUR RIBBONS | | | | TWO COLOUR PANEL RIBBONS | | | | | | |
| 13511 | Black | 158.0 | 60.9 | 13521 | Black | Red | 158.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13513 | White | 158.0 | 60.9 | 13523 | Black | Red | 158.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13595 | Red | 158.0 | 60.9 | 13525 | Black | Blue | 158.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13597 | Green | 158.0 | 60.9 | 13527 | Black | Yellow | 158.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13599 | Yellow | 158.0 | 60.9 | 13529 | Black | Orange | 158.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13596 | Blue | 158.0 | 60.9 | 13704 | Black | Green | 158.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13598 | Magenta | 158.0 | 60.9 | 13705 | Black | Green | 158.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13600 | Orange | 158.0 | 60.9 | 13520 | Black | Red | 224.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13510 | Black | 224.0 | 60.9 | 13522 | Black | Red | 224.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13512 | White | 224.0 | 60.9 | 13524 | Black | Blue | 224.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13514 | Red | 224.0 | 60.9 | 13526 | Black | Yellow | 224.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13516 | Green | 224.0 | 60.9 | 13528 | Black | Orange | 224.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13518 | Yellow | 224.0 | 60.9 | 13706 | Black | Green | 224.0 | 203.2 | 60.9 | 100 x 203mm long labels |
| 13515 | Blue | 224.0 | 60.9 | 13707 | Black | Green | 224.0 | 381.0 | 60.9 | 60 x 356mm long labels |
| 13517 | Magenta | 224.0 | 60.9 | | | | | | | |
| 13519 | Orange | 224.0 | 60.9 | | | | | | | |

| Part No. | Colour | Ribbon Width (mm) | Colour Panel Length (mm) | Overall Length (mm) | Typical Yield From Ribbon |
|----------------------------------|-----------------------|-------------------|--------------------------|---------------------|---------------------------|
| FOUR COLOUR PANEL RIBBONS | | | | | |
| 13531 | Black Red Blue Yellow | 158.0 | 381.0 | 60.9 | 30 x 356mm long labels |
| 13533 | Black Red Blue Yellow | 158.0 | 203.2 | 60.9 | 50 x 203.2mm long labels |
| 13535 | Black Red Blue Green | 158.0 | 381.0 | 60.9 | 30 x 356mm long labels |
| 13537 | Black Red Blue Green | 158.0 | 203.2 | 60.9 | 50 x 203.2mm long labels |
| 13530 | Black Red Blue Yellow | 223.5 | 381.0 | 60.9 | 30 x 356mm long labels |
| 13532 | Black Red Blue Yellow | 223.5 | 203.2 | 60.9 | 50 x 203.2mm long labels |
| 13534 | Black Red Blue Green | 223.5 | 381.0 | 60.9 | 30 x 356mm long labels |
| 13536 | Black Red Blue Green | 223.5 | 203.2 | 60.9 | 50 x 203.2mm long labels |

B-595 Indoor / Outdoor Vinyl Material

Our best industrial vinyl yet. Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured.




Figure 33

| Dimensions | Fits Printer Model | Part No. | White | Yellow | Green | Red | Blue | Orange | Black | Grey | Brown | Clear | Purple | Gold |
|-------------|--------------------|----------|-------|--------|-------|-------|-------|--------|-------|-------|-------|-------|--------|------|
| 100mm x 15m | BBP85, PMK | 13538 | 13539 | 13542 | 13540 | 13541 | 13543 | 13544 | 13546 | 13547 | 99498 | 13548 | 13545 | |
| 150mm x 15m | BBP85, PMK | 13549 | 13550 | 13603 | 13601 | 13602 | 13604 | 13605 | 13607 | 13608 | 99497 | 13609 | 13606 | |
| 200mm x 15m | BBP85, PMK | 13551 | 13552 | 13555 | 13553 | 13554 | 13556 | 13557 | 13559 | 13560 | 99496 | 13561 | 13558 | |
| 250mm x 15m | BBP85, PMK | 13562 | 13563 | 13612 | 13610 | 13611 | 13613 | 13614 | 13616 | 13617 | 99495 | 13618 | 13615 | |

B-595 Pre-Printed Pre-Cut Blank Sign Headers

Allows printer to create multicolour signs fast - in a single print pass. Headers meet AS 1319 standard for Danger and Warning.




Figure 70

| Part No. | Diagram | Fits Printer Model | Legend | Label Height A (mm) | Label Width B (mm) | Labels Per Roll | Rec. Ribbon |
|----------|---------|--------------------|--------|---------------------|--------------------|-----------------|-------------|
| 140888 | Fig. 70 | BBP85 | | 254.0* | 355.6 | 40 | 13510 |
| 130756 | Fig. 70 | BBP85 | | 177.8 | 254.0 | 60 | 13510 |
| 130755 | Fig. 70 | BBP85 | | 101.6 | 152.4 | 95 | 13511 |
| 140890 | Fig. 70 | BBP85 | | 254* | 355.6 | 40 | 13510 |
| 130765 | Fig. 70 | BBP85 | | 177.8 | 254.0 | 60 | 13510 |
| 130764 | Fig. 70 | BBP85 | | 101.6 | 152.4 | 95 | 13511 |
| 140885 | Fig. 70 | BBP85 | | 254.0* | 355.6 | 40 | 13510 |
| 130762 | Fig. 70 | BBP85 | | 177.8 | 254.0 | 60 | 13510 |
| 130761 | Fig. 70 | BBP85 | | 101.6 | 152.4 | 95 | 13511 |
| 140883 | Fig. 70 | BBP85 | | 254.0* | 355.6 | 40 | 13510 |
| 132393 | Fig. 70 | BBP85 | | 177.8 | 254.0 | 60 | 13510 |
| 140884 | Fig. 70 | BBP85 | | 254.0* | 355.6 | 40 | 13510 |
| 132395 | Fig. 70 | BBP85 | | 177.8 | 254.0 | 60 | 13510 |

* Part made from B-7569 Outdoor Vinyl.

Request A Sample Pack!

Contact us via www.bradynid.com.au/ **contactbrady** to request a free sample pack of Brady's most popular materials, including the B-595 material listed on this page.




BBP®85 LABEL MATERIALS

B-526 BradyGlo™ Tape


For glow-in-the-dark identification up to 10 hours. Designed for directional and evacuation marking.

| Part No. | Dimensions | Material | Fits Printer Model |
|----------|-------------|----------|--------------------|
| 105912 | 100mm x 10m | B-526 | BBP85, PMK |
| 105913 | 175mm x 10m | B-526 | BBP85, PMK |
| 105914 | 250mm x 10m | B-526 | BBP85, PMK |



B-584 Reflective Tape

For highly reflective material shines back brightly when struck by light.



B-569 Low-Halide Polyester

Low-halide content for labelling stainless steel pipes and surfaces. Applies best to very smooth surfaces and ideal for mounting to rigid panels.



| Dimensions | Material | Fits Printer Model | Part No. | | |
|-------------|----------|--------------------|----------|--------|--------|
| | | | Silver | Yellow | Orange |
| 100mm x 10m | B-584 | BBP85, PMK | 13580 | 51584 | 13645 |
| 175mm x 10m | B-584 | BBP85, PMK | 13585 | 51585 | 13646 |
| 250mm x 10m | B-584 | BBP85, PMK | 13590 | 51586 | 13647 |

| Dimensions | Material | Fits Printer Model | Part No. | | | | | |
|-------------|----------|--------------------|----------|--------|--------|-------|-------|------------|
| | | | White | Yellow | Orange | Clear | Ochre | Light Blue |
| 100mm x 15m | B-569 | BBP85, PMK | 13565 | 13566 | 13567 | 13564 | 99167 | 96112 |
| 150mm x 15m | B-569 | BBP85, PMK | 13569 | 13570 | 13571 | 13568 | 99168 | 96113 |
| 175mm x 15m | B-569 | BBP85, PMK | 13573 | 13574 | 13575 | 13572 | 99169 | 96114 |
| 250mm x 15m | B-569 | BBP85, PMK | 13577 | 13578 | 13579 | 13576 | 99170 | 99494 |

B-7569 Pre-Printed GHS Chemical Labels

Blank labels with pre-printed red diamonds allow printer to produce 2-colour GHS labels in one print pass. Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling.

MarkWare Software v3.9.1 or higher required - 3 sizes of labels, each with 6 diamond layouts that match templates in MarkWare™ Software

| Part No. | Material | Fits Printer Model | Legend | Label Height | Label Width | Labels Per Row | Labels Per Roll | Rec. Ribbon |
|----------|----------|--------------------|--------------------|--------------|-------------|----------------|-----------------|-------------|
| 130766 | B-7569 | BBP85 | L1 Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130772 | B-7569 | BBP85 | L1 Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |
| 130767 | B-7569 | BBP85 | L2 Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130773 | B-7569 | BBP85 | L2 Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |
| 130768 | B-7569 | BBP85 | L3A Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130774 | B-7569 | BBP85 | L3A Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |
| 130769 | B-7569 | BBP85 | L3B Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130775 | B-7569 | BBP85 | L3B Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |
| 130770 | B-7569 | BBP85 | L4A Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130776 | B-7569 | BBP85 | L4A Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |
| 130771 | B-7569 | BBP85 | L4B Diamond + Text | 104.1mm | 154.9mm | 1 | 90 | 13511 |
| 130777 | B-7569 | BBP85 | L4B Diamond + Text | 154.9mm | 210.8mm | 1 | 70 | 13511 |



BLS850 LAMINATING SYSTEM

Laminate documents in seconds without heat or electricity. Small & portable – perfect for office use or industrial applications. Laminates documents 216mm wide.

The BLS850 is Easy-to-use!



1. Select desired cartridge, insert a document and turn the handle.
2. As it passes through the rollers, the adhesive and laminate are evenly applied.
3. The cut-off blade provides a precise trim to finish documents.



20585

| Part No. | Description | Dimensions |
|----------|---|-------------|
| 20585 | BLS850 Laminating System | |
| 20589 | Industrial Use Double-sided Overlaminates | 218 x 152mm |
| 20602 | Double-sided/Office use | 218 x 305mm |



VERSAPRINTER™ & LABELIZER® PLUS TAPE CARTRIDGES

B-595 Brady Indoor/Outdoor Vinyl Tape

Adheres well to pipes, walls, equipment, windows, most clean and dry surfaces. It even conforms well to irregular, curved or rough surfaces. For industrial use: stands up to grease, oil and most industrial chemicals.



| Dimensions | Part No. | | Qty. Per Pkg. G |
|----------------|----------|--------|--|
| | Black | White | |
| 13mm x 27.4m | 142760 | - | 2 |
| 28.6mm x 27.4m | 142759 | - | 2 |
| 57.1mm x 27.4m | 142758 | 142762 | 1 |
| 100mm x 27.4m | 142757 | 142761 | 1 |

i The GlobalMark®2 printer replaced the LabelizerPlus, VersaPrinter and GraphicsPro. A list of supplies for these older systems are listed in your pricelist.

| Dimensions | Part No. | | | | | | | | | | | | | Qty. Per Pkg. G | |
|----------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|---|
| | Black | Black | White | White | Red | White | Black | Black | Black | White | White | White | White | | |
| 13mm x 27.4m | - | 142750 | 64814 | 64818 | 142745 | 142772 | 142741 | 142756 | 142785 | - | - | - | - | 142781 | 2 |
| 28.6mm x 27.4m | 142765 | 142749 | 64815 | 142776 | 142744 | 142773 | 142740 | 142755 | 142784 | 142793 | 142787 | 142790 | 142780 | 2 | |
| 57.1mm x 27.4m | 142764 | 142748 | 64816 | 142775 | 142743 | 142771 | 142739 | 142754 | 142783 | 142792 | 142786 | 142789 | 142779 | 1 | |
| 100mm x 27.4m | 64690 | 142746 | 142766 | 142774 | 142742 | 142770 | 142737 | 142753 | 142782 | 142791 | - | 142788 | 142778 | 1 | |

SAFETY SIGN BLANKS



Create custom signs in minutes – no lead time

Apply labels to blank safety signs with preprinted headers, to create personal and professional signs for your workplace. Ideal for use with BBP®85, GlobalMark®2, BBP®31, BBP®33, MiniMark™ or BMP™71 printers.

| Dimensions (WxH) | Material | S |
|------------------|----------|---|
| 600x450mm | MTL | |
| 600x450mm | POLY | |
| 450x300mm | MTL | |
| 450x300mm | POLY | |
| 300x225mm | MTL | |
| 300x225mm | POLY | |

Print text or pictogram | Remove liner | Apply to blank sign panel.

| | | | | | |
|---|---|---|---|---|---|
| 600x450 MTL 832527 600x450 POLY 841935 450x300 MTL 832526 450x300 POLY 841936 300x225 MTL 841938 300x225 POLY 841937 | 600x450 MTL 863528 600x450 POLY 841901 450x300 MTL 863531 450x300 POLY 863530 300x225 MTL 863529 300x225 POLY 841905 | 600x450 MTL 834071 600x450 POLY 841969 450x300 MTL 834070 450x300 POLY 841970 300x225 MTL 863514 300x225 POLY 841971 | 600x450 MTL 863522 600x450 POLY 841887 450x300 MTL 863523 450x300 POLY 841889 300x225 MTL 863525 300x225 POLY 863524 | 600x450 MTL 863518 600x450 POLY 863519 450x300 MTL 863520 450x300 POLY 841896 300x225 MTL 841897 300x225 POLY 863521 | 600x450 MTL 841916 600x450 POLY 841915 450x300 MTL 863513 450x300 POLY 863512 300x225 MTL 841920 300x225 POLY 841919 |
| 600x450 MTL 863533 600x450 POLY 863532 450x300 MTL 841911 450x300 POLY 841910 300x225 MTL 863535 300x225 POLY 863534 | 600x450 MTL 841963 600x450 POLY 863527 450x300 MTL 841965 450x300 POLY 841964 300x225 MTL 863526 300x225 POLY 841966 | 600x450 MTL 832521 600x450 POLY 841950 450x300 MTL 832520 450x300 POLY 841951 300x225 MTL 841953 300x225 POLY 841952 | 300x450 POLY 863515 225x300 MTL 863517 225x300 POLY 863516 | 450x600 POLY 841922 180x250 SS 841926 | 450x600 MTL 833308 450x600 POLY 863509 300x450 MTL 833309 300x450 POLY 841928 225x300 MTL 841930 225x300 POLY 863510 |