



## LOCKOUT TAGOUT



### YOUR KEY TO EFFECTIVE ENERGY ISOLATION PROGRAMS

Brady's selection of Lockout products help to facilitate an effective Energy Isolation Program that can prevent potentially fatal injuries in your workplace. One of the biggest challenges to maintaining a safe facility is information management. There are lockout/tagout procedures, confined space permits, maintenance schedules and other important documents, all need to be regularly reviewed and updated. Brady has a information management solution; Link360 which will provide you with an easy way to keep your safety procedures accurate, compliant and sustainable.

|  |           |
|--|-----------|
| Lockout Training Tools .....                           | 247       |
| Link 360 Software .....                                | 248       |
| Lockout Padlocks.....                                  | 249 - 253 |
| Circuit Breaker Lockout Devices .....                  | 254 - 256 |
| Cable Lockout Devices .....                            | 257       |
| Twist & Secure Push Button & E-Stop Safety Covers..... | 258       |
| Plug Lockout Devices .....                             | 259       |
| Lockout Hasps .....                                    | 261 - 263 |
| Valve Lockout Devices.....                             | 263 - 266 |
| Lock Boxes .....                                       | 267 - 270 |
| Key Cabinets .....                                     | 271       |
| Padlock Storage Boxes .....                            | 271       |
| Electrical Lockout Kits .....                          | 272 - 275 |
| Lockout Stations .....                                 | 277 - 279 |
| Lockout Tags.....                                      | 280 - 281 |
| Lockout Signs .....                                    | 283 - 284 |
| Scafftag Products.....                                 | 285 - 290 |



## WHY LOCKOUT TAGOUT?

Australian workers continue to be injured or killed due to the unintentional release of hazardous energy sources. These incidents could have been prevented with a clearly documented Lockout Procedure.

## WHAT IS LOCKOUT TAGOUT?

It is an effective energy isolation program to protect workers and protect assets.

Brady offers a comprehensive Lockout solution to ensure your procedures are partnered with effective Lockout Tagout products.

### STEP 1

Choose Device and attach to energy source



+

### STEP 2

Choose Padlock and attach to device to secure Lockout



+

### STEP 3

Choose Tag and attach to padlock for communication



### Complete Lockout



## WHEN IS LOCKOUT TAGOUT REQUIRED?

Whenever a worker is performing an isolation and maintenance procedure and may be exposed to any form of hazardous energy.

### The benefits of a Lockout Tagout:

- Workers are provided with a safer workplace whilst performing critical maintenance, cleaning and repairs
- Prevents injuries and fatalities
- Increases productivity and reduces equipment downtime and damage
- Cost savings with lower insurance premiums

## STEPS TO AN EFFECTIVE LOCKOUT PROGRAM



1

Develop and document your energy control policy/program



2

Create and post written, equipment-specific lockout procedures



3

Identify and mark all energy control points



4

Train your employee, communicate and conduct periodic inspections



5

Equip your employees with the proper lockout tools and warning devices



## BRADY YOUR LOCKOUT TAGOUT SPECIALIST

The global leader in providing Lockout Tagout solutions; Brady offers a comprehensive range of quality, easy to use lockout devices.

Brady covers other critical aspects of a compliant, effective energy control program by providing innovative solutions.

Brady's Complete Hazard Solution assists Australian industries to protect their workers from potential hazards. Below are some of those potential hazards which could be faced on a daily basis.



To further assist in your procedure and Lockout Tagout program, Brady has developed a software program to ensure you are compliant and productive but most importantly stay compliant and productive!

Find out more about Brady Link 360 software on page 248 or visit our website [bradyID.com.au](http://bradyID.com.au)

## LOCKOUT SAFETY POSTER

This informative Lockout Safety Poster is a valuable asset to any company, especially when used in conjunction with training and lockout policies. The information will help employees understand lockout and help prevent injuries and save lives by communicating safe lockout procedures.



| Part No. | Dimensions (WxH)      |
|----------|-----------------------|
| 851355   | 457 x 610mm Laminated |

## LOCKOUT TAGOUT GLOBAL BEST PRACTICE TRAINING VIDEO

Safeguard your employees with current and comprehensive lockout/tagout best practices. View lockout/tagout safety training in a fresh new way.

The control of hazardous equipment energies is a critical safety issue, impacting workers in virtually every industry globally. This creates a crucial need to have the most effective training tools on hand for those workers who are exposed during equipment maintenance.

Brady's Lockout/Tagout - Global Best Practice Training video offers comprehensive instruction on how to implement a successful lockout/tagout program across your organisation. Presented in a unique animated format which is visually engaging.

### Comprehensive Training Information

This 25 minute training video helps prepare your maintenance and production employees to safely lockout hazardous energy by arming them with detailed instructions, helpful hints and applicable examples.

- Reviews steps for locking out and restoring service to equipment for employees
- Includes common accident scenarios and preventative tips for various kinds of energy
- Has 19 additional device installation videos for visual instruction, covering most common types
- Has multiple languages including: English, Chinese, Spanish, French and Portuguese
- Offers printable instructor training guide and employee questionnaire, discussion points



| Part No. | Dimensions (WxH)               |
|----------|--------------------------------|
| 132427   | LOTO Global Training Video USB |

Visit [www.bradyID.com.au/lockout](http://www.bradyID.com.au/lockout) to preview the training video before ordering.



## LINK360® SOFTWARE

One of the biggest challenges to maintaining a safe facility is information management. There are lockout/tagout procedures, confined space permits, maintenance schedules and other important documents, and they all need to be regularly updated and reviewed.

Link360® Software will give you a complete view of the activities associated with creating, reviewing and updating visual information while driving internal employee engagement and accountability. This cloud-based software provides an easy way to keep your safety procedures accurate, compliant and sustainable – both in your facility and across multiple locations.



## LINK360® SOFTWARE MODULES:

### LOCKOUT/TAGOUT

- Create lockout/tagout procedures, tags and energy source labels
- House all program documents for easy access
- Automate workflow for audits and approvals
- Provide compliance assistance with WHS Regulations



### CONFINED SPACES

- Identify confined space hazards
- Classify facility space as permit-required confined spaces
- Fill out permit requests and route them for approval
- Track logged permit history for auditing and reporting



### RELIABILITY

- Create and modify visually instructive maintenance procedures
- House all reliability documents for easy access
- Streamline regular equipment check processes
- Control access to who may view, edit and create templates and procedures



### A SNAPSHOT OF LINK360® SOFTWARE:

- Cloud-based software with free mobile apps
- Create and update procedures and permits
- Facilitate reviews, comments and approvals
- Setup regularly scheduled audit processes and reminders
- Time-stamping and record keeping
- Comprehensive procedure management tool



**Interested in a demo?**

Visit [www.bradyid.com.au/link360](http://www.bradyid.com.au/link360) today!



## BRADY SAFETY PLUS™ PADLOCKS

Brady Safety Plus is designed exclusively for use in lockout applications, with the main feature being a 100% non-conductive body which protects workers and equipment. Durable and lightweight design meets WH&S lockout requirements and is well suited for use in harsh industrial environments and extreme temperatures. All Brady Safety Plus Padlocks are supplied with 2 keys and padlock labels. Available Keying Options: Keyed Differently (KD), Keyed Alike (KA), Keyed Alike Master Key and Keyed Differently Master Key.



**i** It's what's inside your padlock that counts!



- Non-conductive spark resistant body enhances safety in electrical applications
- One piece lightweight plastic body for maximum durability
- Steel shackle for worker and equipment protection
- 53 Nm torsion strength ensures the security of your padlock
- Corrosion and chemical resistant suitable for harsh environments
- 6 pin patented keyway delivers optimum security and tamper proofing
- Key retaining safety feature prevents key from being removed until closed
- Ribbed padlock body to improve handling whilst wearing gloves
- Available in a variety of colours
- Supplied with two keys, DANGER and PROPERTY OF labels
- Custom keying, charting and engraving is also available

**BODY DIMENSIONS:** 38 x 44 x 18mm (WxHxD)

**SHACKLE DIMENSIONS:** 38 x 6.35mm (LxDia)


**STANDARD PACKAGE: 1**

| Part No. | Colour        |
|----------|---------------|
| 850821   | Red           |
| 850816   | Blue          |
| 850818   | Green         |
| 850820   | Yellow        |
| 850819   | Orange        |
| 850817   | Black         |
| 853203   | White         |
| 853204   | Purple        |
| 51379    | Labels - Pk 6 |

For keyed alike or master keyed options please contact your local Brady Distributor for a quote.

**i** **Ideal Application:** Mining, manufacturing, electrical, mineral processing, confined spaces, food and beverage.

**Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



Brady Safety Plus Padlock Exploded View

| Dimensions |      |        |
|------------|------|--------|
|            |      |        |
| 38mm       | 85mm | 18mm   |
|            |      |        |
| 20mm       | 38mm | 6.35mm |



## BRADY COMPACT PADLOCKS

Designed specifically for use in electrical lockout applications, the Brady Compact Lockout Padlocks help keep workers safe and equipment free from damage. Rugged yet compact and lightweight, these innovative locks meet WH&S lockout requirements and are well suited for harsh industrial environments.

The non-conductive, spark resistant body enhances safety in electrical applications while its small body size and shackle diameter makes it perfect for use on ever shrinking lockout devices. The precision machined cylinder offers more unique key cuts and better tamper resistance, with custom keying options also available.



LOCKOUT TAGOUT

- Lightweight one piece construction, padlock weighs only 20 grams
- Non-conductive spark resistant body enhances safety in electrical applications
- Constructed of rugged reinforced nylon with aluminium shackle
- Corrosion and chemical resistant suitable for harsh environments
- 5 pin patented keyway delivers optimum security and tamper proofing
- Key retaining safety feature prevents key from being removed until closed
- Ribbed padlock body to improve handling whilst wearing gloves
- Supplied with two keys, DANGER and PROPERTY OF labels
- Custom keying, charting and engraving are also available
- Insulated key chamber protects workers from shock when the key is inserted

Call for pricing.

**Ideal Application:**  
Confined spaces,  
mining, electrical,  
food and beverage.


**BODY DIMENSIONS:** 32 x 34 x 16mm (WxHxD)  
**SHACKLE DIMENSIONS:** 26 x 4.74mm (LxDia)

| Part No. | Colour |
|----------|--------|
| 872880   | Red    |
| 872874   | Black  |
| 872875   | Blue   |
| 872881   | Yellow |
| 872876   | Grey   |
| 872877   | Green  |
| 872878   | Orange |
| 872879   | Purple |
| 872882   | White  |

Note: Brown available upon request



Brady Compact Padlock side by side with the Brady Safety Plus™ Padlock





## SAFETY PADLOCKS - LONG BODY

**NEW**

Brady has launched the long-bodied safety padlock which has a larger information panel on the front and rear of the padlock and provides greater visibility.

**BODY DIMENSIONS:** 40 X 75 X 20mm (WxHxD)  
**SHACKLE DIMENSIONS:** 38mm

| Part No. | Description                 |
|----------|-----------------------------|
| 875471   | Brady Long Body – Red KD    |
| 875475   | Brady Long Body – Yellow KD |



## NYLON SAFETY PADLOCKS WITH NON-CONDUCTIVE NYLON SHACKLE

Featuring a premium grade Nylon shackle, these padlocks are ideal for electrical Lockout applications. Available in four colours.

**STANDARD PACKAGE: 1**

| Part No. | Description           |
|----------|-----------------------|
| 872386   | Nylon (KD) - Red      |
| 872387   | Nylon (KD) - Blue     |
| 872388   | Nylon (KD) - Green    |
| 872389   | Nylon (KD) - Yellow   |
| 51379    | Padlock Labels - Pk 6 |

Note: Other colours available on request.

**Info** **Ideal Application:**  
Electrical lockout.



Labels - Sold Separately



## STAINLESS STEEL SAFETY PADLOCKS

Featuring a heavy duty Stainless Steel shackle, these padlocks are ideal for Lockout applications where extreme moisture resistance is required. Available in four colours.

**STANDARD PACKAGE: 1**

| Part No. | Description           |
|----------|-----------------------|
| 872390   | (KD) - Red            |
| 872391   | (KD) - Blue           |
| 872392   | (KD) - Green          |
| 872393   | (KD) - Yellow         |
| 51379    | Padlock Labels - Pk 6 |

Note: Other colours available on request

**Info** **Ideal Application:**  
Outdoors, damp interiors, corrosive environments.



Labels - Sold Separately



## BRADY SAFETY PLUS™ KEYED ALIKE PADLOCK PACK

Brady offers a conveniently packaged customised solution of three keyed alike Safety Plus padlocks. Padlocks come with unique keying numbers and the option to add additional padlocks on the same keying system. These are ideal for tradespeople and maintenance workers who need to lockout multiple areas. Packs come with "Danger Locked Out" labels and one key per padlock.

**STANDARD PACKAGE: 3**

| Part No. | Description | Colour |
|----------|-------------|--------|
| 853205   | Keyed Alike | Red    |
| 853206   | Keyed Alike | Yellow |
| 853207   | Keyed Alike | Blue   |
| 853208   | Keyed Alike | Green  |

**STANDARD PACKAGE: 12 Packs**

| Part No. | Description  | Colour     |
|----------|--------------|------------|
| 853408   | (Mixed)      | Red/Yellow |
| 853409   | (Mixed)      | Blue/Green |
| 853680   | (One Colour) | Red        |
| 853681   | (One Colour) | Yellow     |
| 853682   | (One Colour) | Blue       |
| 853683   | (One Colour) | Green      |



LOCKOUT TAGOUT



## CUSTOM KEYING OPTIONS

Brady are the experts at managing custom keying options. We have many keying options available including thousands of genuine key to differ options and the ability to key alike, master key and grand master key.

### Benefits of having Brady manage your unique key register are:

1. To ensure there are no duplicate/shadow keys on your premises ensuring the security integrity is managed on-site
2. When you need to build onto your current padlock family with additional products to suit your secured keyway, Brady can assist and make this a quick and easy process.
3. The Brady key register is held in Australia with maximum security to ensure your company's information is secured.
4. Fast and efficient lead times.
5. Provide your company with total asset management control.

## BRADY PADLOCK KEYING OPTIONS


### Keyed Differently

Each lock in a keyed differently system has its own unique key. Guaranteed no duplicates, must be specially requested. See below if a master key is needed.



### Keyed Alike Systems


All locks in a keyed-alike system use identical keys. Any lock's key can open all the locks within the group.



### MASTER KEYED SYSTEMS


A master key opens all locks in the system, even though each lock has its own individual key. This system permits organising submaster, master and grandmaster systems along departmental or other functional lines. Master keys can also be made to fit multiple groups of Keyed Alike locks. For even greater convenience all custom keying requirements for Brady Lockout Padlocks are keyed locally for faster delivery time.

#### Individually Keyed




**Submaster Key "A"**  
(Open only locks in group "A")

#### Individually Keyed




**Submaster Key "B"**  
(Open only locks in group "B")

#### Individually Keyed



**Submaster Key "C"**  
(Open only locks in group "C")

#### Individually Keyed



**Submaster Key "D"**  
(Open only locks in group "D")



**Master Key "ABC"**

(Only opens locks in groups "ABC")

**Master Key "D"**

(Only opens locks in group "D")



**GRANDMASTER KEY**

(OPENS ALL LOCKS THROUGHOUT SYSTEM)

### MASTER KEYED SYSTEMS

- Supervisory master key opens all locks in system
- Each padlock also opens with an individual key
- Allows for organising of Grandmaster, Master and Submaster systems.

### PADLOCK IDENTIFICATION

Brady offers our customers a variety of padlock identification solutions, which include engraving, E-Prep labels and personalised identification cards (see page 378 for more detail).



Custom padlocks can be ordered on line at [www.bradyserve.com.au](http://www.bradyserve.com.au) or contact your local Brady distributor.





## BRASS PADLOCKS

This range of brass padlocks are spark and corrosion resistant.

- These padlocks have a solid brass body and shackle
- Genuine pin tumbler cylinder offers more unique key cuts and effective tamper resistance
- Colour vinyl casing for visibility and protection
- Locks come keyed differently, with two keys supplied
- DANGER labels are also available (sold separately)

|          |                        |                |                |
|----------|------------------------|----------------|----------------|
| <b>i</b> | <b>SPECIFICATIONS:</b> | Small          | Large          |
|          | Shackle size:          | 30mm           | 40mm           |
|          | Shackle dia:           | 4.5mm          | 6.5mm          |
|          | Locking pins:          | 3              | 4              |
|          | Dimensions :           |                |                |
|          | (HxWxD)                | 45 x 31 x 10mm | 60 x 43 x 10mm |



### STANDARD PACKAGE: 1

| Part No. | Shackle Size          | Colour |
|----------|-----------------------|--------|
| 856762   | 30mm                  | Black  |
| 856763   | 30mm                  | Blue   |
| 856764   | 30mm                  | Green  |
| 856765   | 30mm                  | Red    |
| 856766   | 40mm                  | Black  |
| 856767   | 40mm                  | Blue   |
| 856768   | 40mm                  | Green  |
| 856769   | 40mm                  | Red    |
| 856770   | 40mm                  | Grey   |
| 850955   | Padlock Labels - Pk 6 |        |

**i** **Ideal Application:**  
General service and maintenance.



Labels - Sold Separately

For keyed alike options contact your local Brady distributor for a quote.

## BRADY STEEL PADLOCKS

Heavy duty laminated steel padlocks offer optimum security and durability making these ideal for general security applications.

- Individually zinc-coated steel plates deliver superior rust protection
- Can be used for lockout applications in environments where lockout devices may be exposed to rough handling
- 5-pin cylinder and drill protection for maximum security
- Available in six high visibility safety colours
- Locks come keyed differently, with two keys supplied
- DANGER labels are also available (sold separately)



### STANDARD PACKAGE: 1

| Part No. | Shackle Size          | Colour |
|----------|-----------------------|--------|
| 850827   | 20mm                  | Red    |
| 850824   | 20mm                  | Blue   |
| 850826   | 20mm                  | Orange |
| 850828   | 20mm                  | Yellow |
| 850823   | 20mm                  | Black  |
| 850825   | 20mm                  | Green  |
| 850829   | 47mm                  | Black  |
| 850830   | 47mm                  | Blue   |
| 850831   | 47mm                  | Green  |
| 850832   | 47mm                  | Orange |
| 850833   | 47mm                  | Yellow |
| 851531   | 47mm                  | Red    |
| 850955   | Padlock Labels - Pk 6 |        |

\* Each padlock supplied with 2 keys  
For keyed alike or master keyed options contact your local Brady distributor for a quote.

**i** **Ideal Application:**  
General security, service and maintenance.



## MAINTENANCE

It is important to maintain your Lockout Padlocks to ensure they are in top working condition when required. Regular cleaning will ensure the longevity of your Lockout Padlocks. Depending on the working environment will depend on how regularly your Lockout Padlocks will need to be maintained.

- Step 1.** Clean the padlock of any dust and debris
- Step 2.** Apply a small spray of dry silicone based lubricant into the shackle and keyway
- Step 3.** Insert the key and turn a few times to ensure the lubricant has been well distribute through the keyway

| Part No. | Description             |
|----------|-------------------------|
| 850956   | 170g Dry Film Lubricant |





## EURASIAN MINIATURE LOCKOUTS

Improve your business's Electrical Lockout Program with these DIN style circuit breaker lockout devices. These devices are easily installed with no tools required and can be partnered with our range of Safety Plus Lockout Padlocks and Hasps to ensure the safety of your workers whilst electrical maintenance or repairs are carried out.

### Tie Bar Lockout (TBLO)

- Tie Bar style lockout has a convenient thumb wheel
- Lockouts are available from single and multi-pole breakers
- Made of glass-filled nylon

### Pin Out Wide Lockout (POW) & Pin In Standard Lockout (PIS) & Pin Out Standard Lockout (POS)

- Easy to install with the aid of a push button
- Lockouts are available from single and multi-pole breakers
- Made of glass-filled nylon



| Part No. | Description                    | Pack Size |
|----------|--------------------------------|-----------|
| 90853    | Tie Bar Lockout (TBLO)         | 1         |
| 90854    | Tie Bar Lockout (TBLO)         | 6         |
| 90850    | Pin Out Wide Lockout (POW)     | 1         |
| 90851    | Pin Out Wide Lockout (POW)     | 6         |
| 90847    | Pin In Standard Lockout (PIS)  | 1         |
| 90848    | Pin In Standard Lockout (PIS)  | 6         |
| 90844    | Pin Out Standard Lockout (POS) | 1         |
| 90845    | Pin Out Standard Lockout (POS) | 6         |

**Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)

Recommended use with Brady Safety Plus Padlocks.

### CIRCUIT BREAKER COMPATIBILITY CHART:

| Part No.      | Breaker Brand        | No. of Poles | Breaker Model No. | Lockout Type |
|---------------|----------------------|--------------|-------------------|--------------|
| 90850         | Siemens B32          | 1            | 5SX21             | POW          |
|               | Siemens 17U          | 1            | 5SQ11             | POW          |
| 90851         | Siemens C10          | 1            | 5SX1              | POW          |
|               | Merlin Gerin         | 3            | C80A              | POW          |
| 90853 & 90854 | Merlin Gerin         | 2            | B100A             | POW          |
|               | Legrand              | 2            | 01935             | TBLO         |
|               | Legrand              | 3            | 01980             | TBLO         |
|               | Legrand              | 4            | 01980             | TBLO         |
|               | Merlin Gerin         | 3            | C80A              | TBLO         |
|               | Merlin Gerin         | 2            | B100A             | TBLO         |
|               | Siemens 17U          | 2            | 5SQ12             | TBLO         |
|               | Siemens L20A         | 3            | 5SN2-2            | TBLO         |
|               | Siemens C32          | 2            | 5SX1-2            | TBLO         |
|               | Siemens 17U          | 3            | 5SQ13             | TBLO         |
| 90844 & 90845 | Siemens C70          | 3            | 5SX13             | TBLO         |
|               | Siemens 17U          | 4            | 5SQ16             | TBLO         |
|               | Allen-Bradley        | 1, 2, 3      | 1492-CB1, 2, 3    | POS          |
|               | ABB                  | 1            | S222              | POS          |
|               | ABB                  | 1            | F374              | POS          |
|               | ABB                  | 1            | S251, S261, S263  | POS          |
|               | ABB                  | 1            | S272, S253        | POS          |
|               | ABB                  | 3            | S253              | POS          |
|               | Buschmat             | 1            | S46               | POS          |
|               | Clipsal              | 1            | 4CB116            | POS          |
|               | Clipsal              | 3            | 4CB320            | POS          |
|               | E-T-A                | 2            | 911220G           | POS          |
|               | FAZ                  | 4            | C16               | POS          |
|               | FAZ                  | 1            | C16               | POS          |
|               | 90847 & 90848        | Hager        | 3                 | 453717       |
| Hager         |                      | 2            | MW216A            | POS          |
| Hager         |                      | 4            | MW620A            | POS          |
| Legrand       |                      | 1            | 01908             | POS          |
| Merlin Gerin  |                      | 1            | C60N              | POS          |
| Merlin Gerin  |                      | 1            | C32N              | POS          |
| Merlin Gerin  |                      | 2            | C60N              | POS          |
| Merlin Gerin  |                      | 4            | C60N              | POS          |
| Merlin Gerin  |                      | 3            | C32N              | POS          |
| Merlin Gerin  |                      | 3            | C45AD             | POS          |
| Proteus       |                      | 1            | C16               | POS          |
| Proteus       |                      | 1            | C6                | POS          |
| Proteus       |                      | 3            | C6                | POS          |
| Wylex         |                      | 2            | WRS40/2           | POS          |
| 90847 & 90848 |                      | AEG          | 2                 | E82S         |
|               | E-T-A                | 1            | 911225            | PIS          |
|               | Kapp                 | 1            | LS68              | PIS          |
|               | GE Vynckier C16, 16A | 1            | Series E          | PIS          |
|               | GE Vynckier          | 1            | Series G          | PIS          |
|               | GE Vynckier 16A      | 2            | Series E          | PIS          |
|               | GE Vynckier          | 3            | Series E          | PIS          |
|               | GE Vynckier          | 3            | Series G          | PIS          |
|               | GE Vynckier          | 4            | Series E          | PIS          |
|               | Legrand              | 2            | 04302             | PIS          |
| Legrand       | 3                    | 06469        | PIS               |              |
| Sursum        | 3                    | EA53         | PIS               |              |
| Teraszki/NHP  | 1                    | C20          | PIS               |              |





## NO HOLE SINGLE POLE CIRCUIT BREAKER LOCKOUT

Brady patented No Hole lockout device is easy to install using patented thumbscrew design - no screwdrivers needed!

- Designed to lockout most single pole circuit breakers
- Enhanced to lockout most Federal Pacific breakers
- Easy to install simply tighten lockout securely onto switch tongue, pull cover over thumbscrew and lock cover to prevent clamp from being loosened
- Accepts up to 7mm shackle diameter to lockout
- Fits wider and thicker switch tongues; 16mm wide x 11mm thick (277 volt device), 41mm wide by 14mm thick (480/600 volt device)

| Part No. | Description  | Qty. |
|----------|--------------|------|
| 65965    | Small Device | 6    |
| 65396    | Small Device | 1    |
| 65966    | Large Device | 6    |
| 65397    | Large Device | 1    |



## LOCKOUT CLEATS

Used with small and large No Hole breaker lockouts (65965 & 65966).

- Cleats easily clip onto the bottom of No Hole breaker lockout devices
- Assures positive restraint for breakers with long sliding switch throws

**STANDARD PACKAGE: 6**

| Part No. | Description |
|----------|-------------|
| 65404    | Small Pack  |
| 65406    | Large Pack  |

[Watch: www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)

Step 1



Step 2



## ORIGINAL SINGLE POLE CIRCUIT BREAKER LOCKOUT

This patented device has holes in the switch tongue, our simple snap design is a "snap" to install!

- Simple design snaps onto breaker switch
- Locks out most major brand breaker switches (except Federal Pacific and most 277 volt breakers)
- Accepts up to 7mm shackle diameter Safety Padlock

| Part No. | Qty |
|----------|-----|
| 65688    | 6   |
| 65387    | 1   |

[Watch: www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



## UNIVERSAL MULTI-POLE BREAKER LOCKOUT

Patented Multi-Pole lockout works with most major multi-pole breakers with tie-bar.

- Convenient as no self-locking tie is needed
- Compatible with: GE, I-T-E, Sylvania, Challenger, Bryant, Westinghouse and General Switch Co.
- Made of durable impact modified nylon

| Part No. | Qty |
|----------|-----|
| 66320    | 6   |
| 66321    | 1   |

[Watch: www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



## CIRCUIT BREAKER LOCKOUT

Compact universal design to lockout a large range of single, double and triple-pole circuit breakers. Place lockout over circuit breaker handle, tighten set screw and attach padlock and tag.

**STANDARD PACKAGE: 1**

| Part No. | Description             |
|----------|-------------------------|
| 836597   | Circuit Breaker Lockout |



## OVERSIZED CLAMP BREAKER LOCKOUT

Oversized lockout fits breakers up to 63mm wide by 22mm thick. Made of durable polypropylene and glass filled impact-modified nylon.

| Part No. | Qty |
|----------|-----|
| 65321    | 6   |
| 65329    | 1   |





## BREAKER LOCKOUTS


Our Patented devices allow circuit breakers to be locked out, preventing energisation of electric currents.

- Made from tough polycarbonate material
- Single pole breaker lockout (BL01) is designed to fit most single pole breaker applications
- Multi pole breaker lockout (BL03) is designed to fit multi breakers
- No Hole circuit breaker lockout (BL04) is designed to fit circuit breaker toggles up to 13mm wide without a recess hole in the toggle
- Three phase breaker lockout (BL07) is designed to lockout a wide range of three phase breaker handles up to 20mm thick and 76mm wide



### STANDARD PACKAGE: 1

| Part No. | Description                       |
|----------|-----------------------------------|
| BL01     | Single Pole Breaker Lockout       |
| BL03     | Multi-Pole Breaker Lockout        |
| BL04     | "No Hole" Circuit Breaker Lockout |
| BL07     | Three Phase Breaker Lockout       |



## 400-600V BREAKER BLOCKER

Safely lockout your oversized and irregularly shaped switches with our Patented 400–600V Breaker Blocker.

- Self adhesive backed rails are permanently installed into electrical panels – no drilling required
- Colour coded blocking bars can be used to indicate if breaker is locked off (red) or on (green)
- Blocking bars are 193mm long



### STANDARD PACKAGE: 1

| Part No. | Description                 |
|----------|-----------------------------|
| 90891    | Breaker Blocking Kit        |
| 90892    | 193mm Red Blocking Bar      |
| 90893    | 193mm Green Blocking Bar    |
| 51264    | 102mm Yellow Mounting Rails |
| 51265    | Blocking Bar Holder - Pk 5  |

| Kit Contents:             |
|---------------------------|
| 2 x Yellow Mounting Rails |
| 1 x Red Blocking Bar      |
| 1 x Green Blocking Bar    |
| 3 x Alcohol Wipes         |

## FUSE LOCKOUT/BLOCKOUT

Our fuse lockout devices have a unique locking mechanism that prevents the device from being accidentally removed from the fuse block.

- Blockout devices can be used to blockout 6mm to 17mm and blade fuse types
- Use cable tie to lock



Fuse Blockout Device

Fuse Lockout Device

### STANDARD PACKAGE: 6

| Part No. | Description  |
|----------|--|
| 65750    | 10mm Fuse Lockout Device                             |
| 65751    | 14mm Fuse Lockout Device                             |
| 65690    | Fuse Blockout Device for 6, 7, 10 and 14mm           |
| 65691    | Fuse Blockout Device for 20, 27mm & Blade Type Fuses |

## UNIVERSAL FUSE LOCKOUT

Brady's Universal Fuse Lockout device with "DANGER DO NOT REMOVE – LOCKED OUT" has been designed to prevent the un-intended re-energisation of an energy source through a fuse.

- Easy to use, simply clamp onto the fuse holders and use a small flathead screwdriver to tighten the set screw in the device
- Lockout with a Safety Plus Padlock
- Fits most fuse holders between 20 Amps and 400 Amps



### STANDARD PACKAGE: 1


| Part No. | Description            |
|----------|------------------------|
| 873367   | Universal Fuse Lockout |



## ORIGINAL CABLE LOCKOUT

The original Cable lockout device enables you to lockout several disconnects in various energy distribution centres simultaneously.

- Flexible cable lockout devices can be used to lockout multiple valves at the same time
- Better than chains and more effective with a lot less weight
- A cost effective way to lockout gate valves with many other uses as well
- Great for security use too




### STANDARD PACKAGE: 1 CABLE LOCKOUT DEVICE

| Part No. | Description |
|----------|-------------|
| 65318    | 1.8m Cable  |

### STANDARD PACKAGE: 1 ADDITIONAL CABLES

| Part No. | Description |
|----------|-------------|
| 65319    | 2.4m Cable  |
| 65320    | 3.0m Cable  |


 We recommend using a Safety Plus Padlock with the Cable Lockouts to ensure the device is secured effectively.



## ALL PURPOSE CABLE LOCKOUT

These flexible all purpose cables can be used in a variety of applications and can secure unusual energy isolating devices that are difficult to lockout using conventional means.

- Ergonomic design makes it a breeze to tighten
- Using the cable hold device in one hand, cinch the cable tight with the other
- Lightweight body is made of impact modified glass filled nylon
- Built-in loops keep cable neatly coiled when stored and also keeps excess cable from dangling loose and posing a hazard when in use
- Available in 2 types of cables which are interchangeable and can be purchased separately

 **Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



### STANDARD PACKAGE: 1 NON CONDUCTIVE NYLON CABLES

| Part No. | Description        |
|----------|--------------------|
| 50945    | Nylon Cable - 2.4m |
| 50948    | Nylon Cable - 3.6m |
| 50951    | Nylon Cable - 4.8m |
| 50954    | Nylon Cable - 6.0m |

### METAL CABLES

| Part No. | Description           |
|----------|-----------------------|
| 50947    | Sheathed Cable - 2.4m |
| 50950    | Steel Cable - 3.6m    |
| 50953    | Steel Cable - 4.8m    |
| 50956    | Steel Cable - 6.0m    |

### CABLE LOCKOUT DEVICE

| Part No. | Description                  |
|----------|------------------------------|
| 50941    | APCLO w/ 2.4m Nylon Cable    |
| 50943    | APCLO w/ 2.4m Sheathed Cable |
| 50944    | APCLO w/o Cable              |



## MINI CABLE LOCKOUT


This revolutionary Cable Lockout device is ideal for use on disconnect switches, small gates and more!

- Retractable cable stored internally – it works like a tape measure
- The body is constructed of impact modified glass filled nylon delivering superior resistance to chemicals, corrosion and temperature extremes
- The Mini Cable is versatile and with the slide over locking mechanism you are able to lockout using a Safety Padlock



**BODY DIMENSIONS:** 100 x 31mm (WxD)  
**CABLE DIMENSIONS:** 1.5mm x 2.4m (DiaXL)  
**STANDARD PACKAGE: 1**

| Part No. | Description                                |
|----------|--|
| 50940    | Mini Cable Lockout Device with Steel cable |
| 51442    | Mini Cable Lockout Device with Nylon cable |

 **Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



## ECONOMY CABLE LOCKOUT

Cable lockouts are incredibly versatile making them ideal for all of your usual energy isolating devices that are difficult to lock out.

- Unique hasp lockout device
- Accepts up to six 7mm shackle diameter padlocks



### STANDARD PACKAGE: 1

| Part No.   | Description                        |
|------------|------------------------------------|
| CABLO      | Cable Lockout Device w/ 1.8m Cable |
| CABLE      | 1.8m Cable Only                    |
| CABLO-10   | Cable Lockout Device w/ 3m Cable   |
| CABLO-10FT | 3m Cable Only                      |

**NEW**


## TWIST AND SECURE PUSH BUTTON AND E-STOP SAFETY COVERS

Safety cover devices are designed to temporarily prevent access to the ON/OFF switch and stop controls. They provide fast and effective securing of facility production and operating equipment by authorised workers.

- Provides universal safety coverage for each of the three standard control button stem/panel diameters (16mm, 22mm and 30mm)
- One time installation of the low profile, unobtrusive safety cover base
- Standardised bases allow workers to simply twist a safety cover into place over any equipment control buttons that are fitted with permanently placed safety cover bases; then secure with a Lockout padlock



**ⓘ Ideal Applications:** General manufacturing, food and beverage, chemical allied processing, oil and gas refining, pulp and paper, construction, mining, healthcare & education labs and facility operating equipment.



| Part No. | Description                              | Qty  |
|----------|--|------|
| 134018   | 16mm Push Button Lo Device w/ Std Cover  | 1    |
| 130819   | 16mm Push Button Lo Device w/ Tall Cover | 1    |
| 130820   | 22mm Push Button Lo Device w/ Std Cover  | 1    |
| 130821   | 30mm Push Button Lo Device w/ Std Cover  | 1    |
| 130822   | 16mm Push Button/E-Stop Lo Bases         | 5 Pk |
| 130823   | 22mm Push Button/E-Stop Lo Bases         | 5 Pk |
| 130824   | 30mm Push Button/E-Stop Lo Bases         | 5 Pk |

**ⓘ** We recommend using the Push Button Safety Covers with the Safety Plus Padlock for your total lockout solution.



## STANDARD PLUG LOCKOUT

The Plug lockout is ideal for those situations where the plug is not under the exclusive control of the worker performing the service or maintenance

- The Plug lockout prevents another worker from putting the plug back into its outlet
- DANGER message printed on device to alert workers of lockout in progress
- Designed for heavy duty applications
- Made of tough polypropylene
- A cost effective way to safely lockout electrical plugs
- Available in 2 sizes; small accepts up to 12.7mm cord and large accepts up to 25.5mm cord



**i** We recommend using a Safety Plus Padlock with your Plug Lockout for a total lockout solution.

**▶ Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)

### STANDARD PACKAGE: 1

| Part No. | Description                  | Dimensions (L x H x D) |
|----------|------------------------------|------------------------|
| 65674    | Small – 3 Pin Standard Plugs | 89 x 50 x 50mm         |
| 65675    | Large – Industrial Plugs     | 178 x 82 x 82mm        |

## HUBBELL PLUGOUT™

Two sizes to fit most heavy duty industrial plug applications.

- Small version accepts plugs with a maximum of 70mm diameter and 120mm length with 25mm cord
- Large version accepts plugs with a maximum of 114mm diameter and 258mm length and 37mm cord



### STANDARD PACKAGE: 1

| Part No. | Description |
|----------|-------------|
| 65695    | Small       |
| 65968    | Large       |

## 3-IN-1 PLUG LOCKOUT

Accommodates high and low voltage plugs.

- Two sliding top lids can be used individually or together to accommodate small, medium and large diameter cords up to 31mm
- Accommodates plugs up to 76mm in diameter and 139mm in length
- Suitable for Three Phase lockout



### STANDARD PACKAGE: 1

| Part No. | Description                   |
|----------|-------------------------------|
| PL023    | 3-in-1 Plug Lockout - English |



## ELECTRICAL LEAD HOOK AND STAND

Ideal solution for keeping leads off the ground on construction sites and in warehouses.

- Designed for use on flat or rough terrain making this ideal for varying applications
- The tripod stand is made from galvanised steel and spans out to 100 x 100mm and has a hood for additional weights
- The lead hook is made from durable, flexible plastic and is non-conductive

### Lead Stand Dimensions

**Weight:** 6kg

**Height:** 2-2.3 Metres


**Base Span:** 100 x 100mm



Lead Hook



Lead Hook Stand  
(bucket not included)



### STANDARD PACKAGE: 1

| Part No. | Description     |
|----------|-----------------|
| 848922   | Lead Hook*      |
| 851940   | Lead Hook Stand |

\*Hook fits maximum pipe size of 30mm.

## GAS CYLINDER LOCKOUT

Prevents access to the main cylinder valve.

- Accommodates neck rings up to 89mm diameter
- Easy installation within seconds saving time and effort
- No need to match your lockout device to varying diameters and threads of cylinder caps



### STANDARD PACKAGE: 1

| Part No. | Description          |
|----------|----------------------|
| LM023E   | Gas Cylinder Lockout |

## PNEUMATIC QUICK-DISCONNECT LOCKOUT

Isolate pneumatic energy without the expense and inconvenience of installing in-line lockout valves.

- Brady's quick disconnect lockout is applied to the male fitting, isolating equipment from all compressed air sources
- With a "glove fit", the lockout accommodates the majority of 6mm, 9mm and 12mm male fittings
- The centre of the device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device
- A padlock with 6mm or 7mm shackle diameter is required



 We recommend using a Safety Plus Padlock.

### STANDARD PACKAGE: 1

| Part No. | Description                |
|----------|----------------------------|
| 64221    | Pneumatic Quick Disconnect |





## LOCKOUT HASPS

Lockout hasps ensure the energy source stays locked out until every individual working on the repairs or inspection is finished. Each worker involved in the process puts a lock on the hasp but the hasp cannot be removed until all locks have been removed.

### SAFETY LOCKOUT HASP

Allows for up to 6 workers to lockout a single point.

- Vinyl coated high tensile steel plated to resist rust
- Accepts up to 6 padlocks up to 9mm shack diameter



| Part No. | Jaw Diameter | Pack Size |
|----------|--------------|-----------|
| 65375    | 25mm         | 12        |
| 65375/1  | 25mm         | 1         |
| 65376    | 38mm         | 12        |
| 65376/1  | 38mm         | 1         |

### LABELLED LOCKOUT HASP

Combination of lockout tag and safety lockout hasp.

- Constructed from tough 5052 anodised aluminium alloy
- Label surface accepts pens, pencils and permanent markers
- This device allows a single worker to lockout a piece of equipment and begin servicing
- 6 workers can affix their locks and tags to the hasp



| Part No. Pk of 5 | Part No. Pk of 1 | Colour |
|------------------|------------------|--------|
| 65960            | 65960/1          | Red    |

Front Side Reverse Side

### STAINLESS STEEL SCISSOR ACTION HASP

Made from marine grade (316) stainless steel scissor hasps are designed to provide a maximum tamper proof locking facility.

- Ideal for addressing safety issues where shift change procedures demand removal of personal padlocks
- Hasps protects workers maintaining machinery as required by statutory regulations
- 1.8mm metal thickness with 10mm diameter lock hole and 28mm diameter jaw



#### DIMENSIONS:

40 x 115 x 4mm (WxHxD)

#### STANDARD PACKAGE: 1

| Part No. | Jaw Diameter |
|----------|--------------|
| 852440   | 28mm         |

### HIGH VISIBILITY LOCKOUT HASP

High Visibility Lockout Hasps have a bright yellow plastic coating that can be seen from a distance!

- Durable epoxy coated steel provides resistance to rust while adding dielectric strength
- Yellow plastic coating prevents hasp from scratching machinery
- Each hasp holds up to six padlocks with a lock hole diameter up to 9mm



#### STANDARD PACKAGE: 1 Hasp

| Part No. | Jaw Diameter |
|----------|--------------|
| 846674   | 25.5mm       |
| 846676   | 38mm         |

### STANDARD LOCKOUT HASP

Durable steel hasp.

- Available in 25mm hasp and 10mm holes
- Accommodates up to six padlocks
- Economical and easy to use



| Part No. | Jaw Diameter | Qty |
|----------|--------------|-----|
| 834193   | 25mm         | 12  |

### DUAL-SIZE LOCKOUT HASP

Constructed of case hardened plated steel and insulated with red vinyl coating.

- Each hasp will hold up to six padlocks
- Wide and narrow jaws on the same device makes this ideal for varying lockout applications



| Part No. | Qty |
|----------|-----|
| 834192   | 12  |
| 834192/1 | 1   |



## DUAL LEVEL SAFETY LOCKOUT

Especially designed to allow for the removal of personal padlocks. This lockout enables a supervisory padlock (2 padlocks on the 12 hole) to remain safely locked in place to ensure the machine remains isolated.

- Fool proof access to the hasp entry and a tamperproof locking facility adds additional safety
- Manufactured from marine grade 316 stainless steel for maximum performance
- The lockout has a 5.7mm hasp shank that will fit most electrical switch gear, cabinets and distribution boards
- Available in 6 hole x 1 supervisory or 12 hole x 2 supervisory configurations



### STANDARD PACKAGE: 1

| Part No. | Description                       |
|----------|-----------------------------------|
| 852439   | Dual Level 6 Hole Safety Lockout  |
| 873384   | Dual Level 12 Hole Safety Lockout |

## NON-CONDUCTIVE HASPS

These harps are non-conductive and suitable for use where electrical current may occur.

- Easily identifiable fluorescent orange
- Lightweight lockouts are easily carried
- Lockout measures 25 x 64mm and allows the use up to six padlocks

Ideal to use with a Safety Plus Padlocks.



### STANDARD PACKAGE: 1

| Part No. | Description          |
|----------|----------------------|
| 844501   | Non-Conductive Hasps |

## PIVOT LOCKOUT HASP

Allows multiple workers to lockout at each isolation point.

- Stainless steel construction for durability and pry resistance
- Lightweight makes this ideal for lockout applications
- Accommodates up to 8mm diameter padlock shackles



**DIMENSIONS (CLOSED):** 58 x 85 x 9mm (WxHxD)  
**DIMENSIONS (OPEN):** 110 x 85 x 8mm (WxHxD)

| Part No. | Description        | Qty |
|----------|--------------------|-----|
| 871239   | Pivot Lockout Hasp | 1   |

## NON-CONDUCTIVE LOCKOUT HASP

These non-conductive hasps provide maximum flexibility with exceptional electrical insulating characteristics.

- Constructed from strong rigid plastic resin for greater flexibility and resistance to cracking and most chemicals
- Perform at low temperatures and have excellent heat resistance
- Available in red only

Ideal to use with a Safety Plus Padlocks.



### STANDARD PACKAGE: 1

| Part No. | Description                 |
|----------|-----------------------------|
| LH220A   | Non-Conductive Lockout Hasp |

## BRADY SHOCK-STOP™ GROUP LOCK BOX AND HASPS

This visually instructive lock box uses STOP sign to draw attention to workers. It combines a lock box with storage board for hasps (sold separately).

- Accepts up to 6 locks and provides railing for storing locks when not in use
- Each box includes 6 metal hooks inside for hanging keys, tag stubs etc.
- Comes standard with two SHOCK-STOP™ hasps
- Backboard also includes writable/erasable area for signing out hasps
- Hasps are constructed from 13 gauge zinc plated steel and can accommodate up to a 9mm padlock shackle
- There is an area to write on the front and back of hasps
- Mounting hardware and instructions included

**LOCK BOX DIMENSIONS:** 267 x 420 x 64mm (WxHxD)

### STANDARD PACKAGE: 1

| Part No. | Description    |
|----------|----------------|
| 87693    | Hasp - Pk 5    |
| 87692    | Group Lock Box |



Group Lock Box



## VALVE LOCKOUTS

Valve Lockout devices are used to control potential hazards from fluids, gas and steam. It is imperative the valves are isolated prior to any maintenance.

### ADJUSTABLE GATE VALVE LOCKOUT

Eliminate the need to buy 3 or more lockouts. The adjustable gate valve lockout adjusts to fit multiple size gates!

- The durable polypropylene construction resists cracking and abrasion and can withstand temperatures from -20°C to 80°C
- Designed to completely enclose the handle and prevent tampering
- Device is compact for easy carrying and storage
- Available in red or yellow
- Labels included, also sold separately



#### STANDARD PACKAGE: 1

| Part No. | Colour |
|----------|--------|
| 850835   | Yellow |
| 850834   | Red    |
| 851649   | Label  |

### GATE VALVE LOCKOUTS

Makes locking out valves safe and easy with the Brady Gate Valve Lockouts.

- Made of durable, non-adherent plastic to resist chemicals and hot and cold temperatures
- Stainless steel hinge design for added strength and durability
- Unique knockout feature accommodates OS&Y or “rising stem” gate valves
- Designed to accept all locks with up to 9.4mm shackle diameter and 19mm or greater vertical shackle clearance for a great variety of applications
- Available in five sizes to fit valve handles from 25mm up to 330mm in diameter
- Green is frequently used to indicate if valve is locked in open or Red closed position



#### STANDARD PACKAGE: 1 Device, Labels Included.

| Valve Handle Diameter | Part No. |        |       |       |
|-----------------------|----------|--------|-------|-------|
|                       | Red      | Yellow | Green | Blue  |
| 25mm to 63mm          | 65560    | 65590  | 65595 | 65585 |
| 63mm to 125mm         | 65561    | 65591  | 65596 | 65586 |
| 125mm to 162mm        | 65562    | 65592  | 65597 | 65587 |
| 162mm to 250mm        | 65563    | -      | 65598 | 65588 |
| 250mm to 330mm        | 65564    | 65594  | 65599 | -     |

### GATE VALVE LOCKOUT SATCHEL

Ideal solution for multiple gate valve lockout requirements. Includes all five sizes of gate valve lockouts in a convenient shoulder strap satchel.

#### Kit Contents:

- 1 x 25mm to 63mm Gate Valve Lockout (65560)
- 1 x 62mm to 125mm Gate Valve Lockout (65561)
- 1 x 125mm to 162mm Gate Valve Lockout (65562)
- 1 x 162mm to 250mm Gate Valve Lockout (65563)
- 1 x 250mm to 325mm Gate Valve Lockout (65564)
- 1 x Lockout Satchel (51173)

#### STANDARD PACKAGE: 1

| Part No. | Description                                  |
|----------|--|
| 99676    | Gate Valve Lockout Satchel                   |
| 99677    | Kit w/ 2 Brady Safety Plus Padlocks & 2 Tags |
| 99678    | Kit w/ 2 Brady Steel Padlocks & 2 Tags       |





## BUTTERFLY VALVE LOCKOUT

Innovative design effectively immobilises valves. These heavy duty devices are ideally used to lock a butterfly valve in the off position by clamping down on the handle at the pivot point so it can not be engaged or moved.

- Made from durable impact modified nylon, brass rivets, and a stainless steel plate for increased durability and security
- Available in two sizes to accommodate small (3.2 to 63.5mm) and large (50.8 to 102mm) valve handle thickness



Can be used in conjunction with a Hasp and Safety Lockout Padlock.

**Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)

### STANDARD PACKAGE: 1

| Part No. | Description                   | Valve Handle Thickness |
|----------|-------------------------------|------------------------|
| 121504   | Small Butterfly Valve Lockout | 3.2mm to 63.5mm        |
| 121505   | Large Butterfly Valve Lockout | 50.8mm to 102mm        |

LOCKOUT TAGOUT

## VALVE LOCKOUT POUCH

Economical kit for locking out small ball valves and includes an adjustable gate valve lockout.



#### Kit Contents:

- 1 x Adjustable Gate Valve Lockout (850834)
- 2 x Small Ball Valve Lockouts (BS07A)
- 1 x Large Lockout Pouch (50979)

### STANDARD PACKAGE: 1

| Part No. | Description                                  |
|----------|--|
| 99680    | Kit w/ 2 Brady Safety Plus Padlocks & 2 Tags |
| 99681    | Kit w/ 2 Brady Steel Padlocks & 2 Tags       |

## VALVE LOCKOUT TOOLBOX KIT

The Valve Lockout Toolbox Kit gives you everything you need to lockout gate, ball, butterfly and other valves.



#### Kit Contents:

- 1 x Small Universal Valve Lockout w/ Blocking Arm (50924 and 65402)
- 1 x All Purpose Cable Lockout w/ 8' Sheathed Cable (50943)
- 1 x 1"-6 1/2" Adjustable Gate Valve Lockout (64057)
- 1 x 1/4"-1" Ball Valve Lockout (65666)
- 1 x 1"-2 1/2" Gate Valve Lockout (65560)
- 2 x Lockout Tags (65520)
- 2 x Safety Padlocks (850821)
- 1 x Extra-Large Lockout Toolbox (LXX-TKLBOX)

### STANDARD PACKAGE: 1

| Part No. | Description                                |
|----------|--|
| 99321    | Valve Lockout Toolbox w/ 2 Safety Padlocks |



## UNIVERSAL BALL VALVE LOCKOUT

The Universal Ball Valve Lockout device is designed to “lockout” virtually any quarter turn valve, round, square or flat, odd shaped handles, straight or angled.

- Patented device is made of durable super tough nylon and steel
- Lightweight and resistant to most chemicals
- Versatile to accommodate handles up to 31mm thick and 41mm wide in almost any length
- Its unique design allows it to work with valves on insulated pipes
- For process safety control requirements (non lockout applications) this device can lock valves in the on and throttle position
- The device will accommodate a second lockout arm (purchased separately) to lock handles in throttled position and to lock 3,4 and 5 way valves



Fits various shaped ball valve handles, as well as Block, Stop, and some Butterfly and T-handle valves.



Use second rotating arm to lock valve in the throttled position.



If needed, device can be turned upside-down to lock out valve.

### STANDARD PACKAGE: 1

| Part No. | Description     | Thickness | Width |
|----------|-----------------|-----------|-------|
| 65400    | Small UBVL      | 19mm      | 25mm  |
| 65401    | Large UBVL      | 31mm      | 41mm  |
| 65402    | Extra Small Arm | 19mm      | 25mm  |
| 65403    | Extra Large Arm | 31mm      | 41mm  |

## STANDARD BALL VALVE LOCKOUT

Best available method for locking out ball valve.

- Patented design fits all major brand ball valves
- Single piece design makes this the ideal device for securing valve handles in the off position
- Available in two sizes to lock out 6mm to 25mm and 31mm to 75mm ball valves



### STANDARD PACKAGE: 1

| Part No. | Valve Size   | Padlock Max. Diameter | Shackle Clearance | Material           |
|----------|--------------|-----------------------|-------------------|--------------------|
| 65666    | 6mm to 25mm  | 7mm                   | 25mm              | Super Touch Nylon™ |
| 65692    | 6mm to 25mm  | 9.4mm                 | 19mm              | Heavy Steel        |
| 65669    | 31mm to 75mm | 7mm                   | 19mm              | Heavy Steel        |
| 65693    | 31mm to 75mm | 9.4mm                 | 19mm              | Heavy Steel        |

**i** To complete your Lockout isolation process use in conjunction with a Safety Plus Compact Padlock and Tag.

## BALL VALVE LOCKOUT

Patented design and ultra tough polypropylene makes these ball valve lockouts the best you can buy!

- Available in two sizes the small lockout pipe locks 13mm to 64mm in diameter and the large locks out pipes 51mm to 203mm in diameter
- The small lockout can also be used to lock valves in the open position on pipes 13mm to 32mm in diameter
- Available in four colours: red, blue, green and yellow



### STANDARD PACKAGE: 1

| Description              | Part No. |          |          |          |
|--------------------------|----------|----------|----------|----------|
|                          | Red      | Blue     | Green    | Yellow   |
| Small Ball Valve Lockout | BS07A    | BS07A-BU | BS07A-GN | BS07A-YW |
| Large Ball Valve Lockout | BS08A    | BS08A-BU | BS08A-GN | BS08A-YW |





## UNIVERSAL VALVE LOCKOUT

No need to have multiple types and lockout devices, now one device fits them all.

- Perform multiple valve lockouts with just one device
- This device has an open ended clamp that fits over closed rings and wide handles
- The device can be used to lock large levers, T handles and other hard to secure mechanical devices
- Made of industrial grade steel and nylon for extra impact and chemical resistance
- Available in two sizes small and large
- Choose between a 2.4m non-conductive nylon cable or a 2.4m sheathed steel cable (cables sold separately)



 Lock out all types of valves with a single device!

 **Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)

No need for multiple types and sizes of lockouts – now one device does it all!



Clamp attaches to butterfly handles, preventing trigger handle from being squeezed. Valve cannot be repositioned!



Use blocking arm to lockout quarter-turn ball valves.



Use cable attachment to lock out gate valves.



Use two blocking arms to lockout 3, 4 or 5-way valves, or to lock valves in the throttled position for operational control.

Small Universal Valve Lockout device fits handle size 25.4mm x 15mm (WxH).

Large Universal Valve Lockout device fits handle size 40mm x 27.5mm (WxH).

### STANDARD PACKAGE: 1 Universal Valve Lockout – Complete Sets

| Part No. | Description   |
|----------|---|
| 51394    | Small UVLO w/ 2.4m Sheathed Cable Attachment & Blocking Arm |
| 51390    | Small UVLO w/ 2.4m Nylon Cable Attachment & Blocking Arm    |
| 51392    | Large UVLO w/ 2.4m Sheathed Cable Attachment & Blocking Arm |
| 51388    | Large UVLO w/ 2.4m Nylon Cable Attachment & Blocking Arm    |

### STANDARD PACKAGE: 1 Universal Valve Lockout – Individual Components

| Part No. | Description                             |
|----------|---|
| 50924    | Small UVLO Base Clamping Unit           |
| 50899    | Large UVLO Base Clamping Unit           |
| 65402    | Small Blocking Arm                      |
| 65403    | Large Blocking Arm                      |
| 51395    | Cable Attachment w/ 2.4m Sheathed Cable |
| 50932    | Cable Attachment w/ 2.4m Nylon Cable    |



## GROUP LOCKOUT BOXES

Group lockout boxes are a great solution for isolating energy points when a large team is working. Using a group lockout box allows you to dramatically reduce the amount of locks required on a job, limit weight on each energy point by eliminating hasps, and it provides a quick overview of who is still working without going to each energy point.




### HOW A GROUP LOCK BOX WORKS:

- Step 1. Supervisor uses a single job lock on each energy control point to lockout equipment.
- Step 2. Keys for the job locks are out in a lock box.
- Step 3. Each worker applies their own lock to the lock box. As long as any one worker's lock remains on the lock box, the keys to the job locks cannot be accessed, and the energy isolating devices cannot be operated. Each employee retains exclusive control.

## LOCK BOXES – A GREAT IDEA FOR GROUP LOCKOUT

Group Lockout provides a more secure isolation due to central visibility and control of worker locks.



### DID YOU KNOW GROUP LOCK BOXES CAN SAVE YOU MONEY?

Using a group lockout box allows you to dramatically reduce the amount of locks required on a job, it reduces the investment on the lockout process.

For example:

Five workers need to lockout 10 energy control points. If you were to use hasps, 50 locks are required (all five workers must apply individual locks to each control point).

However, using a group lock box, only 15 locks are required (10 job locks applied to the control points and five employee locks applied to the lock box).

Resulting in the use of 70% fewer locks!

It also alleviates additional time which would be required by the supervisor if using hasps to walk around to each energy control point to identify whose lock is still in place.

**Watch:** [www.bradyid.com.au/videos](http://www.bradyid.com.au/videos)



## GROUP LOCK BOX

Group Lock boxes require fewer locks and are lighter than hasps on delicate energy isolating devices like circuit breakers.

- Our portable metal lock box is made from heavy duty steel and is powder coated for extra rust resistance
- Accepts 13 individual locks and is available in red or blue
- The extra large Group Lock Box accommodates 12 padlocks with enough internal space to accommodate up to 75 padlocks



### STANDARD PACKAGE: 1

| Part No. | Dimensions (W x H x D) | Colour |
|----------|------------------------|--------|
| 65699    | 250 x 150 x 100mm      | Red    |
| 45190    | 250 x 150 x 100mm      | Blue   |

## LOCK BOX WITH WINDOW

Similar to the Lock Box with the additional feature of the window provides visibility of contents.

- Allows one worker to control lockouts of all other team members
- After machine or process is locked out, all keys are placed in lock box
- Group leaders place lock on lock box until job is complete and all group members are cleared from work area
- Constructed from heavy duty steel



### STANDARD PACKAGE: 1

| Part No. | Dimensions (W x H x D) | Colour | Weight |
|----------|------------------------|--------|--------|
| 848018   | 250 x 150 x 100mm      | Blue   | 1.7kg  |

\*Padlocks & Hasp not included.

## LOCK BOX

Ideal Lock Box for complex work team lockout applications.

- Allows one worker to control lockouts of all other team members
- After machine or process is locked out, all keys are placed in lock box
- Group leaders place lock on lock box until job is complete and all group members are cleared from work area
- Constructed from heavy duty steel



### STANDARD PACKAGE: 1

| Part No. | Dimensions (W x H x D) | Colour |
|----------|------------------------|--------|
| 65672    | 250 x 150 x 100mm      | Yellow |

\*Padlocks not included.





## EXTRA-LARGE GROUP WALL LOCK BOX

Ensure the safety of all workers by keeping energy sources locked out until everyone is finished and centralising the location of your lockout supplies.

- Extra large size holds up to 50 padlocks inside the lock box and 53 around the box
- The large size holds up to 30 padlocks inside and up to 24 around the box
- Constructed from durable polypropylene with a 6mm clear polycarbonate lid and stainless steel backing with hooks
- Includes self opening struts for ease of use
- Can be mounted to rail or directly onto walls
- Comes with clipboard spring on front of lid



### STANDARD PACKAGE: 1

| Part No. | Description                     | Dimensions (W x H x D) |
|----------|---------------------------------|------------------------|
| 856839   | Extra-Large Group Wall Lock Box | 820 x 670 x 110mm      |
| 870443   | Large Group Wall Lock Box       | 640 x 440 x 110mm      |

\*Padlocks not included.

## MINI WALL LOCK BOX

Excellent chemical and heat resistance properties.

- Patented lock rails hold up to eight padlocks
- Transparent window lets you view contents from outside
- Slot in front allows key to be inserted when locked
- Pre drilled holes in back allows for easy installation
- Comes with six hooks for hanging keys, locks etc inside



### STANDARD PACKAGE: 1

| Part No. | Description                | Dimensions (W x H x D) |
|----------|----------------------------|------------------------|
| 50938    | Miniature Wall Lock Box    | 120 x 31 x 140mm       |
| 50939    | Extra Key Hooks - Pk of 12 |                        |

\*Padlocks not included.

## ACRYLIC WALL LOCK BOXES

Easily mounted with transparent front cover allows for easy visibility of contents.

- Constructed from acrylic plastic provides durability
- Comes with pre-drilled holes for easy installation
- Transparent front cover allows easy viewing of contents so you know how many workers are still at work
- Pre attached plastic hooks for hanging keys tag stubs etc.



### STANDARD PACKAGE: 1

| Part No. | Dimensions (H x W x D) | Max Number of Padlocks | Number Of Key Hooks |
|----------|------------------------|------------------------|---------------------|
| LG003E   | 152 x 152 x 63.5mm     | 6                      | 3                   |
| LG008E   | 305 x 190 x 63.5mm     | 10                     | 8                   |
| GLOBOX   | 400 x 190 x 63.5mm     | 14                     | 18                  |

## METAL WALL LOCK BOX

Our metal wall lock box is made of yellow powder coated metal.

- Accommodates 8-10 locks depending on lock size
- The slot in front allows keys to be inserted when the box is locked and transparent window lets you view contents from the outside
- Pre-drilled holes in back allows for easy wall installation



### STANDARD PACKAGE: 1

| Part No. | Dimensions (W x H x D) |
|----------|------------------------|
| LG252M   | 381 x 152 x 76mm       |

\*Padlocks not included.



## WALLMOUNT GROUP LOCK BOXES

Efficient way for a group of workers to lockout equipment that has multiple lockout points.

- Durable metal wall lock box is constructed from steel, powder coated red with a top slot
- Keyhole slot makes it easy to add keys to the box after it has been locked out
- Includes clear window that slides out when locks are moved. Includes key pegs and ID labels to simplify key management
- Predrilled holes and hardware included for quick mounting



### 7 Hole Box:

Features seven key pegs that hold up to five keys each. Accommodates up to seven padlocks (not included).

### 12 Hole Box:

Features 15 key pegs that hold up to five keys each. Accommodates up to 12 padlocks (not included).

### 26 Hole Box:

Features 15 key pegs that hold up to five keys each. Accommodates up to 26 padlocks (not included).

### STANDARD PACKAGE: 1

| Part No. | Description | Dimensions (W x H x D) |
|----------|-------------|------------------------|
| 854243   | 7 Hole Box  | 203 x 178 x 57mm       |
| 854244   | 12 Hole Box | 426 x 178 x 57mm       |
| 854245   | 26 Hole Box | 429 x 178 x 57mm       |

\*Padlocks not included.

## COMBINATION LOCKOUT / LOCK BOX STATION

Provides a solution for a lockout and lock box!

- Heavy duty metal construction powder coated yellow
- Lockout cabinet includes one adjustable shelf (additional shelves are available).
- Lockout cabinet is capable of being locked closed and can easily be wall mounted using predrilled holes in back
- Lockout safety tips are printed inside cabinet door. Lock box attaches to the bottom of the cabinet and accommodates 8-10 locks depending on lock size



Additional extra shelf



**CABINET DIMENSIONS:** 356 x 407 x 153mm (WxHxD)

**LOCK BOX DIMENSIONS:** 381 x 153 x 76mm (WxHxD)

### STANDARD PACKAGE: 1

| Part No. | Description   |
|----------|---|
| 99708    | Combined Lockout & Lock Box Station w/ Components             |
| 99709    | Station w/ Components & 6 Brady Safety Plus Padlocks, 12 Tags |
| 99710    | Station w/ Components & 6 Brady Steel Padlocks, 12 Tags       |
| LG252M   | Metal Wall Lock Box (Lock Box Only)                           |
| LC254M   | Extra Shelf   |

### Kit Contents:

- 1 x 120V Snap-on Breaker Lockout (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x Cleat for 120/277V Clamp-On Breaker Lockout (65404)
- 1 x Cleat for 480/600V Clamp-On Breaker Lockout (65406)
- 1 x Wall Switch Lockout (65392)
- 1 x 110V Plug Lockout (65674)
- 1 x 3-In-1 Plug Lockout (PL023)
- 1 x 25mm to 63mm Gate Valve Lockout (65560)
- 1 x Adjustable Gate Valve Lockout (850834)



## SAFETY PADLOCK STORAGE MODULES

Our industrial padlock storage modules provide safe storage and controls access to padlocks.

- Constructed of durable sintra material
- Lockable, transparent acrylic doors so locks are always visible



### STANDARD PACKAGE: 1

| Part No. | Dimensions (W x H x D) | Lock Storage Capacity |
|----------|------------------------|-----------------------|
| 65240    | 375 x 350 x 90mm       | 16ea 76mm Locks       |
| 65241    | 375 x 750 x 90mm       | 40ea 76mm Locks       |

## STEEL PADLOCK CONTROL CENTER

Ideal for use in harsh environments, use this durable padlock control center to store and manage your lockout padlock system.

- Two cabinet sizes available to suit individual storage requirements accommodating either 16 or 32 padlocks
- Cabinets mount easily to wall with screws (included)
- Includes two keys



### STANDARD PACKAGE: 1


| Part No. | Description          | Dimensions (W x H x D) |
|----------|----------------------|------------------------|
| 851198   | Small Lockout Center | 250 x 300 x 50mm       |
| 851199   | Large Lockout Center | 390 x 457 x 50mm       |

\*Padlocks not included.

## PADLOCK STORAGE PANEL

Allows padlocks to lock onto the rail for easy storage!

- Durable construction in 14 gauge steel with red plastic coating
- Space saving design allows you to increase your storage capabilities by mounting consecutive panels side by side or vertically
- Two sizes available 4 padlock panel and up to 24 padlock panel

 Ask our customer service team about our key register service.



### STANDARD PACKAGE: 1

| Part No. | Description         | Dimensions (W x H x D) |
|----------|---------------------|------------------------|
| 851200   | Small Padlock Panel | 76 x 56 x 31mm         |
| 851201   | Large Padlock Panel | 400 x 76 x 31mm        |

\*Padlocks not included.

## KEY CABINETS

Organise your flow of keys while adding security. Choose from a variety of key capacities to suit your growing needs.



839913

### STANDARD PACKAGE: 1

| Part No. | Keys Per Unit | Dimensions (H x W x D) |
|----------|---------------|------------------------|
| 839913   | 30            | 300 x 200 x 80mm       |
| 839914   | 80            | 550 x 380 x 80mm       |
| 839915   | 110           | 550 x 380 x 80mm       |
| 836521   | 160           | 550 x 380 x 80mm       |
| 836522   | 240           | 550 x 380 x 140mm      |
| 836590   | N/A           | Tags - Pk 20           |

## LOCK AND TAG STARTER KIT

A handy, basic Lockout Kit which includes Safety Padlocks, Hasps and Tags.

### Kit Contents:

- 2 x 25mm Safety Lockouts (65375/1)
- 6 x Safety Padlocks Red (850821)
- 1 x Lockout Tag Pack of 25 (65525)



### STANDARD PACKAGE: 1

| Part No. | Description              |
|----------|--------------------------|
| 833386   | Lock and Tag Starter Kit |



## PERSONAL LOCKOUT KIT

Brady Personal Lockout Kits offer a solution for commonly used electrical valve lockout devices for individual lockout requirements.

## PERSONAL VALVE & ELECTRICAL LOCKOUT KIT

Provides everything you need to lockout breakers, plugs and valves of various types and sizes.

### Kit Contents:

- 1 x All Purpose Cable Lockout (50943)
- 1 x Adjustable Gate Valve Lockout (64057)
- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)



| Part No | Description                          |
|---------|--------------------------------------|
| 105955  | Kit w/ 3 Keyed-Alike Safety Padlocks |

## PERSONAL ELECTRICAL LOCKOUT KIT

Provides lockouts for use on most circuit breakers, electrical plugs and disconnect switches.

### Kit Contents:

- 1 x Mini Cable Lockout (50940)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
- 2 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)



| Part No. | Description                          |
|----------|--------------------------------------|
| 105960   | Personal Electrical Lockout Kit      |
| 105961   | Kit w/ 3 Keyed-Alike Safety Padlocks |
| 105962   | Kit w/ 3 Keyed-Alike Steel Padlocks  |

## PERSONAL BREAKER LOCKOUT KIT

Great lockout solution which includes two each of the most popular industry breaker lockouts which cover 120/277V and 480/600V breakers in single and multi pole configurations.



### Kit Contents:

- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts w/ Cleats (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 3 x 25mm Red Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Small Lockout Toolbox (105905)

| Part No. | Description                          |
|----------|--------------------------------------|
| 105963   | Personal Breaker Lockout Kit         |
| 105964   | Kit w/ 3 Keyed-Alike Safety Padlocks |
| 105965   | Kit w/ 3 Keyed-Alike Steel Padlocks  |

## PERSONAL VALVE LOCKOUT KIT

Ideal for securing pipe valves. Includes an assortment of gate valve lockouts, ball valve lockouts, padlocks, hasps and lockout tags.



### Kit Contents:

- 1 x All Purpose Cable Lockout (50943)
- 1 x Adjustable Gate Valve Lockout (64057)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)

| Part No. | Description                          |
|----------|--------------------------------------|
| 105957   | Personal Valve Lockout Kit           |
| 105958   | Kit w/ 3 Keyed-Alike Safety Padlocks |
| 105959   | Kit w/ 3 Keyed-Alike Steel Padlocks  |



## PERSONAL BASIC LOCKOUT KIT

Contains the basic devices needed to lockout common breakers, valves and plugs. With optional 2 keyed alike safety or steel padlocks pending specific requirements.

### Kit Contents:

- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 120/277V Clamp-On Breaker Lockout w/ Cleat (65396)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Small 110V Plug Lockout (65674)
- 2 x 25mm Lockout Hasps (65375)
- 2 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Small Lockout Toolbox (105905)



| Part No. | Description                          |
|----------|--------------------------------------|
| 104794   | Personal Basic Lockout Kit           |
| 104795   | Kit w/ 2 Keyed-Alike Safety Padlocks |
| 104796   | Kit w/ 2 Keyed-Alike Steel Padlocks  |

## MEDIUM LOCKOUT TOOLBOX

Constructed from tough polypropylene with nickel plated steel clasps for greater durability.

- Two handy storage compartments are built into the lid.
- Includes a removable drawer for organising contents.



### STANDARD PACKAGE: 1

| Part No. | Description    | Dimensions (H x W x D) |
|----------|----------------|------------------------|
| 105906   | Medium Toolbox | 198 x 411 x 185mm      |

## TOOLBOX LOCKOUT KIT

Durable construction and kit contains essential lockout devices for electricians.

- Includes padlocks, tags and a variety of popular industry devices
- Providing you with all the essentials in one handy portable kit



### Kit Contents:

- 1 x Standard Lockout Hasp (834193/1)
- 1 x Brady Steel Padlock Black - 47mm (850829)
- 1 x Brady Steel Padlock Black - 19mm (850823)
- 25 x Economy Lockout Tags (842372)
- 25 x B853 Danger Locked Out Tags (66085)
- 1 x No Hole Circuit Breaker Lockout - Small (65396)
- 1 x No Hole Circuit Breaker Lockout - Large (65397)
- 1 x Lockout Cleat - Small (65404)
- 1 x Lockout Cleat - Large (65406)
- 1 x Circuit Breaker Lockout (836597)
- 1 x Universal Multi Pole Breaker Lockout (66320)
- 1 x All Purpose Cable Lockout - 2.4mtr with sheathed cable (50943)
- 1 x Lockout Tool Box Small (870617)

| Part No. | Description         |
|----------|---------------------|
| 870594   | Toolbox Lockout Kit |



## ELECTRICIAN'S MINI LOCKOUT KIT

Ensure each electrician has the right components. Pouch has two small D-shackles and belt loops to attach to tool belts for portability. Made of heavy duty nylon.



### Kit Contents:

- 1 x Pouch (65292)
- 1 x Red Padlock (850821)
- 5 x Heavy Duty Lockout Tags (65525)
- 1 x Small 'No Hole' Breaker Lockout (65396)
- 1 x Large 'No Hole' Breaker Lockout (65397)
- 1 x Universal Multi-Pole Lockout (66321)
- 1 x Small Plug Lockout (65674)
- 1 x 25mm Lockout Jaws (65375/1)
- 1 x Single Breaker Lockout (65387)

### STANDARD PACKAGE: 1

| Part No. | Description                    |
|----------|--------------------------------|
| 848825   | Electrician's Mini Lockout Kit |

## ELECTRICIAN'S MINI LOCKOUT POUCH

Circuit breaker lockouts are an effective and affordable solution for electrician's carrying out day-to-day work. Brady's lockout kit includes a combination of lockouts for older style breakers and more modern DIN style breakers, reducing the need to carry multiple kits.



### Kit Contents:

- 1 x Mini Circuit Breaker POS (90844)
- 1 x Mini Circuit Breaker PIS (90847)
- 1 x Mini Circuit Breaker POW (90850)
- 1 x Mini Circuit Breaker TBLO (90853)
- 1 x No Hole Circuit Breaker Small (65396)
- 1 x No Hole Circuit Breaker Large (65397)
- 1 x Universal Multi-Pole Lockout (66321)
- 1 x Dang. Do Not Operate - Poly Tags (842377)
- 1 x Dang. Out Of Service - Poly Tags (842375)
- 1 x Lockout Jaws 25mm (65375/1)
- 1 x Lockout Pouch (65292)
- 1 x Red Brady Safety Plus Lock 38mm with Label (850821) or Red Compact Lock (872880)

### STANDARD PACKAGE: 1

| Part No. | Description   |
|----------|---|
| 848284   | Electrician's Mini Lockout Pouch w/ Safety Padlock  |
| 873848   | Electrician's Mini Lockout Pouch w/ Compact Padlock |

LOCKOUT TAGOUT

## MINING LOCKOUT KIT

The Mining Lockout Kit offers a range of electrical protection products conveniently packaged in a portable pouch. The kit offers versatility and a wide range of electrical lockout components such as circuit breakers, lockout hasps and tags to offer complete electrical protection.



### Kit Contents:

- 1 x Belt Lockout Pouch Black (65292)
- 1 x Safety Lockout Hasp 25mm Dia. Jaw (65375/1)
- 1 x No Hole Single Pole Circuit Lockout Small (65396)
- 1 x No Hole Single Pole Circuit Lockout Large (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Large Eco Lockout Tag rev.side#1 Do Not Operate (842377)
- 1 x Large Eco Lockout Tag rev.side#1 Out Of Service (842375)
- 1 x Brady Safety Plus Padlock Red (850821)
- 1 x Dual Level Safety Lockout (852439)
- 1 x Eurasian Mini Pin Out Standard Lockout (90844)
- 1 x Eurasian Mini Pin In Standard Lockout (90847)
- 1 x Eurasian Mini Pin Out Wide Lockout (90850)
- 1 x Eurasian Mini Tie Bar Lockout (90853)

### STANDARD PACKAGE: 1

| Part No. | Description        |
|----------|--------------------|
| 871997   | Mining Lockout Kit |

## UNDERGROUND MINING PADLOCK KIT

Brady Explosives Mining Padlock Kit contains all necessary equipment to implement lockout safety procedures!

- The pouch has a clear face allowing for easy identification and is convenient to carry padlocks, hasps and keys
- Heavy duty retractable key holder features a Kevlar cord with split ring attachment which is extendable to 1200mm
- Clip allows it to attach to pouch or be used independently



### Kit Contents:

- 1 x Belt Pouch w/ Clear Face (873871)
- 1 x Safety Lockout Hasp 25mm Dia. Jaw (65375/1)
- 1 x Heavy Duty Retractable Key Holder (874074)
- 2 x Brady Safety Plus Padlock Red (850821)

| Part No. | Description                           |
|----------|---------------------------------------|
| 873872   | Underground Mining Padlock Kit        |
| 873871   | Underground Mining Padlock Pouch Only |



## PERSONAL PADLOCK POUCH

This handy kit is ideal for individuals requiring a basic lockout kit for temporary maintenance and repairs. Packaged in a brightly coloured pouch that reads “Lockout / Tagout”, this kit is easily located in any work van. Pouch has two small D-shackles and belt loops to attach to tool belts for portability.



### STANDARD PACKAGE: 1

| Part No. | Description            |
|----------|------------------------|
| 99290    | Personal Padlock Pouch |
| 51172    | Pouch Only             |

#### Kit Contents:

- 2 x Brady Safety Padlocks (850821)
- 2 x Heavy Duty Lockout Tags (65525)
- 1 x 25mm Lockout Hasp (65375)
- 1 x 38mm Lockout Hasp (65376)
- 1 x Lockout Belt Pouch (51172)

## COMBINATION LOCKOUT SATCHEL

When attending to maintenance and repair work, ensure you have the right device available to lockout energy control points by carrying this convenient satchel. This satchel contains quality Brady lockout devices to suit the most common mechanical, valve and electrical control points found in manufacturing plants and worksites everywhere. Bright red satchel that reads “Lockout/Tagout” is easily identified and is available with or without lockout padlocks and tags.



### STANDARD PACKAGE: 1

| Part No. | Description                                       |
|----------|---|
| 99686    | Combination Lockout Kit                           |
| 99687    | Combination Lockout Kit w/ Safety Padlocks & Tags |
| 51173    | Satchel Only                                      |

#### Kit Contents:

- 1 x Large Universal Lockout with blocking arm (50899 & 65403)
- 1 x All Purpose Cable Lockout (50943)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x 25mm-64mm Gate Valve Lockout (65560)
- 1 x 64mm-127mm Gate Valve Lockout (65561)
- 1 x 127mm-165mm Gate Valve Lockout (65562)
- 1 x 240 Volt Snap-On Breaker Lockout (65387)
- 1 x 240 Volt Clamp-on Breaker Lockout (65396)
- 1 x 480/600 Volt Clamp On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x 240 Volt Plug Lockout (65674)
- 1 x Wall Switch Lockout (65392)
- 1 x Lockout Satchel (51173)

## COMBINATION LOCKOUT TOOL BOX

The Lockout Tool Box has what you need to lock and mark your equipment preventing its use until repairs have been completed. Lockout Tool Box also sold individually.



#### Kit Contents:

- 1 x 25mm-165mm Adjustable Gate Valve Lockout (850834)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x 31mm-73mm Ball Valve Lockout (65669)
- 1 x 120V Snap-On Breaker Lockout (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x 110V Plug Lockout (65674)
- 1 x Wall Switch Lockouts (65392)
- 1 x Lockout Belt Pouch (51172)
- 1 x Extra-Large Lockout Toolbox (LKP-TKLBOX)

**DIMENSIONS:** 430 x 115 x 127mm (WxHxD)

### STANDARD PACKAGE: 1

| Part No.   | Description                         |
|------------|-------------------------------------|
| 99684      | Kit w/ Brady Safety Padlocks & Tags |
| 99685      | Kit w/ Brady Steel Padlocks & Tags  |
| LKP-TKLBOX | Toolbox Only                        |

## COMBINATION LOCKOUT DUFFEL

Everything you need to lockout the most common mechanical and electrical control points, with extra electrical lockout devices. Includes Mini Cable Lockout and Universal Valve Lockout.



#### Kit Contents:

- 1 x Mini Cable Lockout (50940)
- 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
- 1 x 120V Snap-On Breaker Lockout (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x 3-in-1 Plug Lockout (PL023)
- 1 x Wall Switch Lockout (65392)
- 1 x 25mm-165mm Adjustable Gate Valve Lockout (850834)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x Lockout Belt Pouch (51172)
- 1 x Lockout Duffel Bag (99162)

### STANDARD PACKAGE: 1

| Part No. | Description                           |
|----------|---------------------------------------|
| 99690    | Kit w/ Brady Safety Padlocks and Tags |
| 99691    | Kit w/ Brady Steel Padlocks and Tags  |
| 99162    | Duffel Bag Only                       |



## VALVE LOCKOUT STARTER KIT

Ideal for securing pipe valves. Includes assortment of gate valve lockouts, small and large ball valve lockouts, padlocks, hasps and lockout tags.

### Kit Contents:

|  |  |
|--|--|
| 2 x 25mm – 62mm Gate Valve Lockouts (65560)  | 2 x 20mm Blue Steel Padlocks (850824)          |
| 2 x 62mm – 100mm Gate Valve Lockouts (65561) | 2 x 47mm Blue Steel Padlocks (850830)          |
| 2 x Small Ball Valve Lockouts (65666)        | 10 x Lockout Tags (65525)                      |
| 2 x Large Ball Valve Lockouts (65669)        | 1 x Yellow Canvas Locking Carrying Bag (65780) |
| 3 x Red Labelled Lockout Hasps (65960-1)     |  |

### STANDARD PACKAGE: 1

| Part No. | Description               |
|----------|---------------------------|
| 65778    | Valve Lockout Starter Kit |



## DEPARTMENT LOCKOUT STARTER KIT

Includes a variety of devices and hasps, padlocks and tags for electrical and valve lockouts.

### Kit Contents:

|   |   |
|---|---|
| 6 x Original Breaker Lockouts (65688)             | 2 x 62-100mm Gate Valve Lockouts (65561)        |
| 6 x Small "No Hole" Breaker Lockouts (65965)      | 2 x Small Ball Valve Lockouts (65666)           |
| 6 x Large "No Hole" Breaker Lockouts (65966)      | 2 x Large Ball Valve Lockouts (65669)           |
| 6 x Universal Multi-Pole Breaker Lockouts (66320) | 5 x 25mm Safety Lockout Jaws (65375-1)          |
| 2 x Small Brady Plug Lockouts (65674)             | 6 x Red Safety Padlocks (850831)                |
| 2 x Large Brady Plug Lockouts (65675)             | 50 x Lockout Tags (65525)                       |
| 2 x 25-62mm Gate Valve Lockouts (65560)           | 2 x Yellow Canvas Locking Carrying Bags (65780) |

### STANDARD PACKAGE: 1

| Part No. | Description                    |
|----------|--------------------------------|
| 833389   | Department Lockout Starter Kit |



## LOCKOUT TAGOUT STORAGE BAGS

A variety of bags, satchels and pouches. Brightly coloured, durable and easily identified. Use to store existing devices. Bags only, contents not included.

### STANDARD PACKAGE: 1

| Part No. | Description                              | Dimensions (W x H x D) |
|----------|--|------------------------|
| 99162    | Large Duffel Bag                         | 419 x 254 x 215mm      |
| 51173    | Lockout Satchel                          | 355 x 381 x 100mm      |
| 51172    | Belt Lockout Pouch Red                   | 190 x 120 x 50mm       |
| 65292    | Belt Lockout Pouch Black                 | 190 x 120 x 50mm       |
| 873480   | Belt Mining Lockout Pouch Red w/ Keyring | 190 x 120 x 50mm       |
| 65780    | Locking Carry Bag                        | 457 x 247mm            |
| 873871   | Underground Mining Padlock Pouch         | 95 x 95 x 60mm         |



99162



873871



51172 – Also available in black



51173



873480



65780

## PORTABLE PADLOCK STATION

Holds up to 10 padlocks, 6 hasps and 10 tags. Semi-transparent hinged cover with locking mechanism protects contents from harsh environments and prevents unauthorised access. Slots in back for wall mounting, attachable carrying handle facilitates easy portability. Space-saving design minimises footprint.

**DIMENSIONS:** 336 x 177 x 63.5mm (WxHxD)

| Part No. | Description                                 |
|----------|---|
| 105928   | Padlock Station w/ 5 Brady Safety Padlocks  |
| 105929   | Padlock Station w/ 5 Brady Steel Padlocks   |
| 105930   | Padlock Station w/ 10 Brady Safety Padlocks |
| 105931   | Padlock Station w/ 10 Brady Steel Padlocks  |
| 105932   | Portable Padlock Station (Unfilled)         |

### Station with 5 Padlocks

- 1 x Portable Padlock Station (105932),
- 5 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 5 x Heavy Duty Re-Usable Lockout Tags (65520) w/ Nylon Cable Ties
- 2 x 25mm Group Lockout Hasps (65375)
- 2 x 35mm Group Lockout Hasps (65376)

### Station with 10 Padlocks

- 1 x Portable Padlock Station (105932)
- 10 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 10 x Heavy Duty Re-Usable Lockout Tags (65520) w/ Nylon Cable Ties
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x 35mm Group Lockout Hasps (65376)







## PORTABLE VALVE LOCKOUT STATION

Provides everything you require for locking out all types of valves and includes a All Purpose Lockout Cable.

- Constructed of thermoformed polypropylene for maximum durability
- Pre-drilled holes for easy wall mounting
- Carry handle facilitates easy portability
- Includes 4 small detachable hooks

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

| Part No. | Description                         |
|----------|-------------------------------------|
| 105936   | Valve Lockout Station (No Padlocks) |
| 105937   | Station w/ 6 Safety Padlocks        |
| 105938   | Station w/ 6 Steel Padlocks         |

**Contents:**

- 1 x Portable Lockout Station (105942)
- 2 x Adjustable Gate Valve Lockouts (850834)
- 1 x All Purpose Cable Lockout (50943)
- 2 x Ball Valve Lockouts (BSO7A)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasp (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, Re-Usable Lockout Tags (65520) w/ Nylon Cable Ties



## PORTABLE ELECTRICAL LOCKOUT STATION

This electrical lockout station provides a variety of devices to ensure you have your Lockout requirements covered! Includes a mini cable lockout for various lockout applications.

- Constructed of thermoformed polypropylene for maximum durability
- Semi transparent hinged cover with locking mechanism protects contents from harsh environments
- Pre-drilled holes for easy wall mounting
- Includes 4 small detachable hooks

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

| Part No. | Description                              |
|----------|--|
| 105939   | Electrical Lockout Station (No Padlocks) |
| 105940   | Station w/ 6 Safety Padlocks             |
| 105941   | Station w/ 6 Steel Padlocks              |

**Contents:**

- 1 x Portable Lockout Station (105942)
- 2 x 3-in-1 Plug Lockouts (PLO23)
- 1 x Mini Cable Lockout (50940)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts w/ Cleats (65397)
- 2 x Universal Multi-pole Breaker Lockouts (66321)
- 1 x Oversized Breaker Lockout (65329)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasp (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, Re-Usable Lockout Tags (65520) w/ Nylon Cable Ties



## PORTABLE VALVE AND ELECTRICAL LOCKOUT STATION

Provides a dual lockout solution for Valve and Electrical Lockouts.

- Constructed from thermoformed polypropylene for maximum durability
- Semi transparent hinged cover with locking mechanism protects contents from harsh environments and prevents unauthorized access
- Slots are in back for easy wall mounting
- Carry handle facilitates easy portability
- Includes 4 hooks

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

| Part No. | Description                                      |
|----------|--|
| 105933   | Valve & Electrical Lockout Station (No Padlocks) |
| 105934   | Station w/ 6 Safety Padlocks                     |
| 105935   | Station w/ 6 Steel Padlocks                      |

**Contents:**

- 1 x Portable Lockout Station (105942)
- 1 x Adjustable Gate Valve Lockout (850834)
- 1 x All Purpose Cable Lockout (50943)
- 1 x Ball Valve Lockout (BSO7A)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
- 2 x Universal Multi-pole Breaker Lockouts (66321)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasp (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, Re-Usable Lockout Tags (65520) w/ Nylon Cable Ties



## PORTABLE LOCKOUT STATION

Constructed from thermoformed polypropylene for maximum durability.

- Semi transparent hinged cover with locking mechanism protects contents from harsh environments and prevents unauthorised access
- Slots are in back for easy wall mounting
- Carry handle facilitates easy portability
- Includes 4 hooks

**STATION DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

| Part No. | Description             |
|----------|-------------------------|
| 105942   | Lockout Starter Station |





## COMBINATION WALL-MOUNT LOCKOUT STATION

This station provides everything you need to lockout both electrical and mechanical control points. Includes universal valve lockout and all purpose cable lockout.

- Constructed of sturdy polystyrene for maximum durability
- Pre-drilled holes for easy wall mounting
- Pegboard style holes for hooks drilled into back and sides
- Includes 8 hooks
- Built-in lock rail holds 20-25 locks depending on lock size

**DIMENSIONS:** 635 x 760 x 134mm (WxHxD)

| Part No.                                    | Description   |
|---|---|
| <b>COMBINATION LOCKOUT STATION</b>          |   |
| 99692                                       | Extra-Large Lockout Station w/ Components                   |
| 99693                                       | Station w/ Components and 18 Brady Safety Padlocks, 25 Tags |
| 99694                                       | Station w/ Components and 18 Brady Steel Padlocks, 25 Tags  |
| 50993                                       | Extra-Large Lockout Station (Station Only)                  |
| <b>ENCLOSED COMBINATION LOCKOUT STATION</b> |   |
| 99695                                       | Extra-Large Enclosed Lockout Station w/ Components          |
| 99696                                       | Station w/ Components and 18 Brady Safety Padlocks, 25 Tags |
| 99700                                       | Station w/ Components and 18 Brady Steel Padlocks, 25 Tags  |
| 50995                                       | Extra-Large Enclosed Lockout Station (Station Only)         |

### Kit Contents:

- 1 x All Purpose Cable Lockout w/ 2.4m Sheathed Cable (50943)
- 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
- 2 x 120V Snap-On Breaker Lockouts (65387)
- 2 x 120/277V Clamp-On Breaker Lockouts with cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts with cleats (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x Wall Switch Lockout (65392)
- 1 x 110V Plug Lockout (65674)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 1 x 6-25mm Ball Valve Lockout (65666)
- 1 x 31-76mm Ball Valve Lockout (65669)
- 2 x 25-63mm Gate Valve Lockouts (65560)
- 1 x 25-165mm Adjustable Gate Valve Lockout (850834)
- 2 x Labelled Lockout Hasps (65960/1)



## VALVE LOCKOUT STATION

- Constructed of sturdy polystyrene for maximum durability
- Pre-drilled holes for easy wall mounting
- Pegboard style holes for hooks drill into back and sides
- Includes 6 hooks
- Built-in lock rail holds 15-20 locks depending on lock size

**DIMENSIONS:**

495mm x 673mm 127mm (WxHxD)

| Part No.                              | Description   |
|---------------------------------------|---|
| <b>VALVE LOCKOUT STATION</b>          |   |
| 99698                                 | Large Lockout Station w/ Components                         |
| 99699                                 | Station w/ Components and 12 Brady Safety Padlocks, 25 Tags |
| 99697                                 | Station w/ Components and 12 Brady Steel Padlocks, 25 Tags  |
| 50994                                 | Large Lockout Station (Station Only)                        |
| <b>ENCLOSED VALVE LOCKOUT STATION</b> |   |
| 99703                                 | Station w/ Components and 12 Brady Safety Padlocks, 25 Tags |
| 99704                                 | Station w/ Components and 12 Brady Steel Padlocks, 25 Tags  |
| 50996                                 | Large Enclosed Lockout Station (Station Only)               |

### Kit Contents:

- 1 x All Purpose Cable Lockout w/ 2.4m Sheathed Cable (50943)
- 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
- 1 x 110V Plug Lockout (65674)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 1 x 6-25mm Ball Valve Lockout (65666)
- 1 x 25-63mm Gate Valve Lockout (65560)
- 1 x 25-165mm Adjustable Gate Valve Lockout (850834)
- 2 x Labelled Lockout Hasps (65960/1)



## ELECTRICAL LOCKOUT STATION

A small lockout station provides everything you need for locking out all types of electrical control points. Includes a mini cable.

- Constructed of sturdy polystyrene for maximum durability
- Pre-drilled holes for easy wall mounting
- Pegboard style holes for hooks drill into back and sides
- Includes 4 hooks
- Built-in lock rail holds 10-15 locks depending on lock size

**DIMENSIONS:** 304 x 457 x 101mm (WxHxD)

| Part No. | Description  |
|----------|--|
| 99706    | Station w/ Components & 6 Brady Safety Padlocks, 12 Tags |
| 99707    | Station w/ Components & 6 Brady Steel Padlocks, 12 Tags  |
| 50997    | Small Lockout Station (Station Only)                     |

### Kit Contents:

- 1 x Mini Cable Lockout (50940)
- 2 x 120V Snap-On Breaker Lockouts (65387)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts w/ cleats (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x Wall Switch Lockout (65392)
- 1 x 110V Plug Lockout (65674)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 1 x Small fuse blockout (65690)
- 1 x Large fuse blockout (65691)
- 2 x Labelled Lockout Hasps (65960/1)



**i** All stations can be ordered with Brady's Safety Plus or Steel padlocks or no padlocks. You decide!

**i** Brady's local kitting facilities allows us to customise your Lockout Kits. To discuss your requirements contact your Brady distributor.



## LOCKOUT BOARDS

A successful lockout program begins with the right devices stored in the right places and our lockout station boards are the ideal solution to get you started. Tag pockets are made from clear polycarbonate, hold tags up to 76.2mm wide.

### 5-LOCK BOARD

**Kit Contents:**

- 5 x Padlocks (850821 or 850827)
- 1 x 25mm Metal Hasp (65375/1)
- 1 x 35mm Metal Hasp (65376/1)
- 12 x Heavy Duty Tags (65520)



**DIMENSIONS:** 394 x 292mm

| Part No. | Description  |
|----------|--|
| 51181    | 5 Lock Board (Filled w/ Brady Safety Padlocks)     |
| 51186    | 5 Lock Board (Filled w/ Brady 20mm Steel Padlocks) |
| 50989    | 5 Lock Board (Board Only)                          |

### 10-LOCK BOARD

**Kit Contents:**

- 10 x Padlocks (850821 or 850827)
- 2 x 38mm Metal Hasp (65376/1)
- 2 x 25mm Metal Hasp (65375/1)
- 12 x Heavy Duty Tags (65520)



**DIMENSIONS:** 343 x 343mm

| Part No. | Description   |
|----------|---|
| 51187    | 10 Lock Board (Filled w/ Brady Safety Padlocks)     |
| 51188    | 10 Lock Board (Filled w/ Brady 20mm Steel Padlocks) |
| 50990    | 10 Lock Board (Board Only)                          |

### 20-LOCK BOARD

**Kit Contents:**

- 20 x Padlocks (850821 or 850827)
- 2 x 25mm Metal Hasp (65375/1)
- 2 x 35mm Metal Hasp (65376/1)
- 24 x Heavy Duty Tags (65520)



**DIMENSIONS:** 292mm x 597mm

| Part No. | Description   |
|----------|---|
| 51189    | 20 Lock Board (Filled w/ Brady Safety Padlocks)     |
| 51194    | 20 Lock Board (Filled w/ Brady 20mm Steel Padlocks) |
| 50991    | 20 Lock Board (Board Only)                          |

### 36-LOCK BOARD

**Kit Contents:**

- 36 x Padlocks (850821 or 850827)
- 3 x 25mm Metal Hasp (65375/1)
- 3 x 35mm Metal Hasp (65376/1)
- 36 x Heavy Duty Tags (65520)



**DIMENSIONS:** 597mm x 546mm

| Part No. | Description   |
|----------|---|
| 51195    | 36 Lock Board (Filled w/ Brady Safety Padlocks)     |
| 51196    | 36 Lock Board (Filled w/ Brady 20mm Steel Padlocks) |
| 50992    | 36 Lock Board (Board Only)                          |

## LOCKOUT WALL CABINETS

Constructed of a light gauge steel and painted a highly visible yellow, these Lockout Wall Cabinets will help remind your employees to lockout and ensure that they have the equipment to do so. Available in three convenient sizes, making it easier for you to have the right number of locks and lockouts for each department or area.

**Kit Contents:**

| 178mm Cabinet Kit                                       | 279mm Cabinet Kit  | 406mm Cabinet Kit  |
|---|--|--|
| 50159   | 50160  | 50161  |
| 25 x Lockout Tags                                       | 25 x Lockout Tags  | 75 x Lockout Tags  |
| 4 x Keyed Differently Padlocks*                         | 8 x Keyed Differently Padlocks*                          | 20 x Keyed Differently Padlocks*                         |
| 3 x Lockout Hasps - (2 Safety Lockouts, 1 Dual Lockout) | 4 x Lockout Hasps - (2 Safety Lockouts, 2 Dual Lockouts) | 9 x Lockout Hasps - (6 Safety Lockouts, 3 Dual Lockouts) |

\*Aluminium padlocks supplied in component kits.

**STANDARD PACKAGE: 1**

| Part No. | Description             | Dimensions       |
|----------|-------------------------|------------------|
| 839942   | 178mm Wall Cabinet Only | 76 x 203 x 178mm |
| 839943   | 279mm Wall Cabinet Only | 76 x 203 x 279mm |
| 839944   | 406mm Wall Cabinet Only | 76 x 305 x 406mm |
| 50159    | Component Kit           | 178mm            |
| 50160    | Component Kit           | 279mm            |
| 50161    | Component Kit           | 406mm            |



Keep lockout supplies stored in one convenient cabinet. Lockout devices and tags sold separately, purchase one of the component kits to suit cabinet size.



## BRADY LOCKOUT TAGS

A critical component of an effective Lockout Procedure, Lockout Tags have been designed to comply with every performance standard.

### HEAVY DUTY POLYESTER (B-837)

- Heavy construction prevents accidental removal – withstands up to 36kg of pullout force
- Constructed from polyester laminate protects graphics, wipes clean, weather resistant and withstands grease and extreme temperatures
- Brass grommet measures 11mm accepting most standard padlocks

### ECONOMY POLYESTER (B-851)


- Rigid vinyl surface is easy to write on and stays legible longer
- Wipes clean easily ready to use again and again
- Brass grommet measures 9mm accepting most standard padlocks

### CARDSTOCK (B-853)

- Cost effective and designed for one-time use
- Cardstock material accepts pen, pencil and marker writing
- Brass grommet measures 9mm accepting most standard padlocks

### STANDARD PACKAGE: 25

| Description               | Material | Dimensions (W x H) | Grommet    |
|---------------------------|----------|--------------------|------------|
| Heavy Duty Polyester Tags | B-837    | 76 x 140mm         | 11mm Brass |
| Economy Polyester Tags    | B-851    | 76 x 144mm         | 9mm Brass  |
| Accident Prevention Tags  | B-851    | 76 x 144mm         | 9mm Brass  |
| Cardstock                 | B-853    | 76 x 144mm         | 9mm Brass  |



| Heavy Duty Polyester (B-837) |       |       |       |       |
|------------------------------|-------|-------|-------|-------|
| Rev.Side #1                  | 65502 | 65503 | 65504 | 65505 |
| Rev.Side #2                  | 65535 | 65521 | 65522 | 65523 |
| Economy Polyester (B-851)    |       |       |       |       |
| Rev.Side #1                  | 66050 | 66053 | 66055 | 66057 |
| Rev.Side #2                  | 66051 | 66054 | 66056 |       |
| Cardstock (B-853)            |       |       |       |       |
| Rev.Side #1                  | 66068 | 66071 | 66073 | 66075 |
| Rev.Side #2                  | 66069 | 66072 | 66074 | 66076 |




| Heavy Duty Polyester (B-837) |       |       |       |       |
|------------------------------|-------|-------|-------|-------|
| Rev.Side #1                  | 65506 | 65515 | 65520 | 65526 |
| Rev.Side #2                  | 65534 | 65524 | 65525 | 65527 |
| Economy Polyester (B-851)    |       |       |       |       |
| Rev.Side #1                  |       | 66061 | 66063 | 66066 |
| Rev.Side #2                  | 66060 | 66062 | 66064 | 66067 |
| Cardstock (B-853)            |       |       |       |       |
| Rev.Side #1                  | 66077 | 66079 | 66081 | 66084 |
| Rev.Side #2                  | 66078 |       | 66082 | 66085 |



| Accident Prevention Tags (B-851) |       |       |       |
|----------------------------------|-------|-------|-------|
| Rev.Side #3                      | 76226 | 76184 | 65359 |
| Rev.Side #1                      | 76224 |       |       |

### REVERSE LEGEND OPTIONS



Reverse Side #1

Reverse Side #2


All tags have write-on surfaces and come in packages of 25 tags.



Reverse Side #3

Reverse Side #4

All tags have write-on surfaces and come in packages of 25 tags.



| Accident Prevention Tags (B-851) |                      |
|----------------------------------|----------------------|
| 76194 (Front)                    | 76194 (Reverse Side) |



## LARGE ECONOMY LOCKOUT TAGS

Choose from cardstock or polypropylene.  
Tags measure 100 x 150mm in size with a 6mm diameter hole.




|                |               |                |                |
|----------------|---------------|----------------|----------------|
| Cardstock      | <b>842357</b> | <b>842358</b>  | <b>842359</b>  |
| Polyprop.      | <b>842375</b> | <b>842376</b>  | <b>842377</b>  |
| Reverse Side 1 |               | Reverse Side 1 | Reverse Side 1 |

| Description   | Pack Qty |
|---------------|----------|
| Cardstock     | 100      |
| Polypropylene | 10       |



|                |                |                |                |                |                |                |                |                    |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------------|
| Cardstock      | <b>842362</b>  | <b>842363</b>  | <b>842364</b>  | <b>842365</b>  | <b>842366</b>  | <b>842367</b>  | <b>842368</b>  | <b>842369</b>      |
| Polyprop.      | <b>842380</b>  | <b>842381</b>  | <b>842382</b>  | <b>842383</b>  | <b>842384</b>  | <b>842385</b>  | <b>842386</b>  |                    |
| Reverse Side 1 | Reverse Side 1 | Reverse Side 1 | Reverse Side 2 | Reverse Side 2 | Reverse Side 2 | Reverse Side 2 | Reverse Side 2 | (Blank both sides) |



|                |                |                |                   |                |                |                |                |
|----------------|----------------|----------------|-------------------|----------------|----------------|----------------|----------------|
| Cardstock      | <b>842370</b>  | <b>842372</b>  | <b>842373</b>     | <b>842374</b>  | <b>842360</b>  |                |                |
| Polyprop.      | <b>842388</b>  | <b>842390</b>  | <b>842391</b>     | <b>842392</b>  | <b>842378</b>  |                |                |
| Reverse Side 2 | Reverse Side 2 | Reverse Side 2 | (Same both sides) | Reverse Side 1 | Reverse Side 1 | Reverse Side 1 | Reverse Side 2 |

## 2-PART LOCKOUT TAGS

These large, 80 x 158mm cardstock tags serve a dual purpose; tagout equipment in need of service and informing the supervisor of the machine's status. Simply fill in the necessary information then attach the top portion of the tag to the lockout device in place. Tear away the bottom and return it to the appropriate supervisor. The key tags have a detachable part suitable for attaching to the appropriate locking key. Both parts are pre-numbered (factory chooses the starting number).



59390                      59391



59386                      59387

STANDARD PACKAGE: 25

| Dimensions (W x H) | Description      |
|--------------------|------------------|
| 80 x 158mm         | 2-Part Cardstock |

LOCKOUT TAGOUT



## PHOTO IDENTIFICATION TAGS

Make it easy to identify individual workers with photo identification tags.

- Photographs can be taken with most ID cameras
- These tags provide long lasting protection and are available in self laminating material
- Self laminating tags can be personalized by writing on special instructions, hazards or warnings then protect and seal your message with a clear adhesive overlay
- Constructed of Brady's durable B-851 polyester with a 1mm polyester overlay
- Tags are supplied with nylon fasteners
- Photo area is 21 x 21mm
- Grommet area is 9.5mm diameter



### STANDARD PACKAGE:

10 Identical 144mm x 76mm tags

| Part No. | Description                     |
|----------|---------------------------------|
| 65501    | Self Laminating Photo I.D. Tags |

Brady can make the personalised identification process for Lockout Tags easy with a Fargo Card Printer.

See page 366 for full specification and descriptions.

## UNDER COMMISSION TAGS

Available in both polypropylene and non-tear smart paper, these tags are supplied with a 10mm grommet hole and permanent marker.




**DIMENSIONS:** 76 x 144mm (WxH)

**STANDARD PACKAGE:** 25


| Part No. | Description          |
|----------|----------------------|
| 873360   | Polypropylene        |
| 873361   | Non-Tear Smart Paper |

## SELF LAMINATING TAGS

Write special instructions, hazards or warnings on the tags and seal your message with a clear adhesive overlay.



Made from heavy duty card stock with a durable polyester overlay.



**DIMENSIONS:** 89 x 140mm (WxH)

**STANDARD PACKAGE:** 25


| Description          |
|----------------------|
| Self-Laminating Tags |

## TIE-OUT LOCKOUT TAGS

Tough 85 x 160mm polypropylene tags resist dirt, grease and moisture. Self locking, no need for string or ties.


















**STANDARD PACKAGE:** 25

| Description          | Dimensions (W x L) |
|----------------------|--------------------|
| Tie-Out Lockout Tags | 85 x 160mm         |




















## LOCKOUT TAGOUT SIGNS

|  |   |   |   |   |   |
|--|---|---|---|---|---|
|                             |  |  |  |  |  |
| 300x450 POLY 835753<br>125x180 MAG 833902  | 300x450 POLY 835751<br>125x180 MAG 833903   | 450x600 POLY 835743<br>300x450 POLY 835744  | 300x450 POLY 835746<br>180x250 SS 833262  | 300x450 POLY 841792<br>180x250 SS 841793  | 300x450 POLY 841796<br>180x250 SS 841797  |
|                             |  |  |  |  |  |
| 300x450 POLY 841790<br>180x250 SS 841791   | 300x450 POLY 841794<br>180x250 SS 841795  | 300x450 POLY 835742   | 300x450 POLY 841788<br>180x250 SS 841789  | 300x450 POLY 835747<br>125x180 MAG 832781   | 450x300 POLY 856795<br>250x180 SS 854223  |
| <p><b>MATERIAL LEGEND</b></p> <p>Poly: Polypropylene<br/>Mag: Magnetic Vinyl<br/>SS: Self Adhesive Vinyl</p> |   |   |  |  |  |
|  |   |   | 450x300 POLY 856793<br>250x180 SS 856792  | 300x125 SS 840311   | 300x125 SS 841783   |
|  |   |   |   |  |  |
|  |   |   |   | 300x125 SS 840308   | 300x125 SS 846313   |

## ARC FLASH & LOCKOUT LABELS

|  |   |   |   |  |   |   |   |
|--|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |   |
| 250x180 SS 854231<br>125x90 SS 854230<br>90x55 SS 854229<br>45x38 SS 854228        | 250x180 SS 856802<br>125x90 SS 856801<br>90x55 SS 856800<br>45x38 SS 856799         | 250x180 SS 854223<br>125x90 SS 854222<br>90x55 SS 854221<br>45x38 SS 854220         | 250x180 SS 854206<br>125x90 SS 854205<br>90x55 SS 854204<br>45x38 SS 854203         | 250x180 SS 854214<br>125x90 SS 854213<br>90x55 SS 854212<br>45x38 SS 854211          | 250x180 SS 854210<br>125x90 SS 854209<br>90x55 SS 854208<br>45x38 SS 854207           | 300x125 SS 854236   |   |
|  |  |  |  |  |  |  |  |
| 250x180 SS 856798<br>125x90 SS 854235<br>90x55 SS 854234<br>45x38 SS 854233        | 250x180 SS 854219<br>125x90 SS 854218<br>90x55 SS 854217<br>45x38 SS 854216         | 250x180 SS 854227<br>125x90 SS 854226<br>90x55 SS 854225<br>45x38 SS 854224         | 180x250 SS 854232   | 100x100 SS 854215  | 100x100 SS 854237   | 180x250 SS 852656<br>90x125 SS 856803   | 180x250 SS 833274<br>90x125 SS 833340   |

### **i** WHAT IS ARC FLASH?


Arc Flash is simply a term used for a short circuit through air that flashes over from one exposed live conductor to another conductor or to the ground. There are many things that cause an arc flash including sparks, over-voltage, insulation failure, dust, corrosion, fumes or vapours. Even an accidental contact by positioning a conductive object too close to a high-amp current can cause arc flash.

The costs associated with arc flash accidents are extreme; loss of life, horrific injuries like severe burns and damage to eyesight, hearing or the brain. It can also damage valuable equipment and lead to loss of production time and heavy fines for non-compliance.



## LOCKOUT STATION SIGN

Enhance the visibility of your Lockout Station with this V-shaped acrylic sign.




### STANDARD PACKAGE: 1

| Part No. | Description          |
|----------|----------------------|
| 66328    | Lockout Station Sign |

## LOCKOUT CLIP BOARD

Heavy-duty, red clipboard allows lockout information and hardware to be conveniently carried directly to the lockout location. Clipboard can also be hung in place using attached strap. Lockout safety tips screen-printed onto the back. Procedure forms (LOSF5), locks and hasps sold separately.



Front

Back

### STANDARD PACKAGE: 1

| Part No. | Description             |
|----------|-------------------------|
| LOCB     | Lockout Clipboard       |
| LOSF5    | Lockout Procedure Forms |

## ADD ON ARROW - LOCKOUT LABELS

Two-part labels allow you to cut the arrow from the label to point in any direction. Durable vinyl labels available in two sizes, 50mm square plus 50mm x 25mm arrow or 100mm square plus 100mm x 50mm arrow.



50x50 SS 845332  
100x100 SS 845333

100x100 SS 845321

50x50 SS 845322  
100x100 SS 845323

50x50 SS 845324  
100x100 SS 845325

Call for pricing.



50x50 SS 845326  
100x100 SS 845327

50x50 SS 845328  
100x100 SS 845329

50x50 SS 845330  
100x100 SS 845331

50x50 SS 845334  
100x100 SS 845335

### STANDARD PACKAGE: 1

| Description         |
|---------------------|
| Add On Arrow Labels |





## SCAFFTAG EQUIPMENT STATUS TAGGING SYSTEMS

### SCAFFTAG MAKES LATEST STATUS VISIBLE

Scafftag® empowers people to make informed decisions by making information:

- Instantly visible
- Shared
- Available where it is needed most

Think about any item of equipment on your site

- How do you know if equipment is safe to use or know what maintenance has been carried out?
- How do you identify it among the hundreds of similar items of equipment on site?

Without accurate, current and timely information, people are prone to make assumptions. These assumptions can lead to potentially damaging decisions for both them and your business performance. Tracking the identity, usage, safety, maintenance and inspection status of each and every item of equipment is therefore critical.

Scafftag is synonymous with scaffold inspection tagging, but we can also assist with other equipment. From ladders and lifting equipment to Lockout Tagout for manufacturing, utilities and construction, inspection management solutions is our specialty. In fact, whatever your equipment - we can tag it.

## VISUAL TAGGING SYSTEMS - HOLDER AND INSERT SYSTEMS

Most status tagging systems have two components - a holder which attaches permanently to the equipment, and replaceable inserts. This creates a simple looped process for latest status and a clear data trail.

This ensures you have a permanent data trail of inspections and work carried out, as well as evidence in a court of law if you need it.



1

Empty holder displays:  
Do not use



2

Equipment is inspected periodically. Insert completed and placed in holder



3

If equipment should not be used, remove insert



Help improve awareness on site of equipment safety and maintenance issues and support the implementation of scafftag systems.



Scafftag inspection system is the world leading scaffold status tagging system helping to identify working at height hazards and efficiently manage inspection procedures.



\* Scafftag MK1, MK2 and Blue Book.

## HOW IT WORKS

### STAGE 1 - SCAFFOLD UNDER CONSTRUCTION

A holder displaying prohibition is attached permanently to the scaffolding structure at all authorised/approved access points.

### STAGE 2 - CONSTRUCTION COMPLETE

Structure inspected to ascertain if it passes inspection. If it passes inspection, insert is completed and placed into holder with Handover Certificate issued. If the scaffold fails inspection, holder is left in prohibition to display "Do not use Scaffold" symbol.

### STAGE 3 - INSPECTIONS

Scaffold structure then re-inspected and if it passes inspection, status insert is updated and placed into holder.

## SCAFFTAG MK 1

- Fits all Standard Scaffolding
- Secure and easy to use
- Weatherproof and UV protected
- Improve Safety procedures in your facility
- Display equipment status at point of use
- Durable, high visibility weatherproof holders and inserts
- Incorporate the holder into your scaffold build for effective use



**HEIGHT:** 305mm  
**WIDTH:** 91mm  
**MATERIAL:** Polypropylene  
**TEMPERATURE:** -20°C to +80°C  
**ATTACHMENT METHODS:** Tube  
**INSERT DIMENSIONS:** 205 x 85mm (LxW)

| Part No. | Description                      | Quantity Per Pk |
|----------|----------------------------------|-----------------|
| 857184   | Scafftag Mk 1 Complete Kit*      | 1 Kit           |
| 857167   | Scafftag Mk 1 Holder             | 10              |
| 857210   | Scafftag Mk 1 Standard Insert    | 50              |
| 865441   | Scafftag Mk 1 Prohibition Insert | 50              |
| 857363   | Scaffle                          | 1               |
| 857227   | Permanent Marking Pen            | 10              |

\* Kit includes: 10 Holders, 20 Standard Inserts and 1 Pen

## SCAFFTAG MK 2

- Fits System Scaffolding
- Secure and easy to use
- Weatherproof and UV protected
- Improve Safety procedures in your facility
- Display equipment status at point of use
- Durable, high visibility weatherproof holders and inserts
- Incorporate the holder into your scaffold build for effective use



**HEIGHT:** 285mm  
**WIDTH:** 153 mm  
**MATERIAL:** Polypropylene  
**TEMPERATURE:** -20°C to +80°C  
**ATTACHMENT METHODS:** System  
**INSERT DIMENSIONS:** 193 x 144mm (LxW)

| Part No. | Description                   | Quantity Per Pk |
|----------|-------------------------------|-----------------|
| 857150   | Scafftag Mk 2 Holder          | 10              |
| 857153   | Scafftag Mk 2 Standard Insert | 50              |
| 857227   | Permanent Marking Pen         | 10              |

\* Kit includes: 10 Holders, 10 Standard Inserts and 1 Pen

## THE BLUE BOOK

- Collects together all the elements required to manage your scaffolding onsite in one protective binder
- Contains: legislative and risk assessment guidance, inspection reports, fault notification reports and handover certificates



| Part No. | Description                   | Quantity Per Pk |
|----------|-------------------------------|-----------------|
| 857313   | Blue Book Complete            | 1               |
| 856970   | Handover Certificate Refills  | 50              |
| 856971   | Inspection Report Refills     | 50              |
| 856972   | Notification of Fault Refills | 50              |



## SCAFFOLDING INSPECTION SYSTEM

Scafftag inspection system is the world leading scaffold status tagging system helping to identify working at height hazards and efficiently manage inspection procedures.

### TOWER TAG

- The Tower tag system uses the holder and insert system to ensure the latest status is instantly visible at the point of use
- Tower tag insert allows specific information on the movement of each tower scaffold and maximum safe working load to be clearly displayed

**HEIGHT:** 305mm      **WIDTH:** 91mm  
**MATERIAL:** Polypropylene      **TEMPERATURE:** -20°C to +80°C  
**ATTACHMENT METHODS:** Tube  
**INSERT DIMENSIONS:** 205 x 85 mm (LxW)

| Part No. | Description             | Quantity Per Pk |
|----------|-------------------------|-----------------|
| 857345   | Tower Tag Complete Kit* | 1 Kit           |
| 857167   | Scafftag Mk 1 Holder    | 10              |
| 857216   | Tower Tag Insert        | 50              |

\* Kit includes: 10 Holders, 20 Standard Inserts and 1 Pen



## THE GREEN BOOK

- Collects together all the elements to manage your mobile towers onsite
- Designed to fit in a "Site Jacket" pocket
- Contains an inspection card, inspection checklist and legislation guidance

| Part No. | Description                  | Quantity Per Pk |
|----------|------------------------------|-----------------|
| 857004   | The Green Book for Tower Tag | 1               |



## LADDERTAG

- Laddertag is a complete ladder safety management system
- Regulations require ladders to be checked for damage, faults and wear before use by an authorised user
- Easy to use system is essential for companies working to ISO9000 standards
- Holder and inserts provide a 3 stage information system – Do not use, Fit to use & Warning Inserts are highly visible
- Tags are weatherproof, UV protected, durable
- Able to withstand the toughest industrial environments

**HEIGHT:** 212mm      **WIDTH:** 55mm  
**MATERIAL:** Polypropylene      **TEMPERATURE:** -20°C to +80°C  
**INSERT DIMENSIONS:** 164 x 50mm (LxW)

| Part No. | Description               | Quantity Per Pk |
|----------|---------------------------|-----------------|
| 857017   | Laddertag Complete Kit*   | 1 Kit           |
| 857019   | Laddertag Standard Insert | 50              |
| 857227   | Permanent Marking Pen     | 10              |

\* Kit includes: 10 Holders, 10 Standard Inserts and 1 Pen



## THE YELLOW BOOK

- The Yellow Book collects together all the elements you need to manage ladders
- Complements the holder and insert system
- Keep your paper trail in one, easy reference protective binder
- Contains legislative and risk assessment guidance, ladder register, inspection and fault notification reports.

| Part No. | Description                       | Quantity Per Pk |
|----------|-----------------------------------|-----------------|
| 857311   | The Yellow Book                   | 1               |
| 857334   | Inspection Report Refills         | 50              |
| 857335   | Notification Fault Report Refills | 50              |
| 857336   | Ladder Register Refills           | 50              |





## FORKLIFTAG

- Forkliftag is a complete status tagging system to help control pre-shift inspections, maintenance and identification of forklift trucks
- Forkliftag uses our unique holder and insert system to ensure the latest status is instantly visible at the point of use
- The standard insert contains an easy-to-follow pre-use operator checklist on the front and the facility to record up to 32 inspections on the reverse
- For effective use the holder should be attached to the side of the truck cab
- Complete system is permanent and weatherproof
- Suitable for use in most environments
- 3 stage information system

**HEIGHT:** 285mm

**WIDTH:** 153mm

**MATERIAL:** Polypropylene

**TEMPERATURE:** -20°C to +80°C

**INSERT DIMENSIONS:** 193 x 144mm (LxW)

**ATTACHMENT TYPE:** Adhesive, Cable Tie

| Part No. | Description                       | Quantity Per Pk |
|----------|-----------------------------------|-----------------|
| 857305   | Forkliftag Complete Kit 2*        | Kit             |
| 856999   | Forkliftag Holder Kit             | 10              |
| 856997   | Forkliftag 10 Holder 10 Insert    | Kit             |
| 857302   | Forkliftag 2 Holder 5 Insert Kit  | Kit             |
| 857303   | Forkliftag 3 Holder 10 Insert Kit | Kit             |
| 857304   | Forkliftag 4 Holder 10 Insert Kit | Kit             |
| 857002   | Forkliftag Standard Insert        | 10              |
| 857227   | Permanent Marking Pen             | 10              |

\* Kit 2 includes: 5 Holders, 15 Standard Inserts and 1 Pen




## THE BLACK BOOK

- The Black Book collects together all the elements to manage your forklifts and operators in one protective binder
- Contains risk assessment guidance, forklift register, operator register, operator training records, comprehensive inspection reports and fault reports

| Part No. | Description    | Quantity Per Pk |
|----------|----------------|-----------------|
| 856977   | The Black Book | 1               |

Additional refills available on request.



## MICROTAG

- Ideal when attachment and display space is limited
- Commonly used as a date qualified system
- Microtag also has the facility to render equipment in a 'prohibition status' should it be found to be faulty between inspection dates. This is done by simply removing the insert to expose the message on the holder
- The compact size allows variable mounting options
- Colour coded inserts are available to indicate different months or periods

**HEIGHT:** 80mm

**WIDTH:** 38mm

**MATERIAL:** Nylon 6

**TEMPERATURE:** -20°C to +80°C

**INSERT DIMENSIONS:** 47 x 30mm (LxW)

**ATTACHMENT TYPE:** Adhesive, Cable Tie, Screw, Rivet

| Part No. | Description                               | Quantity Per Pk |
|----------|---|-----------------|
| 857025   | Microtag Complete Kit*                    | Kit             |
| 857067   | Microtag "Date Tested" Insert – Green     | 100             |
| 857068   | Microtag "Date Tested" Insert – Red       | 100             |
| 857069   | Microtag "Date Tested" Insert – White     | 100             |
| 857070   | Microtag "Date Tested" Insert – Yellow    | 100             |
| 857054   | Microtag "Date Tested" Multi Pack**       | 100             |
| 857059   | Microtag "Next Test Date" Insert – Blue   | 100             |
| 857060   | Microtag "Next Test Date" Insert – Orange | 100             |
| 857061   | Microtag "Next Test Date" Insert – White  | 100             |
| 857062   | Microtag "Next Test Date" Insert – Yellow | 100             |
| 857063   | Microtag "Next Test Date" Insert – Green  | 100             |
| 857064   | Microtag "Next Test Date" Insert – Purple | 100             |
| 857065   | Microtag "Next Test Date" Insert – Red    | 100             |
| 857041   | Microtag "Next Test Date" Insert – Black  | 100             |
| 857227   | Permanent Marking Pen                     | 10              |

\* Kit 1 includes: 20 Holders, 40 6" Black Cable Ties and 1 Pen

\*\* Pack includes: 25 each of Blue, Green, Red, Yellow inserts"





## NANOTAG

- Provides total flexibility with the option for cable tie or split ring attachment
- Nanotag is ideal for fall protection equipment such as harnesses
- Purpose designed for the identification and qualification of equipment with minimal attachment space such as eye bolts, shackles, hoses, cables, breathing apparatus and small power tools
- Nanotag uses the holder and insert system to ensure the latest equipment status is visible at point of use

**HEIGHT:** 55mm

**WIDTH:** 26mm

**MATERIAL:** Nylon 6

**TEMPERATURE:** -20°C to +80°C

**INSERT DIMENSIONS:** 34 x 18mm (LxW)

**ATTACHMENT TYPE:** Split Ring, Adhesive, Cable Tie, Screw, Rivet

| Part No. | Description                                    | Quantity Per Pk |
|----------|--|-----------------|
| 857120   | Nanotag Complete Kit                           | Kit             |
| 857107   | Nanotag "Next Inspection Date" Insert – Blue   | 100             |
| 857108   | Nanotag "Next Inspection Date" Insert – Green  | 100             |
| 857109   | Nanotag "Next Inspection Date" Insert – Red    | 100             |
| 857110   | Nanotag "Next Inspection Date" Insert – White  | 100             |
| 857111   | Nanotag "Next Inspection Date" Insert – Yellow | 100             |
| 857112   | Nanotag "Next Test Date" Insert – Blue         | 100             |
| 857116   | Nanotag "Next Test Date" Insert – Red          | 100             |
| 857117   | Nanotag "Next Test Date" Insert – White        | 100             |
| 857118   | Nanotag "Next Test Date" Insert – Yellow       | 100             |
| 857227   | Permanent Marking Pen                          | 10              |

\* Kit 1 includes: 20 Holders, 40 6" Black Cable Ties and 1 Pen



## UNIVERSAL TAG

- An extremely robust permanent holder and insert system to help ensure security in terms of attachment
- Once the two parts of the holder are locked together it can only be removed with the use of wire cutters or pliers
- Plastic, stainless steel or nylon covered galvanised wire strips are available in differing lengths (6", 9" and 12") to suit your attachment requirements
- Universal Tag is designed for the identification and qualification of lifting equipment, industrial plant valves and calibration equipment
- Inserts are available in a wide range of colours to help visually indicate different months or periods

**DIAMETER:** 46mm

**MATERIAL:** Nylon 6

**TEMPERATURE:** -20°C to +80°C

**INSERT DIMENSIONS:** 41mm (Dia.)

**ATTACHMENT TYPE:** Strop

| Part No. | Description                                     | Quantity Per Pk |
|----------|---|-----------------|
| 857251   | Universal Tag 6" Plastic Strop Kit*             | Kit             |
| 857253   | Universal Tag 9" Plastic Strop Kit*             | Kit             |
| 857252   | Universal Tag 6" Nylon Covered Wire Strop Kit*  | Kit             |
| 857310   | Universal Tag 9" Nylon Covered Wire Strop Kit*  | Kit             |
| 857309   | Universal Tag 12" Nylon Covered Wire Strop Kit* | Kit             |
| 857272   | Universal Tag 6" Stainless Steel Strop Kit*     | Kit             |
| 857273   | Universal Tag 9" Stainless Steel Strop Kit*     | Kit             |
| 857288   | Universal Tag Safe Working Load Insert – Blue   | 20              |
| 857289   | Universal Tag Safe Working Load Insert – Green  | 20              |
| 857290   | Universal Tag Safe Working Load Insert – Red    | 20              |
| 857291   | Universal Tag Safe Working Load Insert – White  | 20              |
| 857292   | Universal Tag Safe Working Load Insert – Yellow | 20              |
| 857277   | Universal Tag Next Inspection Due – Green       | 20              |
| 857279   | Universal Tag Next Inspection Due – Yellow      | 20              |
| 857278   | Universal Tag Next Inspection Due – Red         | 20              |
| 857276   | Universal Tag Next Inspection Due – Blue        | 20              |
| 857227   | Permanent Marking Pen                           | 10              |

\* Kit includes: 20 Holders, 20 Stropps and 1 Pen



## MULTITAG

- A complete inspection/maintenance tagging system that can be used on a wide range of machinery
- Popular for managing production line machinery where panels have restricted space for attachment
- Provides a clear record of status and inspection
- Complete system is durable and weatherproof
- 3 stage information system

**HEIGHT:** 212mm

**WIDTH:** 55mm

**MATERIAL:** Polycarbonate

**TEMPERATURE:** -20°C to +130°C

**INSERT DIMENSIONS:** 164 x 50mm (LxW)

**ATTACHMENT TYPE:** Cable Tie, Screw, Rivet, Adhesive

| Part No. | Description                            | Quantity Per Pk |
|----------|--|-----------------|
| 857073   | Multitag Holder Kit                    | 10              |
| 857087   | Multitag "Equipment Inspection" Insert | 50              |
| 857227   | Permanent Marking Pen                  | 10              |

\* Kit includes: 10 Holders, 10 Inserts and 1 Pen





## CONFINED SPACE TAGS

A complete confined space status tagging system helps to prevent accidents and efficiently manage inspection procedures.

### ENTRYTAG CONFINED SPACE TAGS

- Entrytag system is designed to operate alongside existing permit to work systems and other control procedures
- Positioned at the entrance to the vessel/tank/silo, it informs all personnel of the minimum requirements for entry, the type of work being undertaken and other salient details
- The Entrytag holder in its individual form will display a message of prohibition
- Highly visible, durable and weatherproof
- Man in Tank tags can also be used with Entrytag



Side 1      Side 2

**HEIGHT:** 285mm      **WIDTH:** 151mm  
**MATERIAL:** ABS      **TEMPERATURE:** -5°C to +65°C  
**INSERT DIMENSIONS:** 193 x 144mm (LxW)  
**ATTACHMENT TYPE:** Hung, Cable Tie, Adhesive

| Part No. | Description                          | Quantity Per Pk |
|----------|--------------------------------------|-----------------|
| 856987   | Entrytag Complete Kit*               | Kit             |
| 856994   | Entrytag Standard Insert             | 10              |
| 857300   | Entrytag Holder Kit                  | 10              |
| 857337   | Entrytag Standard Insert with Pictos | 10              |
| 857338   | Multitag Man In Tank Tag             | 50              |
| 857227   | Permanent Marking Pen                | 10              |

\* Kit includes: 10 Holders, 10 Standard Inserts and 1 Pen

### BARRIER WORKSPACE CONTROL TAGS

- Safety barrier controlled areas are high risk by nature
- Barrier Tag ensures the latest status is instantly visible to both admitted and non-admitted personnel at all safety barrier controlled areas
- Barrier Tag uses the holder and insert system to instantly communicate what hazards the area contains or to put the barrier into no admission status



**HEIGHT:** 305mm  
**WIDTH:** 91mm  
**MATERIAL:** Polypropylene  
**TEMPERATURE:** -20°C to +80°C  
**INSERT DIMENSIONS:** 204 x 85mm (LxW)

| Part No. | Description                 | Quantity Per Pk |
|----------|-----------------------------|-----------------|
| 857167   | Scafftag Holder Kit         | 10              |
| 857203   | Barrier Tag Standard Insert | 50              |
| 857227   | Permanent Marking Pen       | 10              |

### CHEMTAG WORKSPACE CONTROL TAGS

- Chemtag uses the holder and insert system to ensure the latest status is visible at point of use
- Chemtag includes relevant information specific to hazardous substances including: substance type, details of hazards and precautions, actions to be taken in case of emergency, supplier name and telephone number, disposal details
- Suitable for use in most environments
- Complete system is permanent and weatherproof



**HEIGHT:** 285mm  
**WIDTH:** 151mm  
**MATERIAL:** ABS  
**TEMPERATURE:** -5°C to +65°C  
**INSERT DIMENSIONS:** 193 x 144mm (LxW)  
**ATTACHMENT TYPE:** Hung, Cable Tie, Adhesive

| Part No. | Description             | Quantity Per Pk |
|----------|-------------------------|-----------------|
| 856981   | Chemtag Standard Insert | 10              |
| 857227   | Permanent Marking Pen   | 10              |

### EXCAVATION WORKSPACE CONTROL TAGS

- Specially designed durable status tagging system to help prevent against the dangers of excavations
- Provides up-to-date information on potential hazards, actions to be taken and daily and weekly inspection records
- Complete system is permanent and weatherproof
- Suitable for use in most environments
- 3 stage information system – Do not Enter, Fit to use and Record of inspections



**HEIGHT:** 285mm  
**WIDTH:** 151mm  
**MATERIAL:** ABS  
**TEMPERATURE:** -5°C to +65°C  
**INSERT DIMENSIONS:** 204 x 85mm (LxW)  
**ATTACHMENT TYPE:** Hung, Cable Tie, Adhesive

| Part No. | Description                    | Quantity Per Pk |
|----------|--------------------------------|-----------------|
| 857372   | Excavation Tag Standard Insert | 10              |
| 857300   | Entrytag Holder Kit            | 10              |
| 857227   | Permanent Marking Pen          | 10              |

### PERMIT WALLET

- A4 size
- UV resistant
- Transparent – easy to view permits
- Moisture resistant easy access zip closure from top to bottom

| Part No. | Description      | Quantity Per Pk |
|----------|------------------|-----------------|
| 857144   | Permit Wallet A4 | 10              |

