



## DIRECT, WARN AND INFORM VEHICLES AND PEDESTRIANS

Control traffic on your site and ensure the safety of your workers with these must have products. Use line-marking paint to mark out parking spaces, and signage to show the safe direction and access to your facility. Speed humps help everyone adhere to posted speed limits and safety mirrors ensure that hazardous areas are kept safe.

Traffic Control Accessories.....	348 - 351
Bollards .....	352
Barriers.....	353
Speed Humps .....	354
Wheel Stops.....	355
Safety Mirrors .....	356 - 357
Line Marking & Stencils .....	358 - 359
Cigarette Ash Bins.....	360

## SITE MAINTENANCE





## TRAFFIC WARNING LIGHTS

- Super Tough High Impact Case
- Polycarbonate Lens
- Clearly Identifies Hazards

Clearly identify traffic hazards with these Traffic Warning Lights. Available in flashing light source to ensure that accidents and hazardous situations are avoided. Manufactured from tough, impact resistant polypropylene, polycarbonate lens that can be swiveled to face oncoming traffic. Requires one 6 Volt batteries (not included) for run life of 120hrs. Includes fixing bolt and key.

### STANDARD PACKAGE: 1

Part No.	Colour	
846249	Amber	B
846252	Red	



## ROTO LIGHT

This lightweight Roto Light attaches securely to your traffic control cones to ensure that they can be seen by all. Offering day and night warning even in harsh conditions, and is self-cleaning in snow and sleet. This wind powered rotating beacon does not require batteries or maintenance and is more cost effective than electronic flashing beacons.

### STANDARD PACKAGE: 1

Part No.	Description	
845605	Roto Light	S



## FLASHING LIGHT

3 LED output. 3 Functions: On, Off and Flashing. For belt mounting use bracket supplied for rigid mounting.



Rearview Showing Belt Mount.



Rigid Mount Bracket Also Supplied.

Dimensions: 80 x 50 x 30mm

### STANDARD PACKAGE: 1

Part No.	Description	
873162	Flashing Light	B

## E FLARE™ PROTECTOR BEACONS

Eflare™ portable warning beacons are essential for alerting hazards and providing a safer working environment. Eflare™ does not produce toxic fumes, burn, affect distance judgement and there is no risk of fire or explosion while in use. Waterproof and shatterproof. Designed with a fluoro yellow body.

### 350 SERIES

- Single Colour Flash Red or Amber
- 4 LED's
- Up to 30 Hours battery life
- Hazmat accredited
- Visible for more than 1km at night

### 500 SERIES

- Single or Dual Colour Flash Red, Amber or Red/White Dual Colour
- 8 LED's
- Up to 80 Hours battery life
- Visible for more than 2km at night

### STANDARD PACKAGE: 1

Part No.	Light Colour	Description	
874047	Red	350 Series Single	B
874048	Amber	350 Series Single	
850781	Red	510 Series Single	
850782	Amber	510 Series Single	
851558	Red/White	530 Series Single Dual Colour	
851561		Cone Mounting Clip	
851562		Carry Bag	



500 series.



350 series.



## T-TOP TEMPORARY BOLLARD

The T-Top Temporary Bollard is made of low density polyethylene, stands at a height of 1150mm and has a diameter of 100mm. With a weight of 6kg or 8kg base, the bollard is stable, even in high speed traffic conditions. Its bright fluorescent orange colour and reflective bands provide high visibility all hours of night and day and in all weather conditions. The unique T-Top provides a grip handle that makes the bollard easy to carry.



Improved post bottom reinforcing-rings for extra strength and durability.



Convenient T-Top carry handle and moulded bolt hole for flashing light.




Wide diameter weighted base ensures stability.



### STANDARD PACKAGE: 1


Part No.	Size	
843233	6 kg	C
846589	8 kg	



Complies to  
AS1742.3:2002

## T-TOP CHANNELISER CONE

Made from high density polyethylene, the T-Top Channeliser Cone is able to withstand impact with minimal vehicle damage. They are highly visible, day and night and in all weather conditions. With a total weight of 8kg and an octagonal rubber base, the T-Top is stable in most arduous traffic conditions. The bright fluorescent orange colour and reflective bands provide high visibility. They stand at 1000mm in height, have a diameter of 270mm at the bottom tapering to 100mm at the top. The T-Top is stackable with the octagonal base still attached for easy transportation. They also come with a grip handle which makes each cone very easy to carry.



Complies to  
AS1742.3:2002

### STANDARD PACKAGE: 1

Part No.	Description	
848814	T-Top Channeliser Cone	B
848120	T-Top Channeliser Cone Amber Light	



The extra large flanged bottom provides maximum stability in the all-rubber base.



## FLEXIBLE KNOCK DOWN BOLLARD WITH CHAIN LOOP

This flexible two piece knock down bollard features an elastic joint for temporary or permanent delineator applications. The removable bollard post twist locks into the rubber base and is supplied with a highly visible reflective band. The flexible knock down bollard is manufactured from tough red polyethylene and stands 800mm high. The bollard also features a moulded chain ring. Plastic chains available in 3 colours, Black, White and Yellow and are 30 metres in length.

### STANDARD PACKAGE: 1

Part No.	Description	
873875	Flexible Knock Down Bollard with Chain Loop	B
873876	Black Chain – 30 metres	
873877	White Chain – 30 metres	
873878	Yellow Chain – 30 metres	





## TRAFFIC CONES

These highly visible fluorescent orange Traffic Cones are available in 710mm and 450mm sizes. Constructed of durable PVC material, their wide body design makes them resistant to tipping in high wind or heavy traffic situations. The Mini Cones are perfect for car parks. They are easy to stack and store.

- A. 150mm Reflective Collar (843925)
- B. 100mm Reflective Collar (843928)



Mini Cones



### STANDARD PACKAGE: 1

Part No.	Description	
843234	710mm Traffic Cone	C
843925	150mm Collar	
843235	450mm Traffic Cone	
843928	100mm Collar	
843236	305mm Mini Traffic Cone	

## RETRACTABLE BARRIER BARS

Constructed from tough ABS plastic, the Barrier has soft Polyethylene rings on each end which will fit over the top of most types of traffic cones. The telescopic bar can be extended between 1100mm and 2100mm. Reflective stripes ensure visibility. Available in reflective red/white or black/yellow. Ring Diameter of 80mm.



### STANDARD PACKAGE: 1

Part No.	Colour	
843461	Black/Yellow	C
860877	Red/White	

## COLLAPSIBLE SAFETY CONES

The Collapsible Safety Cones are a must for any emergency situation. They offer protection for roadside and industrial emergencies and can be set up in seconds. The reflective strip ensures safety and visibility in day and night conditions. Cones come standard with built in water-proof LED flashing light, powered by 2 x AAA batteries. The lights have 3 phases, on, off and flashing. Cones are also resistant to most wind conditions and the durable nylon construction is water-washable. Cones fold into a 50mm stub when not in use.




Rubber Base

Plastic Base

### STANDARD PACKAGE: 1

Part No.	Dimensions	Base	Base Dimensions	Weight	Height (Open)	Height (Closed)	
873879	450mm	Plastic	245 x 245mm	1.2kg	450mm	50mm	C
873880	450mm	Rubber	245 x 245mm	1.5kg	450mm	50mm	
873881	700mm	Plastic	327 x 327mm	2kg	700mm	50mm	
873882	720mm	Rubber	350 x 350mm	3kg	720mm	50mm	



## HEAVY DUTY TRAFFIC CONES

Heavy duty traffic cones are the ideal choice in traffic control applications. The flexible 100% PVC construction ensures maximum safety on impact. The highly visible cones enhance the safety of work crews and motorists during emergencies and repair projects. They are easy to install and the durable design offers convenient storage and portability.

### STANDARD PACKAGE: 1

Part No.	Colour	
872383	700mm	C
872384	900mm	





## SKIPPER™ CONE AND POST BARRIER SYSTEM

Unique way to cordon off any outside area creating a safer environment with high visibility retractable 9m tape. Skipper simply clicks on top of most traffic cones, saving time, storage space and money. Unit is designed with a lock/unlock feature to keep webbing tense.

A multi-functional LED warning light that is fully rechargeable is also available. Road light has a permanent or flashing option and also includes a light sensor for automatic activation which can be turned off.

Its versatility allows it to be used on both hard and soft ground, indoors and outdoors. The unique interchangeable base allows the post to be sunk into the ground with a spike or attached to its sturdy base for use on hard surfaces. Simply pour water or sand into the base for strength and stability.



**HEIGHT:** 1m (including base)

**WIDTH:** 500mm (base) 120mm (post)

**WEIGHT:** 1.2kg (base) 1kg (post)

Up to 10kg's of water or sand can be used in base

**STANDARD PACKAGE:** 1

Part No.	Description
863831	Skipper 9m Tape – Red / White
873884	Skipper 9m Tape – Black / Yellow
873886	Skipper Rechargeable Road Light
873885	Skipper Post & Base System – Orange



## HEAVY DUTY WATER FILLED BARRIERS

Water filled barriers can be used in any situation where you need to separate people or vehicles from potential dangerous situations. They are light weight and easy to manoeuvre and install. Simply fill them with water to provide a barrier, which will stay in place until you are ready to move it. Barriers are joined together using interlocking hinges and pins. Not designed for impact.

**DIMENSIONS:** 2000 x 600 x 900mm (LxWxH)

**WEIGHT:** 32kg (Empty) 330kg (Filled)

**STANDARD PACKAGE:** 1

Part No.	Colour
864592	White
864593	Orange



\*Additional freight charges may apply

## INTERLOCKING WATER FILLED BARRIERS

These light weight water filled barriers protect pedestrians and motorists from any potential dangerous situations. Ideal for foot paths or worksites, simply fill them with water to provide a secure barrier system which will stay in place until you are ready to move them. Barriers connect together with interlocking hinges. Not designed for impact.

**DIMENSIONS:** 1500 x 465 x 800mm (LxWxH)

**WEIGHT:** 16kg (Empty) 160kg (Filled)

**STANDARD PACKAGE:** 1

Part No.	Colour
873462	Red
873464	Yellow




\*Additional freight charges may apply



## PIVOTED CAR PARK BOLLARD

Put an end to parking bay poaching. This pivoted bollard provides orderly tenant parking and protects your bay from unauthorised access. The galvanised, powder coated bollard is constructed from tough 65mm square steel post. In the unlocked position the total height is only 90mm allowing vehicles to drive easily over it. Its internal locking system can't be tampered with. The base is made from rust proof, high tensile aluminium alloy. 4 x 12mm masonry anchors are required for installation of this 735mm tall bollard. Keyed Alike and Master Key systems available.



### STANDARD PACKAGE: 1

Part No.	Description
843959	Pivoted Bollard

## FOLD DOWN BOLLARD

Fold down bollards control vehicle access in driveways or parking areas. Made from a robust, fully welded steel construction and standing 800mm tall when upright, the fold down is the ideal solution for applications where access control is of paramount importance. Powder coated, the bollard is ideal for driveways, private laneways or car spaces. When lying flat the bollard is only 80mm high allowing sufficient vehicle clearance. The class 2 reflective sheeting ensures your bollard is highly visible at all times (sold separately). Fold down bollard is supplied with a 40mm padlock.



Reflective Sheeting.  
851931



### STANDARD PACKAGE: 1


Part No.	Description
851929	Fold Down Bollard
851931	C2 Reflective Sheeting
851930	Fixing Kit

## HAZARD MARKERS

Reflective markers delineate edges of roads, driveways and hazardous areas, Day & Night. Prevent accidents and tyre tracks on grass and driveway entries. Aluminium markers have engineer grade reflective sheeting.

### STANDARD PACKAGE: 1

Part No.	Description	Dimensions
852681	Aluminium Delineator Yellow	150x300mm
852682	Aluminium Delineator Red	75x225mm
852683	Aluminium Delineator Yellow	75x225mm
852684	Aluminium Delineator Silver	75x225mm
852685	Aluminium Delineator Black/Yellow	200x600mm
852686	Aluminium Delineator Black/Yellow	200x600mm
852687	Aluminium Delineator Yellow	450x450mm
852688	Aluminium Delineator Red	450x450mm
846246	Acrylic Plastic Delineator Red/pk25	85mm dia.
846247	Acrylic Plastic Delineator White/pk25	85mm dia.
846245	Acrylic Plastic Delineator Yellow/pk 25	85mm dia.
846243	Acrylic Plastic Delineator Green/pk25	85mm dia.
19044	Aluminium Delineator High Intensity	100x100mm
19033	Delineator Post	1.95m Height





## DUAL PURPOSE BARRIER

This convenient dual purpose barrier ensures pedestrian traffic safety. The barrier can be used as a continuous length or placed around a hazard. These barriers are suitable to help control crowds and reduce accessibility to safety hazards. The safety orange colour ensures visibility and the design ensures structural stability when in use. The feet rotate to allow for flat stacking, storage and transportation.

### DIMENSIONS:

Closed Cube: 1.5m x 1m<sup>2</sup> (LxH)

Continuous: 6m x 1m (LxH)

**WEIGHT:** 15.5kg

**STANDARD PACKAGE:** 1

Part No.	Description
873887	Dual Purpose Barrier



## PORTABLE BARRIERS

This sturdy, free-standing barrier is constructed from high-density polyethylene with rubber swivel feet. The barrier can be flat-stacked for storage and transport. Suitable for single use or interlocked into various configurations. Ideal for outdoor use in high pedestrian traffic areas including special events, footpaths, car parks, utility and trench works etc. There is provision for flashing lamps, reflective delineators and signage.

**DIMENSIONS:** 2m x 1m (LxH)

**WEIGHT:** 14kg

**STANDARD PACKAGE:** 1

Part No.	Description
873888	Flakstak Barrier

\*Additional freight charges may apply



## BARRIER BOARDS

Block off work areas quickly. The Barrier is made of durable PVC and features black and yellow reflective stripes. Barrier Boards are also available as yellow with no stripes and no reflectivity for crowd control use. The board measures 2.5 metres long and 190mm wide. Steel A-Frame legs endure rough use.

**STANDARD PACKAGE:** 1

Part No.	Description
843931	2.5m Barrier Board with Reflective Stripes
843237	2.5m Barrier Board Yellow, No Reflective Stripes
843238	A-Frame Leg



## HIGH VISIBILITY SAFETY WEIGHTS

These fluorescent high visibility yellow safety weights are the ideal weight to secure items from strong winds and knock-downs. Ensure stability does not cause any unforeseen tripping hazards by using these High Visibility Safety Weights around your worksite. Each weight weighs 10kg and has easy carry handles for easy transportation.

**STANDARD PACKAGE:** 1


Part No.	Description
848847	Hi-Vis Safety Weights





## TRAFFIC SPEED HUMPS


A modular steel speed control system consisting of truly independent strong steel modules. Finish off each end of the speed hump with a pair of end caps. Rounded end caps are manufactured from extremely durable rubber. Suitable for car parks, shopping centres or industrial complexes. Modules also have a built in bridge system to accommodate hoses or cables. Each speed hump comes complete with fixings.



Complies to  
AS2890.1:2004

### **i** SPECIFICATIONS

Length: 500mm or 1000mm  
Width: 350mm  
Height: 52mm  
No. of Fixings: 4 (supplied)  
Weight: 9.2kg for 500mm & 17kg for 1000mm module  
Weight: Middle - 19kg, End - 7.5kg  
No. of fixings: 5 per Middle, 3 per end (supplied)




### STANDARD PACKAGE: 1

Part No.	Description
852543	500mm Speed Hump
852544	1000mm Speed Hump
852545	End Caps (Pair)

## HEAVY DUTY SPEED HUMPS


A modular steel speed control system designed for heavy vehicle applications. The super strong chassis construction features a 6mm floor plate and is more than four times the load bearing contact area with the road surface than other products. Ideal for transport depots, factories, terminals and many more. Modules also have a built in bridge system to accommodate hoses or cables. Each speed hump comes complete with fixings.



Manufactured to comply with AS2890.1:2004 and includes a five year structural guarantee.

### **i** SPECIFICATIONS

Length: 1000mm  
Width: 350mm  
Height: 52mm  
Top Skin: 6mm floor plate  
No. of Fixings: 6 (supplied)  
Weight: 22kg



### STANDARD PACKAGE: 1


Part No.	Description
852546	1000mm H/D Speed Hump
852545	End Caps (Pair)

## TRAFFIC CALMING RUBBER SPEED HUMP

Traffic calming speed humps are designed for situations where traffic speeds need to be controlled and a standard traffic speed hump is not suitable. Smoother approach and departure angles mean a wider range of vehicles can pass over them. The solid rubber construction ensures these traffic calmers are capable of handling heavy traffic. Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety. All modules supplied with fixings.

### **i** SPECIFICATIONS

Material: Solid Natural and Recycled Rubber  
Finish: Moulded Black Rubber with Yellow Panels  
Length: 900mm (both Middle and End Modules)  
Width: Middle Module 500mm, End Modules 270mm  
Height: 50mm  
Weight: Middle Module 19kg, End Modules 7.5kg  
No. of Fixings: 5 per Middle, 3 per End (supplied)



### STANDARD PACKAGE: 1


Part No.	Description
855113	Speed Hump Middle Module
855114	Speed Hump End Modules (Pair)





## RUBBER WHEEL STOP

The rubber wheel stop is ideal for parking areas to reduce property and vehicle damage. Constructed of durable recycled materials, they will not rust, chip or corrode. The wheel stops can be attached to asphalt or concrete (fixings included). The unit weighs 16.7kgs and has a 1640mm working length.



### STANDARD PACKAGE: 1

Part No.	Description	B
867966	Rubber Wheel Stop	

## COMPLIANCE ONE-PIECE WHEEL STOPS

A green alternative to rubber, concrete and steel wheel stops. Manufactured from high-tech Linear Low Density Polyethylene (LLDPE) with sustainability in mind. The Compliance one-piece wheel stop is packed with features never seen before in a wheel stop, anywhere in the world. It will not fade, rust or crack and it comes complete with matching blanking plugs to conceal the fixing points. Available in 3 standard UV stabilised colours – Safety Yellow for increased visibility and pedestrian safety, Blue for highlighting disabled parking spaces and Concrete Grey. Tight fixing blanking caps (included) provide a flush finish while concealing fixings (included).



**DIMENSIONS:** 1700 x 160 x 100mm (LxWxH)

**WEIGHT:** 4.5kg

**FITTINGS:** 4 Included

**STANDARD PACKAGE: 1**

Part No.	Colour	B
873889	Yellow	
873890	Grey	
873891	Blue	




## XTREME VISION™ SAFETY MIRRORS


Xtreme Vision Safety Mirrors from Brady are the ideal solution for providing a wider, extended field of vision. Safety Mirrors allow optimum vision around corners, in aisles, hallways and blind spots, across assembly lines, entry/exit areas and areas where general surveillance is required. To select the mirror best suited to your requirements simply refer to our Viewing/Installation Guide.

### Mirror Viewing Angles


#### 360° Full Dome




#### 180° Half Dome



#### 90° Quarter Dome



#### Convex




## VIEWING / INSTALLATION GUIDE

### CHOOSING THE APPROPRIATE MIRROR

To determine the correct mirror size, simply follow these step by step instructions:

**Step 1:** Estimate the distance from the viewer to the proposed mirror location.



**Step 2:** Estimate the distance from the proposed mirror location to the area/object to be observed.



**Step 3:** Combine the previous distances (Step 1 and Step 2). The total distance is your guide to the correct mirror size. Use the table shown to choose appropriate mirror size. If in doubt choose the larger size.

#### VIEWING DISTANCE GUIDE

Size of Mirror (dia)	Best Distance
300mm	Up to 12 metres
450mm	Up to 15 metres
600mm	Up to 20 metres
760mm	Up to 25 metres
1000mm	Over 25 metres

Note: Viewing Distances are only a guideline and are recommended based on straight viewing. It is recommended to go up a size or two with multiple intersection or poor lighting areas.




## INDUSTRIAL SAFETY MIRRORS

This strong industrial mirror features a 160° wide, 120° angle vision that provides a full overhead view of any area that requires frequent monitoring. Weatherproof and UV resistant this mirror is designed for both indoor and outdoor use. These lightweight acrylic mirrors have a rubber rim and heavy duty backing for weatherproofing. Each mirror is supplied with installation instructions and all necessary heavy-duty steel mounting brackets.

### STANDARD PACKAGE: 1

Part No.	Description	Size (Dia)	B
833068	Acrylic - Outdoor	457mm	
833072	Acrylic - Outdoor	610mm	
844159	Acrylic - Outdoor	812mm	
844161	Acrylic - Outdoor	914mm	
856109	Scratch Resistant Acrylic - Outdoor	457mm	
856110	Scratch Resistant Acrylic - Outdoor	660mm	
856111	Scratch Resistant Acrylic - Outdoor	762mm	
856112	Scratch Resistant Acrylic - Outdoor	914mm	
856230	Post Mount Attachment for Convex Mirror		



## HEAVY DUTY TRAFFIC MIRRORS

The Heavy Duty Traffic Mirror is specifically engineered for use as a safety, security and surveillance device in high traffic areas. These convex mirrors provide a large high resolution image for extra safety. When located in strategic positions, they can eliminate blind spots – giving a wider field of vision. The tough stainless steel, weatherproof mirror is virtually unbreakable and comes with a strong steel backing. Ideally used for hilly/winding roads, intersections, car parks and staircases. Each mirror is supplied with installation instructions and all necessary heavy-duty steel post mounting brackets. Wall Mount attachment sold separately.



### STANDARD PACKAGE: 1

Part No.	Description	Size (Dia)	B
856096	Stainless Steel Post/Wall Mountable	457mm	
844406	Stainless Steel Post/Wall Mountable	660mm	
844404	Stainless Steel Post/Wall Mountable	800mm	
873898	Wall Mount Attachment for Heavy Duty Traffic Mirror		



## INDOOR CONVEX MIRRORS

Durable and scratch resistant, these acrylic Indoor Convex Mirrors offer excellence in safety and security. This mirror allows easy viewing of unguarded areas. Ball and swivel plate are attached directly to the mirror to reduce weight and costly installations. Each mirror is supplied with installation instructions and heavy-duty mounting brackets.

### STANDARD PACKAGE: 1

Part No.	Description	Size (Dia)	B
851307	Convex Mirror	300mm	
851308	Convex Mirror	660mm	
851309	Convex Mirror	760mm	
833066	Indoor Rectangular Mirror	610 x 400mm	



## ECONOMY CONVEX SAFETY MIRRORS

These lightweight acrylic mirrors are suitable for indoor use. Mirrors provide a wider, extended field of vision ideal for preventing accidents at intersections and in deterring theft. Available in a variety of sizes, each mirror is supplied with installation instructions and mounting bolts.




### STANDARD PACKAGE: 1

Part No.	Size (Dia)	B
844163	305mm	
844164	457mm	
833067	609mm	
856093	667mm	
844165	762mm	
856094	812mm	
856095	914mm	



## DOMES MIRRORS

Dome shaped mirrors are widely used for general surveillance and accident prevention in retail and industrial environments. They are the ideal solution where general surveillance of a broad area is required. Three styles available – full dome, half dome and quarter dome.




### STANDARD PACKAGE: 1

Part No.	Description	Size (Dia)	B
844168	Full Dome - 360° Ceiling Mount	457mm	
844169	Full Dome - 360° Ceiling Mount	609mm	
856113	Full Dome - 360° Ceiling Mount	812mm	
844170	Full Dome - 360° Ceiling Mount	914mm	
856223	Full Dome - 360° Ceiling Mount	1016mm	
833064	Half Dome - 180° Wall Mount	457 x 300mm	
833065	Half Dome - 180° Wall Mount	660 x 300mm	
844167	Half Dome - 180° Wall Mount	914 x 300mm	
844166	Quarter Dome - 90° Corner Mount	457mm	
856114	Quarter Dome - 90° Corner Mount	660mm	
856135	Quarter Dome - 90° Corner Mount	812mm	
856134	Quarter Dome - 90° Corner Mount	914mm	
856136	Quarter Dome - 90° Corner Mount	1016mm	



**Full Domes:** Can be suspended on chains or fastened directly to the ceiling to provide a 360° view. Ideal at four-way intersections.



**Half Domes:** Use the half domes for 180° view. Reduces the risk of collision at corner intersections.



**Quarter Domes:** Use quarter domes for 90° view. Ideal for vision around corners, aisles, blind spots and/or entry and exit areas.





## LINE MASTER LINE MARKING MACHINE

The Line Master allows accuracy in your line marking applications. Constructed of heavy-duty steel, the ergonomic design includes a built-in side line attachment for applications parallel to walls or tight spaces.

The lightweight handle can be removed and used for spot marking. The machine allows for line widths between 60mm and 100mm. Also included is a utility tray, storage for up to 5 cans, directional arrow and instructions.

### STANDARD PACKAGE: 1

Part No.	Description
871160	4 Wheel Line Marking Machine
845724	Aerosol Line Marking Paint - 500gm - Black
845725	Aerosol Line Marking Paint - 500gm - Red
845726	Aerosol Line Marking Paint - 500gm - Blue
845727	Aerosol Line Marking Paint - 500gm - Green
845729	Aerosol Line Marking Paint - 500gm - Orange
845730	Aerosol Line Marking Paint - 500gm - White
845731	Aerosol Line Marking Paint - 500gm - Lead Free Yellow
845732	Aerosol Line Marking Paint - 500gm - Grey

### Line Marking Paint

A fast drying, UV resistant acrylic paint, specially formulated to provide the longest lasting line in extreme environmental conditions. A 500g can will provide approximately 120m of quality line.



## TWO WHEEL SPOT MARKER

The Two Wheel Spot Marker makes it easy to paint lines, circles or other shapes with accuracy. Ideal for use on roads, ground repair, construction sites and athletic fields. The ergonomic design prevents back strain.

### STANDARD PACKAGE: 1

Part No.	Description
851182	2 Wheel Painting Wand
851203	Paint Can 350 gms - Black
851205	Paint Can 350 gms - Red
851206	Paint Can 350 gms - Blue
851207	Paint Can 350 gms - Green
851208	Paint Can 350 gms - Yellow
851209	Paint Can 350 gms - Orange
851210	Paint Can 350 gms - White

 Fluorescent Paint colours also available.



## SPRAY INK

Spray Ink is ideal for stencil application, colour coding and general marking. The unique formulation minimises build up when used on stencils. Fast drying, lightfast and economical to use. Coverage per can is approximately 3 - 5m<sup>2</sup> pending on application.

### STANDARD PACKAGE: 1

Part No.	Description
845908	315gm Yellow
845909	315gm Blue
845910	315gm Red
845911	315gm Black
845912	315gm White



## PAVEMENT MARKING TAPE

Permanently redirect traffic around construction sites or to mark driveways and parking lots. The tape is easily applied by hand to clean, dry pavement and instantly conforms to the road surface. Yellow and white tapes have high retro-directive reflectivity. This tape is constructed of foil-backed vinyl, coated with sand and reflective beads to provide traction and reflect light. Tapes are 100mm x 45m.

### STANDARD PACKAGE: 1

Part No.	Colour
852434	White
852435	Yellow



## ECONOMY PAVEMENT MARKING TAPE

The Economy Pavement Marking Tape provides a low cost way to mark your driveways, parking lots and construction sites. This tape is constructed of foil-backed vinyl, coated with sand and reflective beads to provide traction and reflect light. The adhesive bonds this tape temporarily to a clean, dry surface.

### STANDARD PACKAGE: 1

Part No.	Colour
852436	White
852437	Yellow






## CUSTOM CAR PARK STENCILS

Create stencils for your car park that say exactly what you want. Available in letter sizes from 25mm to 300mm, the tough polypropylene construction means that they can be used again and again. Brady can custom make any text stencil, even with logos or pictograms. Contact your local distributor for a prompt quote.

### Letter Size Available

- 25mm
- 30mm
- 40mm
- 50mm
- 60mm
- 75mm
- 80mm
- 90mm
- 100mm
- 110mm
- 120mm
- 130mm
- 140mm
- 150mm
- 175mm
- 200mm
- 225mm
- 250mm
- 300mm



## CAR PARK STENCILS

Tough polypropylene stencils for a quick, cost effective way of marking car parks, factory floors and any other traffic areas. Solvent resistant and reusable, they are recommended for use with aerosol spray inks.



### STANDARD PACKAGE: 1 Set

Part No.	Description	Size (Dia)	Qty	B
842114	Visitors/Staff only	150mm	Set	
842115	Reserved/No Parking	150mm	Set	
842116	Disabled Symbol	200mm	Set	
842117	Keep Clear	200mm	Set	
842119	Arrow Symbols	-	Set	
842122	Alphabet Stencil	75mm	Mat	

See page 358  
For stencil Spray ink

## CAR PARK STENCIL KIT

This Car Park Stencil Kit is ideal for organising and marking on car areas. Simply align the pre-spaced letters, tape down and paint. Stencils are constructed from reusable oil board. Each kit contains 254mm letters (A-Z), numbers (0-9), 483mm legends IN and OUT, 510mm Handicapped symbol and 1400mm and 1500mm directional arrows. Each stencil comes separately and can be aligned to each other.



### STANDARD PACKAGE: 1

Part No.	Description	B
847298	Car Park Stencil Kit	



## SENTINEL ASH TOWERS

- Keep Smoking Areas Clean – Indoors And Outdoors
- Easy To Empty
- Colours To Suit Your Décor

Sentinel Ash Towers are constructed of stainless steel and aluminium, making them ideal for indoor or outdoor use. The drawer collects cigarette litter and keeps area looking clean and tidy. Adjustable feet allow for levelling on uneven surfaces. Towers stand 800 x 200mm (H x W). Available in Black or Grey.

**DIMENSIONS:** 200 x 800 x 200mm (WxHxD)

**STANDARD PACKAGE:** 1

Part No.	Colour	B
860654	Black	
862869	Silver	



862869

860654

## ROUND LOBBY ASH BINS

These round lobby ash bins are made from brushed 201 grade stainless steel with a polished ashtray top. Complete with rubber rims on the base to protect floor surfaces and an internal galvanised liner.

**DIMENSIONS:**

10L: 250 x 600mm (Dia x H)

**STANDARD PACKAGE:** 1

Part No.	Description	B
873892	10L	



873892

## WALLMOUNT CIGARETTE BUTT BINS

This range of Wall Mountable Cigarette Butt Bins are a unique design and the durable finish options are suitable for outdoor use. Wall mountable kit included. Bins are lockable.

**DIMENSIONS:** 320 x 100 x 240mm (LxWxH)

**STANDARD PACKAGE:** 1

Part No.	Colour	B
873894	Stainless Steel	
873895	Powder Coated Grey	



873894



873895

## WALL MOUNTED ASH BINS

Stainless steel or black powder-coated steel finishes available. Classy, lockable ash bins.

**DIMENSIONS:** 280 x 373 x 140mm (WxHxD)

**STANDARD PACKAGE:** 1

Part No.	Colour	B
859407	Stainless Steel	
859406	Black	



859407



859406

## ECONOMY ASH FLOOR BIN

Epoxy powder-coated steel construction. Flaps are hinged for easy emptying.

**DIMENSIONS:** 350 x 95 x 245mm (WxHxD)

**STANDARD PACKAGE:** 1

Part No.	Description	B
861308	Economy Ash Floor Bin	

