



浙江省检验检疫科学技术研究院  
国家危险化学品检测重点实验室（浙江）



中国认可  
检测  
TESTING  
CNASL0354

电话 (Tel): 0571 8352 7220  
传真 (Fax): 0571 8352 7219  
邮编 (Post code): 311215  
地址 (Add.): 中国杭州市萧山区建设三路 398 号

正本/ORIGIN

编号: H20007599  
No: H20007599  
日期: 2020-03-19  
Date: 2020-03-19

ZAIQ-RF(HH)-01-19

# Safety Data Sheet



**Applicant name:** ZHEJIANG JINGHUI COSMETICS SHARE CO., LTD

**Product Name:** 75% ALCOHOL DISINFECTANT

**Edit date:** 19<sup>th</sup> March, 2020

**Edit institution:** Zhejiang Academy of Science and Technology for Inspection and Quarantine


**Approver:**



1. Unless other wise stated, this test report is only responsible for the sample(s).
2. This test report can not be reproduced, except in full, without prior written permission of the lab.



扫描全能王 创建

1. Identification of substance	
Product Name	75% ALCOHOL DISINFECTANT
Trade Name	None
Chemical Name	None
Recommended Use	Used for sterilization
Manufacturer	ZHEJIANG JINGHUI COSMETICS SHARE CO., LTD
Address	NO.8 ANSHANG ROAD NIAN SAN LI STREET YIWU CITY, ZHEJIANG PROVINCE, CHINA/322000
Phone Number	+86-579-85555388
Fax Number	+86-579-85032753
WEB	www.jinghui.cc
Emergency Phone Number	+86-15857926988 or call your nearest poison control centre
2. Hazards identification	
GHS classification	Flammable liquids 2
GHS Pictograms	
Signal words	Danger
Hazard statements	H225: Highly flammable liquid and vapour
Precautionary Statement Prevention	P210: Keep away from heat/sparks/open flames/hot surfaces.-No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P280: Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement Response	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water[or shower]. P370+P378: In case of fire: Use extinguisher to extinguish.
Precautionary Statement Storage	P403+P235: Store in a well-ventilated place. Keep cool.
Precautionary Statement Disposal	P501: Dispose of contents/container in according with local regulation.
Other hazards which do not result in classification	Not available.
3. Composition/information on ingredients	
<input type="checkbox"/> Substances	





✓ Mixtures

**Component Information**

Component	CAS number	EINECS number	Mass(%)
Ethanol	64-17-5	200-578-6	75%wt
AUQA	7732-18-5	231-791-2	25%wt

**4. First-aid measures**

NOTE TO PHYSICIAN	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
After inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Get immediate medical attention.
After skin contact	Immediately flush skin with plenty of water. Remove and isolate contaminated clothing and shoes. If irritation persists, get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin.
After eye contact	Wash clothing separately before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Assure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention immediately.
After ingestion	Rinse mouth. Give one or two glasses of water to drink. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Loosen tight clothing such as a collar, tie, belt or waistband. Do not use mouth-to-mouth method if victim ingested the substance. Seek immediate medical attention.
Most important symptoms/effects, acute and delayed	No data available.

**5. Fire-fighting measures**

Suitable extinguishing agents	Water spray, alcohol-resistant foam, carbon dioxide, dry chemical powder, sandy soil.
Special hazards caused by the material, its products of combustion or flue gases	The decomposition products depend on temperature, air supply and other substances. Decomposition products may include but are not limited to: carbon monoxide and carbon dioxide.
Protective equipment for fire-fighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

**6. Accidental release measures**

Person-related safety precautions	Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Ventilate closed spaces before entering. Keep unnecessary personnel away.
-----------------------------------	---





Measures for environmental protection	Prevent further leakage or spillage if safe to do so. Do not allow material to be released to the environment without proper governmental permits.
Measures for cleaning/collecting	Control spillage, and then collect with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in suitable container. Clean contaminated surface thoroughly.
Additional information	See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## 7. Handling and storage

### Handling

Information for safe handling	Use spark-proof tools and mechanical equipments. In case of insufficient ventilation, wear suitable respiratory equipment.
Information about protection against explosions and fires	Keep away from heat, sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### STORAGE

Requirements to be met by storerooms and containers	Keep in a cool, dry, well-ventilated place. Keep tightly closed until used. Use of explosion-proof lighting, ventilation facilities.
Information about storage in one common storage facility	Store away from incompatible substances such as strong oxidizing agents, alkalis, etc.
Further information about storage conditions	Storage area should be equipped with appropriate variety and quantity of fire equipment, emergency treatment equipments and suitable materials for leakage.

## 8. Exposure controls/personal protection

### Limit Values for Exposure Component

Component	CAS number	ACGIH TLV-TWA	ACGIH TLV-STEL	NIOSH REL-TWA	NIOSH REL-STEL
Ethanol	64-17-5	N.E.	1,000 ppm	1,000 ppm	N.E.
Appropriate engineering controls	Use adequate ventilation to keep airborne concentrations low. Provide safety shower and eyewash facility.				
General protective and hygienic measures	Do not get this material in contact with eyes. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Personal protective equipment	Splash goggles, gloves, protective clothing and a vapor respirator.				
Breathing equipment	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.				





Protection of hands	Wear appropriate chemical resistant gloves.
Eye/Face protection	Use safety glasses with side shields or safety goggles as mechanical barrier for prolonged exposure.
Body protection	Full set of anti chemical reagent overalls, flame retardant antistatic protective clothing, choose body protection according to the amount and concentration of the dangerous substance at the work place.

Note:1. N.E. means not established.

#### 9. Physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	Slight odour
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability	Highly flammable
Lower and upper explosion limit/ flammability limit	No data available
Flash point	<23 °C (Closed cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient: n-octanol/water(log value)	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density (air=1)	No data available
Particle characteristics	Not applicable

#### 10. Stability and reactivity

Reactivity	Ethanol reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard.
Chemical stability	Stable under recommended storage conditions.



Possibility of hazardous reactions	No data available.
Conditions to avoid (e.g. static discharge, shock or vibration)	Heat and flame and spark. The extreme temperatures and direct sunlight. Static discharge.
Incompatible materials	Avoid contact with strong oxidizing agents, alkalis, etc.
Hazardous decomposition products	The decomposition products depend on temperature, air supply and other substances. Decomposition products may include but are not limited to: carbon monoxide and carbon dioxide.

#### 11. Toxicological information

Routes of Entry: Dermal contact, eye contact, inhalation, ingestion.

Acute Toxicity

Ethanol (CAS 64-17-5) LD50 (Oral, rat): 10,470 mg/kg  
LC50 (Inhalation, rat): 124.7 mg/l (4 h)  
LD50 (Dermal, rabbit): N/A

Skin corrosion/Irritation Not classified  
Serious eye Not classified

damage/irritation  
Respiratory or skin Not classified  
sensitization

Germ cell mutagenicity Not classified  
Carcinogenicity Not classified  
Reproductive toxicity Not classified  
STOT-single exposure Not classified  
STOT-repeated exposure Not classified  
Aspiration hazard Not classified  
Chronic Effects Not classified  
Further Information None.

#### 12. Ecological information

Ecotoxicity

Aquatic Toxicity

Test & Species  
96 Hr LC50 fish: N/A  
48 Hr EC50 Daphnia: N/A  
72 Hr EC50 Algae: N/A

Persistence and Not available  
degradability

Bioaccumulative potential Not available

Mobility in soil Not available

Additional Information None

#### 13. Disposal considerations

##### WASTE DISPOSAL INSTRUCTIONS

Contact a qualified professional waste disposal service to dispose of this





material.

Dispose of in accordance with local environmental regulations or local authority requirements.

#### 14. Transport information

The Recommendation of Transport of Dangerous Goods(TDG)

UN Number	UN 1170
Proper Shipping Name	ETHANOL SOLUTION
Class/Division	Class 3 Flammable Liquids
Package Group	PG II
Subsidiary risk	—
labelling pictogram	



Maritime transport IMDG/ Marine pollutant (Yes/No)	Being same with TDG/No
Air transport ICAO-TI and IATA-DGR	Being same with TDG

#### 15. Regulatory information

##### European/International Regulations

**OSHA:** Hazardous by definition of Hazard Communication Standard(29CFR 1910.1200).

**EINECS Status:** The main components of this chemical are included in EINECS inventory.

**EPA TSCA Status:** The main components of this chemical are included in TSCA inventory.

**Canadian** The main components of this chemical are included in DSL.

**DSL(Domestic Substances List):**

**HMIS(Hazardous Material Identification System Ratings):**

Health: 0  
Flammability: 3  
Physical hazard: 0  
Personal protection: H  
(4. Severe Hazard; 3. Serious Hazard; 2. Moderate Hazard; 1. Slight Hazard; 0. Minimal Hazard)  
B2, D2B (Ethanol).

**WHMIS (Canadian Workplace Hazardous Material Identification System Ratings):**

**GB 12268-2012 List of dangerous goods** This product is a dangerous goods on the GB 12268-2012 list of dangerous goods.



## 16. other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This Material Safety Data Sheet was based on the "Globally Harmonized System of Classification and Labelling of Chemicals", "Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations", "INTERNATIONAL MARITIME DANGEROUS GOODS CODE", "International Air Transport Association Dangerous Goods Regulations", the National Standards and other related dangerous chemicals management laws, regulations and standards, which are periodically updated and changed. To make dangerous goods / hazardous chemicals comply with the relevant requirements of the latest management, regularly update is recommended.

This Material Safety Data Sheet has been compiled in both English and Chinese. For any discrepancies, the Chinese version shall prevail.

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail  
IMDG: International Maritime Code for Dangerous Goods  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
EC50: Effective concentration, 50 percent

### Edit Date

19.03.2020

### Update and Revise

Original edition

### Edit Standard

*Globally Harmonized System of Classification and Labelling for Chemicals* Part 1.5

### Revised Institution

Zhejiang Academy of Science and Technology for Inspection and Quarantine

